



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




ST 4-HESILA 250 (6,3X32)

Order No.: 3038778

The illustration shows version ST 4-HESI (6,3X32)

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3038778>Fuse terminal block with light indicator for assembly on NS 35, for 6 x
32 cartridge fuse inserts**Commercial data**

| | |
|--------------------------|--|
| GTIN (EAN) |  |
| sales group | A650 |
| Pack | 50 pcs. |
| Customs tariff | 85369010 |
| Catalog page information | Page 113 (CL-2009) |

Product notesWEEE/RoHS-compliant since:
06/01/2006

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Certificates / Approvals

Certification

CB, CSA, CUL, GL, KEMA, UL

| Accessories | | |
|---------------------|------------------------|---|
| Item | Designation | Description |
| Assembly | | |
| 3206212 | ATP-QTC TWIN | Partition plate, Length: 84.4 mm, Width: 2 mm, Height: 46 mm, Color: gray |
| Bridges | | |
| 3030284 | FBS 2-8 | Plug-in bridge, Number of positions: 2, Color: red |
| 3030297 | FBS 3-8 | Plug-in bridge, Number of positions: 3, Color: red |
| 3030307 | FBS 4-8 | Plug-in bridge, Number of positions: 4, Color: red |
| 3030310 | FBS 5-8 | Plug-in bridge, Number of positions: 5, Color: red |
| 3032470 | FBS 6-8 | Plug-in bridge, Number of positions: 6, Color: red |
| 3030323 | FBS 10-8 | Plug-in bridge, Number of positions: 10, Color: red |
| Marking | | |
| 1051993 | B-STIFT | Marker pen, for manual labeling of unprinted Zack strips, smear-proof and waterproof, line thickness 0.5 mm |
| 0811228 | X-PEN 0,35 | Marker pen without ink cartridge, for manual labeling of markers, labeling extremely wipe-proof, line thickness 0.35 mm |
| 1051016 | ZB 6,LGS:FORTL.ZAHLEN | Zack marker strip, 10-section, printed horizontally: with the numbers 1 - 10, 11 - 20 and so on up to 491 - 500, color: white |
| 1050499 | ZB 6:SO/CMS | Zack strip, 10-section, divisible, special printing, marking according to customer requirements |
| 1051003 | ZB 6:UNBEDRUCKT | Zack strip, unprinted, strips with 10 labels for individual labeling with M-PEN or CMS system, for terminal block width: 6.2 mm, color: white |
| 0808804 | ZBF 8,LGS:FORTL.ZAHLEN | Zack marker strip, flat, printed horizontally: 10-section, with the numbers 1 - 10, 11 - 20, and so on up to 101 - 110, color: white |
| 0808817 | ZBF 8:SO/CMS | Zack strip, flat, 10-section, divisible, special printing, marking according to customer requirements |
| 0808781 | ZBF 8:UNBEDRUCKT | Zack strip, flat, unprinted: 10-section, for individual labeling with M-PEN or ZBF-T, sufficient for 100 terminal blocks, color: white |
| Plug/Adapter | | |
| 3030860 | RB ST 6-(2,5/4) | Reducing bridge, Number of positions: 2, Color: red |
| Tools | | |
| 1204517 | SZF 1-0,6X3,5 | Actuation tool, for ST terminal blocks, also suitable for use as a bladed screwdriver, size: 0.6 x 3.5 x 100 mm, 2-component grip, with non-slip grip |

Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact
Technical modifications reserved;