



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



32x16 Red Green Dual Color LED Dot Matrix - 7.62mm Pitch - DE-DP14211

PRODUCT ID: 3054



DESCRIPTION

You can spruce up your home with DIY Jenny Holtzer LED art with a 16x32 rectangular Red and Green LED matrix panel. These panels are similar to ones you'd see in scrolling LED information signs, and they can be used to display text or simple animations.

Note this matrix only has red and green LEDs, they can be both turned on to make...yellow! But if you want full color excitement, check out 16 x 32 RGB LED matrices here! (They require a lot more memory and processing to manage)

This matrix has 1024 total LEDs (512 red and 512 yellow) arranged in a 16x32 grid on the front. On the back there are two IDC connectors (one input, one output: you can basically chain these together) and each panel has 4 x HT1632 matrix scanning processors on the back to manage the display multiplexing. Note that while you can dim the entire panel to one of 16 brightnesses, you cannot individually dim LEDs to create color gradients. But, the good news is once you write the LED on/off settings you want, the multiplexing is done for you. These displays are 'chainable' - connect one output to the next input and add an extra chip-select wire per extra panel

These panels require 5 digital pins, and one extra pin per chained panel and a good 5V supply, up to 1.4A per panel. We suggest our 2A regulated 5V adapter and then connecting a 2.1mm jack.

Comes with:

- A single 16x32 Red+Green LED panel
- 2 power wires
- 16-pin IDC cable for input or chaining

We found that this great library has native support for this display. To use, grab an Arduino UNO and make sure that's up and running. Download this example sketch. Then power the panel with 5V, and connect the panel CLK pin to #13, CS to #12, WR to #10 and DATA to #9. If you have two panels, connect the second panel's CS to #7

Note: Shipping weight reflects UPS' new dimensional weight regulations.

Technical Details

Matrix Dimensions: 240mm x 120mm / 9.5" x 4.7"

Panel Dimensions w/ black backing: 240mm x 145mm x 12mm / 9.5" x 5.7" x 0.5"

Weight: 316g

HT1632C-based 32x16 LED dot matrix info board

LED diameter: 5mm, 7.62mm pitch