



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Premium Tools

New Product

BiCut Super Cut


Avail 1/9/2015



Catalog Number
Description

32636
326 BiCut Super Cut 8"/200mm

USA List
\$39.98



wiha  **BiCut Super Cutter**
Premium Tools Professional Quality
www.wihatools.com

**Increase Your Power 100%
At the Push Of a Button**

Low Force & High Capacity
100% Power Boost Button
Cut Wire, Nails Or Chain


- Provides More Power
- Requires Less Force
- Push Button Power
- Extreme Cutting
- Induction Hardened
- Premium C70 Tool Steel

2 in 1 Design
Diagonal Cutter &
Super Cutter

Item No
32636

8.0"
(200mm)

Packaged by Wiha USA, Design & Tooling Wiha Germany, Forged & Assembled By Wiha Germany


Diagonal Cutter For Single and Multi-strand Wire


Press Power Button For Heavy Duty Cutting


Professional Quality Made By Wiha

The lever action attained with the Push Button BiCut design offers twice the power with half the effort of standard Diagonal cutters.

Insulated Combo Pliers With Dynamic Joint




 Long life high performance dynamic 60/40 joint


32930 Insulated Industrial High Leverage Combination Pliers. Insulation According to EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA,  up to 1000 volt. Individually Tested. DIN ISO 5746

Item No.	mm	Inch	Cutting Capacity Copper AWG	Pkg.	wt.
32930	200	8.0	#4	1	.92

Insulated Heavy Duty Cable Cutters




 1000volt

32927 Insulated Industrial Serrated Edge Cable Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E and CSA,  up to 1000 Volt. Individually Tested.

Item No.	mm	Inch	Ø	mm ²	Pkg.	lbs.
32927	200	8.0	20	60	1	.78

Insulated Stripping Pliers




 1000volt


32947 Insulated Industrial Stripping Pliers. Insulation According to VDE 0682/part 201, DIN 7437, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA, 1000 volt rated. Individually Tested. DIN ISO 5745

Item No.	mm	Inch	Stripping Capacity Copper AWG	Pkg.	wt.
32947	160	6.3	#8 - #28	1	.46

Insulated Crimpers



 1000volt


32945 Insulated Industrial Crimping Pliers. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E and CSA,  up to 1000 Volt. Individually Tested.


Item No.	mm	Inch	mm ²	AWG	Pkg.	wt.
32945	180	7.0	0.25-2.5	6-30	1	.64

Insulated TriCut Strippers & Cutters

 1000volt





32944 Insulated Industrial TriCut Strippers & Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E and CSA,  up to 1000 Volt. Individually Tested.


Cuts cable, strips cable, strips wire leads. Unique 3 in 1 design provides faster combined cutting and stripping. Strips AWG sizes #10 & #14.


Item No.	mm	Inch	AWG	Pkg.	wt.
32944	170	6.7	#6	1	.58


Insulated BiCut SuperCut

Cutting capacity up to 2mm (.080") Spring Wire






 1000volt

32936 Insulated Industrial BiCut SuperCut. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505, NFPA70E & CSA,  up to 1000 Volt. Individually Tested.

For cutting various materials from soft to extremely hard, such as nails, screws, bolts, wire cables, spring wires, chains, etc.

Item No.	mm	Inch	Pkg.	lbs.
32936	200	8.0	1	.78

Wiha Insulated Industrial Tool Sets




Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards





 1000Volt

32981 3 Pc. Insulated Industrial Pliers & Cutters

Item No. Insulated Pliers & Cutters
32981 8.0" Combo Pliers, 8.0" Long Pliers, 8.0" Diagonal Cutters
 lbs. 2.18





32983 5 Pc. Insulated Industrial Diagonal Cutters & Screwdrivers

Item No. Insulated Diagonal Cutters & Screwdrivers
32983 6.3"/160mm Diagonal Cutter
Insulated Divers: Slotted: 3.0, 4.5mm • Phillips: #1, #2
 lbs. 1.17




32984 6 Pc. Insulated Industrial Combo Pliers & Screwdrivers

Item No. Insulated Combination Pliers & Screwdrivers
32984 8.0" Combination Pliers & 8" Long Nose Pliers
Divers: Slotted: 3.0, 4.5mm • Phillips: #2 • Square: #2
 lbs. 2.06

Diagonal Cutters




326 Diagonal Cutters DIN ISO 5749

Low wear lap joint, riveted and able to withstand high levels of load. Low force cutting action, clean cutting. Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel hardened and tempered. For soft & medium hard wire. Soft vinyl grips.

Item No.	mm	Inch	Cutting Capacity Copper AWG	Pkg.	lbs.
32638	140	5.5	#6	1	.33
32642	160	6.3	#6	1	.49
32639	180	7.0	#6	1	.54

Flush Cutting Diagonal Cutters




- Flush cutting, with return spring

326 Flush Cutting Diagonal Cutters With Return Spring For Cutting Plastic DIN ISO 5749

Low wear lap joint, riveted and able to withstand high levels of load. Lightweight action, clean cutting. Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel hardened and tempered. For cutting plastic tie wraps & injection mold components. Soft vinyl grips.

Item No.	mm	Inch	Cutting Capacity Copper AWG	Pkg.	lbs.
32607	127	5.0	#6	1	.14
32614	160	6.3	#6	1	.36

High Leverage Cutters



326 High Leverage Cutters DIN ISO 5749

Semi-circular. Low wear lap joint, riveted and able to withstand high levels of load. Low force action, clean cutting. Long life is achieved through additional induction hardening of cutting edge to 64HRC. C70 special tool steel hardened and tempered. Soft vinyl grips.

Item No.	mm	Inch	Cutting Capacity Copper AWG	Pkg.	lbs.
32646	160	6.3	#6	1	.42
32649	180	7.0	#5	1	.50
32652	200	8.0	#4	1	.63

Flush Cutting Mechanic's Diagonal Cutters




- Flush cutting, with return spring

326 Flush Cutting Mechanic's Diagonal Cutters With Return Spring For Cutting Plastic DIN ISO 5749

Low wear lap joint, riveted and able to withstand high levels of load. Lightweight action, clean cutting. Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel hardened and tempered. For flush cutting soft and semi-hard wires. Soft vinyl grips.

Item No.	mm	Inch	Cutting Capacity Copper AWG	Pkg.	lbs.
32613	127	5.0	#12	1	.16

Cable Cutters



64HRC cutting edges


326 Cable Cutters Light, energy-saving & clean cutting with specially ground precision cutting edges. Long life is achieved through additional induction hardening of cutting edge to 64HRC. C70 special tool steel hardened and tempered. Soft vinyl grips. For cutting of copper & aluminum cables without crushing, also suitable for stripping. Not for steel cable, wires and copper conductors with hard coatings.

Item No.	mm	Inch	Cutting Capacity Copper/Aluminum	Pkg.	lbs.
32600	160	6.3	16mm	1	.34
32602	200	7.9	20mm	1	.62

Soft Grip BiCut SuperCut

NEW

Cutting capacity up to 2mm (.080") Spring Wire



- Double the power at the press of a button
- BiCut does the job of two pairs of pliers
- Up to 50% less hand strength required for cutting
- Cutting force doubled for extremely hard materials
- Easily switch between two strengths in one-handed operation

32636 Soft Grip BiCut SuperCut

For cutting various materials from soft to extremely hard, such as nails, screws, bolts, wire cables, spring wires, chains, etc.

Item No.	mm	Inch	Cutting Capacity Copper AWG	Pkg.	lbs.
32636	200	8.0	#12	1	.72

Wiha Industrial SoftGrip Pliers & Cutters

Made by Wiha


Maximum comfort in daily use, smooth operation & optimum force transmission without uncomfortable pressure points. Natural brushed finish.



Ergonomic shape for maximum user comfort

New dynamic joint provides 40% easier cuts & significantly longer tool life

Induction hardened cutters




40/60 Dynamic Joint

Anti-slip soft dual material handles for safe gripping

Slip guards molded into grip



Industrial SoftGrip Combination Pliers




309 Industrial Combination Pliers DIN ISO 5746

Extra long cutting edge for flat and round cables. Serrated jaws. Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel. For gripping and holding as well as cutting soft and hard wires and cables. Two component Industrial SoftGrip ergonomic handles.

Item No.	Length		Cutting Capacity AWG	Pkg.	lbs.
	mm	Inch			
30901	160	6.3	#10	1	.52
30903	180	7.0	#9	1	.67
30905	200	8.0	#8	1	.83

Industrial SoftGrip Linemans Crimpers




30912 Industrial Linemans Crimpers DIN ISO 5746

Extra large head and extra long cutting edges for flat and round cables. Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel. For gripping & holding as well as cutting wires & cables ranging in hardness from soft to extremely hard. Two component SoftGrip ergo handles.

Item No.	Length		Cutting Capacity Copper AWG	Pkg.	lbs.
	mm	Inch			
30912	225	9.0	#4	1	1.05

Industrial SoftGrip Heavy Duty Combo Pliers



309 Industrial Heavy Duty Combination Pliers DIN ISO 5746


Larger Head and extra long cutting edges for flat and round cables. Serrated jaws. Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel. For gripping & holding as well as cutting wires & cables ranging in hardness from soft to extremely hard. Two component SoftGrip ergo handles.

Item No.	Length		Cutting Capacity Copper AWG	Pkg.	lbs.
	mm	Inch			
30907	200	8.0	#7	1	.81
30909	225	9.0	#6	1	1.02

Industrial SoftGrip BiCut SuperCut



Cutting capacity up to 2mm (.080") Spring Wire



- Double the power at the press of a button
- BiCut does the job of two pairs of pliers
- Up to 50% less hand strength required for cutting
- Cutting force doubled for extremely hard materials
- Easily switch between two strengths in one-handed operation

30936 Industrial SoftGrip BiCut SuperCut

For cutting various materials from soft to extremely hard, such as nails, screws, bolts, wire cables, spring wires, chains, etc.

Item No.	Length		Pkg.	lbs.
	mm	Inch		
30936	200	8.0	1	.78