

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China








NOTES:

1. MATERIALS OF CONSTRUCTION: SHELL, HOUSING, BODY & RETAINING RING = BRASS (ASTM-B16 HO2, C36000), NICKEL PL. (.000100 MIN.) DVER COPPER STRIKE 31 - 9**REVISIONS** DRAWING NO. REV DESCRIPTION DATE APPR ECO THIRD ANGLE PROJ. $\oplus \ \exists$ OFFICIAL ENG. RELEASE TO MFG. SEE SHEET 1 45202 10/15/04 CPM/

INSULATORS (2) = PTFE PER ASTM D 1710 DR EQUIV. GASKET = SILICONE RUBBER, COLOR RED CONTACT= BERYLLIUM COPPER, SILVER PLATE (.0002/.0003) THICK OVER COPPER FLASH. CONTACT PIN = PHOSPHOR BRONZE (ASTM B139, C51000, 1/2 HARD), GOLD PLATE (.000030 MIN.) OVER NICKEL PLATE (.000100 MIN.) COVER, WASHER & LOCK RING = BRASS (ASTM-B16 HO2, C36000), NICKEL PL. (.000100 MIN.) OVER COPPER STRIKE SPRING = SK5, NICKEL PL. (.000200 MIN.) OVER COPPER STRIKE

- 2. PACKAGE THIS FULLY ASSEMBLED CONNECTOR IN BAG 999-226. MARK PACKAGING BAG "91 5A 500V".
- 3. PARENTHESIS () INDICATES REFERENCE DIMENSIONS.
- 4. DO NOT SCALE THIS DRAWING.
- 5. UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE AFTER PLATING.



UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: 3 PLACE DECIMAL ±.005 (0,127 mm) 2 PLACE DECIMAL ±.015 (0,381 mm) NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights or permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.

MATERIAL REFERENCE RE 49F429

DRAWN DATE C. McGRATH 10/12/04 **ENGINEER** DATE D. ROYCE 6/19/92 APPROVED DATE CAD FILE

BNC ADAPTOR UG-306/U

TITLE

Amphenol Amphenol Corporation RF/Microwave Operations Danbury, Conn. U.S.A. 06810

SCALE: 4:1 SHEET 2 OF 2

CODE ID H:\DEPT611\BNC\031\ASSY\9SHT2 74868

DWG SIZE DRAWING NO. 31-9

ISSUE ΑМ