

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









DE-15 (DB-15) Male Plug to Terminal Block Breakout

PRODUCT ID: 3125











Description

Make your own custom DE-15 cable or DE-15 interface with ease, using this DE-15 Plug to Terminal Block Breakout. You get a nice solid PCB with a DE-15 plug and two strips of terminal blocks that you can use with stranded or solid core wire to quickly assemble your own wiring jigs.

If you just need a plain DE-15 / VGA cable, we have plenty and it's less expensive to just buy a standard cable than DIY it. We recommend this adapter when you need a non-standard wiring setup or interfacing to a device with a VGA interface (that's what these connectors were used for the most)

Sometimes DE-15 connectors are referred to as DB-15. Technically that's the wrong name, but its so ingrained that most people only know the connector as DB-15.

Comes with one fully assembled breakout and a clip-on housing

Technical Details

Product Dimensions: 66.7mm x 33.6mm x 20.5mm / 2.6" x 1.3" x 0.8"

Product Weight: 29.8g / 1.1oz