



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Premium Male/Male Raw Jumper Wires - 40 x 6" (150mm)

PRODUCT ID: 3142



. Description

Our **Raw Male/Male Jumper Wires** are perfect for making a custom jumper wire sets for wire harnesses or jumpering between headers on PCB's. These premium jumpers are a little over 6" (150mm) long and come in a 'strip' of 40 (4 pieces of each of the ten colors).

The 0.1" raw sockets on either end are designed to be custom fitted with your choice of housing blocks to meet your prototyping needs. You can always pull the ribbon wires off to make individual jumpers, or keep them together to make neatly organized wire harnesses.

If you're looking to set up an extending connection we suggest combining our F/F Raw jumpers with some extra-long break-away header pins. Add the pins to one end to turn the cables into female-male jumpers!

Note: The length of the jumper wires is sometimes a bit longer than what is listed.

. **Technical Details**

- Each wire is 28 AWG (7 strands @ 36 AWG)

Product Dimensions: 190.0mm x 55.2mm x 2.4mm / 7.5" x 2.2" x 0.1"

Product Weight: 29.1g / 1.0oz