



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




4

3

2

1

LOC G	DIST 02	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			—	SEE SHEET 1	—	—	—



- 1

DIMENSION APPLIES FROM EDGE OF METAL WIRE BARREL TO CENTER OF STUD.
- 2

TONGUE MATERIAL THK 1.02±.05 [.040±.002]
- 3

105°C MAX OPERATING TEMPERATURE
- 4

300 VOLT MAX.
- 5

CIRCULAR MIN AREA: 2.62–6.64 mm² [5180–13100] SOLID OR STRANDED
- 6

MILITARY M7928/1–59 CLASS 1
- 7

MILITARY M7928/1–66 CLASS 1
- 8



MILITARY M7928/1–59 CLASS 2
- 9

MILITARY M7928/1–66 CLASS 2

STYLE "B" – INSULATION RESTRICTING

TABLE 1			
500	BODY: COPPER PER ASTM B-152 TIN PLATE PER ASTM B-545 SLEEVE: COPPER PER ASTM B-152 NICKEL PLATE PER QQ-N-290 INSULATION: NYLON PER ASTM D-4066, TYPE 1 COLOR: YELLOW	LOOSE PIECE	2-320569-6
			2-320569-5
QTY	MATERIAL & FINISH	PACKAGING	PART NO.

TABLE 2						
2-320569-6	BROWN	10	3.02–5.08 [.119–.200]	AMP 10*	"B"	2-320569-8
2-320569-5	YELLOW	12	2.41–5.08 [.095–.200]	AMP 12*		2-320569-7
PART NO.	COLOR STRIPE	WIRE SIZE	FOR WIRE INSULATION OD	STAMP	STYLE	PART NO. ON TAPE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN RAGHAVENDRA 08SEP2008	<div> TE Connectivity</div>					
DIMENSIONS: mm [INCHES]		CHK T MICHIELUTTI 08SEP2008						
	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± – 1 PLC ± 0.2 [.008] 2 PLC ± – 3 PLC ± – 4 PLC ± – ANGLES ± 0°30'	APVD T MICHIELUTTI 08SEP2008	NAME TERMINAL RING TONGUE, NYLON, PIDG, WIRE SIZE: 12–10					
		PRODUCT SPEC —						
		APPLICATION SPEC —	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO		
		MATERIAL SEE TABLE 1	FINISH —	WEIGHT —	A3	00779	C-320569	—
CUSTOMER DRAWING			SCALE	2:1	SHEET	2 OF 2	REV	T2