



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




CD 30X80

Order No.: 3240282

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3240282>

Cable duct, gray, consisting of upper and lower part, width: 30 mm,
height: 80 mm, length 2000 mm

Commercial data

| | |
|--------------------------|---|
| GTIN (EAN) |  4 046356 470100 |
| sales group | B204 |
| Pack | 12 pcs. |
| Customs tariff | 39259020 |
| Catalog page information | Page 102 (NTK-2010) |

Product notes

WEEE/RoHS-compliant since:
11/20/2008



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data**General**

| | |
|------------------------------------|---------|
| Length (b) | 2000 mm |
| Height | 80 mm |
| Width (a) | 30 mm |
| Color | gray |
| Inflammability class acc. to UL 94 | V0 |

| | |
|---------------------------------|-----------------|
| Ambient temperature (operation) | -5 °C ... 60 °C |
| Material | PVC |

Certificates / Approvals



Certification

CSA, UL, VDE-PZI

Accessories

| Item | Designation | Description |
|----------------|----------------|---|
| General | | |
| 3240295 | CD COVER 30 | Cover for cable duct, gray, width: 30 mm, length: 2000 mm |
| 3240498 | RVT-PA 4 | Plastic body-bound rivet, 4 mm diameter, for a material thickness of 1.5 ... 6 mm |
| 3240499 | RVT-PA 6 | Plastic body-bound rivet, 6 mm diameter, for a material thickness of 1.5 ... 6 mm |
| 1212478 | UNIFOX-RVT P 4 | Rivet setting tool, for use with RVT-PA 4 plastic body-bound rivets |
| 1212509 | UNIFOX-RVT P 6 | Rivet setting tool, for use with RVT-PA 6 plastic body-bound rivets |

CD 30X80 Order No.: 3240282

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3240282>

Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact
Technical modifications reserved;