



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Protective hose - WP-SPIRAL PVC C 36 - 3240854

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Protective hose, spring steel wire with PVC coating, highly stranded

Image shows WP-SPIRAL PVC C 10 version

Key Commercial Data

| | |
|------------------------|----------|
| Packing unit | 1 M |
| Minimum order quantity | 10 M |
| Custom tariff number | 39173200 |
| Country of origin | Germany |

Technical data

Dimensions

| | |
|--------------------|----------|
| Inner diameter (f) | 29.00 mm |
| Outside diameter | 36.00 mm |

Ambient conditions

| | |
|---------------------------------|------------------|
| Ambient temperature (operation) | -25 °C ... 80 °C |
| Short-term temperature | 100 °C |

General

| | |
|------------------------|---|
| Color | gray |
| Type | Spring steel wire with soft PVC coating |
| Components | Free from silicone and cadmium |
| Material | PVC |
| Bending radius, static | 24.00 mm |

Standards and Regulations

| | |
|----------------------------|----|
| Resistance to UV radiation | no |
| Halogen-free | no |

Protective hose - WP-SPIRAL PVC C 36 - 3240854

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 27141131 |
| eCl@ss 4.1 | 27141131 |
| eCl@ss 5.0 | 27141131 |
| eCl@ss 5.1 | 27141120 |
| eCl@ss 6.0 | 27141120 |
| eCl@ss 7.0 | 27141120 |
| eCl@ss 8.0 | 27430304 |

ETIM

| | |
|----------|----------|
| ETIM 3.0 | EC000897 |
| ETIM 4.0 | EC001177 |
| ETIM 5.0 | EC001177 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 30211812 |
| UNSPSC 7.0901 | 39121410 |
| UNSPSC 11 | 39121411 |
| UNSPSC 12.01 | 39121411 |
| UNSPSC 13.2 | 39121411 |

Approvals

Approvals


Approvals

VDE Zeichengenehmigung

Ex Approvals

Approvals submitted

Approval details

| |
|--|
| VDE Zeichengenehmigung  |
|--|

Protective hose - WP-SPIRAL PVC C 36 - 3240854

Accessories

Accessories

Corrugated pipe screw connection

Screw connection - WP-G PP HF PG29 - 3240993



Cable gland made from PP with Pg thread, IP65 protection

Screw connection - WP-G PP HF M32 - 3241000



Cable gland made from PP with metric thread, IP65 protection

Screw connection - WP-GT PP HF PG29 - 3241007



Cable gland made from PP with Pg thread, rotatable, IP54 protection

Screw connection - WP-GT PP HF M40 - 3241015



Cable gland made from PP with metric thread, rotatable, IP54 protection

Mounting material

Protective hose - WP-SPIRAL PVC C 36 - 3240854

Accessories

Hose clamp - WP-BASE HF 37 - 3240972



Hose clamps

Protective hose fixing bracket - WP-BASE A PG29 - 3241081



Fixing bracket for protective sleeves, fixed with two screws

Protective cap

Cable protection end sleeve - WP-SC HF 36 - 3241021



End sleeves as cable protection
