



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Protective hose - WP-STEEL ZC 14 - 3240865

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Protective hose in galvanized steel

Image shows WP-STEEL ZC 10 GY version

Key Commercial Data

| | |
|------------------------|----------|
| Packing unit | 1 M |
| Minimum order quantity | 10 M |
| Custom tariff number | 83071000 |
| Country of origin | Germany |

Technical data

Dimensions

| | |
|--------------------|----------|
| Inner diameter (f) | 11.00 mm |
| Outside diameter | 14.00 mm |

Ambient conditions

| | |
|---------------------------------|--------------------|
| Ambient temperature (operation) | -200 °C ... 220 °C |
|---------------------------------|--------------------|

General

| | |
|------------------------|-------------------|
| Color | silver |
| Type | Spirals |
| Components | Halogen-free |
| Material | Steel, galvanized |
| Bending radius, static | 34.00 mm |

Standards and Regulations

| | |
|--------------|-----|
| Halogen-free | yes |
|--------------|-----|

Protective hose - WP-STEEL ZC 14 - 3240865

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 27141131 |
| eCl@ss 4.1 | 27141131 |
| eCl@ss 5.0 | 27141131 |
| eCl@ss 5.1 | 27141120 |
| eCl@ss 6.0 | 27141120 |
| eCl@ss 7.0 | 27141120 |
| eCl@ss 8.0 | 27430301 |

ETIM

| | |
|----------|----------|
| ETIM 3.0 | EC000897 |
| ETIM 4.0 | EC001179 |
| ETIM 5.0 | EC001179 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 30211812 |
| UNSPSC 7.0901 | 39121410 |
| UNSPSC 11 | 39121411 |
| UNSPSC 12.01 | 39121411 |
| UNSPSC 13.2 | 39121411 |

Approvals

Approvals

Approvals

VDE Zeichengenehmigung

Ex Approvals

Approvals submitted

Approval details

| |
|------------------------|
| VDE Zeichengenehmigung |
|------------------------|

Protective hose - WP-STEEL ZC 14 - 3240865

Accessories

Accessories

Corrugated pipe screw connection

Screw connection - WP-G BRASS IP40 PG9 - 3241038



Cable gland made from brass with Pg thread, IP40 protection

Screw connection - WP-G BRASS IP40 M12 - 3241045



Cable gland made from brass with metric thread, IP40 protection

Screw connection - WP-GT BRASS PG9 - 3241024



Cable gland made from brass with Pg thread, rotatable, IP40 protection

Screw connection - WP-GT BRASS M12 - 3241031



Cable gland made from brass with metric thread, rotatable, IP40 protection

Mounting material

Protective hose - WP-STEEL ZC 14 - 3240865

Accessories

Hose clamp - WP-BASE HF 14 - 3240967



Hose clamps

Protective cap

Cable protection end sleeve - WP-SC BRASS 14 - 3241066



End sleeves as cable protection, made of brass
