



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## Protective hose - WP-STEEL ZC 27 - 3240866

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Protective hose in galvanized steel

Image shows WP-STEEL ZC 10 GY version

### Key Commercial Data

Packing unit	1 M
Minimum order quantity	10 M
Weight per Piece (excluding packing)	296.0 g
Custom tariff number	83071000
Country of origin	Germany

### Technical data

#### Dimensions

Inner diameter (f)	23.00 mm
Outside diameter	27.00 mm

#### Ambient conditions

Ambient temperature (operation)	-200 °C ... 220 °C
---------------------------------	--------------------

#### General

Color	silver
Type	Spirals
Components	Halogen-free
Material	Steel, galvanized
Bending radius, static	63.00 mm

### Standards and Regulations

Halogen-free	yes
--------------	-----

# Protective hose - WP-STEEL ZC 27 - 3240866

## Classifications

### eCl@ss

eCl@ss 4.0	27141131
eCl@ss 4.1	27141131
eCl@ss 5.0	27141131
eCl@ss 5.1	27141120
eCl@ss 6.0	27141120
eCl@ss 7.0	27141120
eCl@ss 8.0	27430301

### ETIM

ETIM 3.0	EC000897
ETIM 4.0	EC001179
ETIM 5.0	EC001179

### UNSPSC

UNSPSC 6.01	30211812
UNSPSC 7.0901	39121410
UNSPSC 11	39121411
UNSPSC 12.01	39121411
UNSPSC 13.2	39121411

## Approvals

### Approvals

---

Approvals

VDE Zeichengenehmigung

---


Ex Approvals

---

Approvals submitted

---

### Approval details

VDE Zeichengenehmigung 
--

## Protective hose - WP-STEEL ZC 27 - 3240866

### Accessories

#### Accessories

#### Corrugated pipe screw connection

Screw connection - WP-G BRASS IP40 PG21 - 3241041



Cable gland made from brass with Pg thread, IP40 protection

---

Screw connection - WP-G BRASS IP40 M25 - 3241048



Cable gland made from brass with metric thread, IP40 protection

---

Screw connection - WP-GT BRASS PG21 - 3241027



Cable gland made from brass with Pg thread, rotatable, IP40 protection

---

Screw connection - WP-GT BRASS M25 - 3241034



Cable gland made from brass with metric thread, rotatable, IP40 protection

---

### Mounting material

## Protective hose - WP-STEEL ZC 27 - 3240866

### Accessories

Hose clamp - WP-BASE HF 29 - 3240971



Hose clamps

---

Protective hose fixing bracket - WP-BASE A PG21 - 3241080



Fixing bracket for protective sleeves, fixed with two screws

---

### Protective cap

Cable protection end sleeve - WP-SC BRASS 27 - 3241069



End sleeves as cable protection, made of brass

---

---