



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Wiha ESD Safe Pliers & Cutters

Beveled Cutter Semi-Flush Cutter

Flush Cutter Ultra Full Flush

Box joint for longer tool life & endurance, mirror polished finish

ESD standard IEC 61340-5-1

Two component handle with non-slip soft grip surface, protects the hand and reduces manual effort & user fatigue

Welded double leaf spring


Hardened & annealed high carbon tool steel, induction hardened cutting edges

SHOP

Precision Cutters Tapered Head

Semi Flush

115mm



327 03 Precision Cutters, Small Tapered Head, Semi Flush

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1


#327 03	mm	Inch	Copper	Head Wdth	Pkg.	wt.
	115	4.5	1.0	9.5mm	1	.19

SHOP

Precision Cutters Tapered Head

Flush

115mm



327 05 Precision Cutters, Small Tapered Head, Flush

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1


#327 05	mm	Inch	Copper	Head Wdth	Pkg.	wt.
	115	4.5	1.0	9.5mm	1	.19

SHOP

Precision Cutters Tapered Head

Semi Flush

115mm



327 02 Precision Cutters, Small Tapered Head With Hollow Ground Back, Semi Flush

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1


#327 02	mm	Inch	Copper	Head Wdth	Pkg.	wt.
	115	4.5	1.0	9.5mm	1	.19

SHOP

Precision Cutters Tapered Head

Flush

115mm



327 04 Precision Cutters, Small Tapered Head With Hollow Ground Back, Flush

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#327 04	mm	Inch	Copper	Head Wdth	Pkg.	wt.
	115	4.5	1.0	9.5mm	1	.19

PREVIOUS

NEXT




Wiha ESD Safe Pliers & Cutters



Precision Cutters Wide Tapered Head

Bevel



327 06 Precision Cutters, Wide Tapered Head, Bevel


Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#327 06	mm	Inch	Copper	Head Wdth	Pkg.	wt.	Each
	115	4.5	1.4	11.0mm	1	.19	\$44.94



Precision Cutters Wide Tapered Head

Flush



327 08 Precision Cutters, Wide Tapered Head, Flush


Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#327 08	mm	Inch	Copper	Head Wdth	Pkg.	wt.	Each
	115	4.5	1.2	11.0mm	1	.19	\$45.04



Precision Cutters Wide Tapered Head

Full Flush



327 10 Precision Cutters, Wide Tapered Head, Full Flush

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#327 10	mm	Inch	Copper	Head Wdth	Pkg.	wt.	Each
	115	4.5	1.0	11.0mm	1	.19	\$49.54



Precision Cutters Wide Tapered Head

Flush



327 11 Precision Cutters, Wide Tapered Head With Wire Trapping Device, Flush


Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#327 11	mm	Inch	Copper	Head Wdth	Pkg.	wt.	Each
	115	4.5	1.2	11.0mm	1	.19	\$47.30



Precision Cutters Slim Oval Form

Flush



327 12 Precision Cutters, Slim Oval Head, Flush

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#327 12	mm	Inch	Copper	Head Wdth	Pkg.	wt.	Each
	115	4.5	1.0	10.5mm	1	.19	\$45.04




INDEX

Wiha ESD Safe Pliers & Cutters

SHOP

Precision Cutters Slim Oval Form

Full Flush



327 14 Precision Cutters, Slim Oval Head, Full Flush


Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#327 14	mm	Inch	Copper	Head Wdth	Pkg.	wt.	Each
	115	4.5	1.2	10.0mm	1	.19	\$50.14

SHOP

Precision Cutters Slim Oval Form

Bevel



327 16 Precision Cutters, Wide Oval Head, Bevel

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#327 16	mm	Inch	Copper	Head Wdth	Pkg.	wt.	Each
	115	4.5	1.4	11.0mm	1	.19	\$45.04

SHOP

Precision Cutters Wide Oval Form And Carbide Edge

Bevel



327 18 Precision Cutters, Wide Oval Head Carbide Cutting Edges, Bevel


Cutters drop-forged for an ideal material structure. Precise aligned carbide cutting edge. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#327 18	mm	Inch	Copper	Head Wdth	Pkg.	wt.	Each
	110	4 3/8	1.6	11.0mm	1	.16	\$103.02

SHOP

Precision Cutters Wide Oval Form

Flush



327 20 Precision Cutters, Wide Oval Head, Flush


Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#327 20	mm	Inch	Copper	Head Wdth	Pkg.	wt.	Each
	115	4.5	1.2	11.0mm	1	.19	\$44.48

SHOP

Precision Cutters Wide Oval Form

Flush



327 21 Precision Cutters, Wide Oval Head With Wire Trapping Device, Flush

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#327 21	mm	Inch	Copper	Head Wdth	Pkg.	wt.	Each
	115	4.5	1.2	11.0mm	1	.19	\$46.18



Wiha ESD Safe Pliers & Cutters



Oblique Angled Cutters

Flush



327 22 Oblique Angled Cutters, 29°, Flush


Oblique Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#327 22	mm	Inch	Copper	Head Wdth	Pkg.	wt.	Each
	115	4.5	1.2	12.0mm	1	.20	\$51.26



Oblique Angled Cutters

Ultra Full Flush



327 24 Oblique Angled Cutters, 29°, Full Flush


Oblique Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#327 24	mm	Inch	Copper	Head Wdth	Pkg.	wt.	Each
	115	4.5	1.0	12.0mm	1	.20	\$56.32



Oblique Angled Cutters

Semi Flush



327 26 Oblique Angled Cutters, 29°, Short Head, Semi Flush



Oblique Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#327 26	mm	Inch	Copper	Head Wdth	Pkg.	wt.	Each
	115	4.5	1.2	12.0mm	1	.20	\$52.94



Oblique Front Cutters

Flush



327 28 Oblique Front Cutters, Very Small Head, 40°, Flush

Oblique Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#327 28	mm	Inch	Copper	Head Wdth	Pkg.	wt.	Each
	130	5.1	0.6	8.5mm	1	.13	\$49.54



ESD Safe Tool Set In Canvas Pouch



327 93 11 Pc. Set, 4 ESD Safe Pliers, Slotted & Phillips

Screwdrivers Pliers drop-forged for an ideal material structure. Two component non-slip soft grip handle. ESD standard IEC 61340-5-1

ESD Safe Pliers & Cutters			
32705 4.5" Tapered Flush Cutters	32742 4.5" Snipe Nose Pliers		
32728 4.375" Oblique Cutters	32746 5.7" Long Nose Pliers		


ESD Safe Screwdrivers			
27220 Slotted 2.0mm	27305 Phillips #00		
27225 Slotted 2.5mm	27310 Phillips #0		
27230 Slotted 3.0mm	27320 Phillips #1		
27235 Slotted 3.5mm			
📦 lbs. 2.43	Each \$237.04		

Wiha ESD Safe Pliers & Cutters



End Cutters Extra Slim

Semi Flush




327 32 End Cutters, Extra Slim, Semi Flush
End Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#327 32	mm	Inch	Copper	Tip Wdth	Pkg.	wt.	Each
	130	5.1	0.6	4.1mm	1	.16	\$50.70

End Cutters Wide Head

Flush




327 34 End Cutters, Wide Head, Flush
End Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#327 34	mm	Inch	Copper	Head Wdth	Pkg.	wt.	Each
	115	4.5	1.4	11.0mm	1	.18	\$50.70



ESD Safe Pliers

Short Snipe Nose



327 42 ESD Safe Pliers, Short Snipe Nose (Chain Nose) Straight, Serrated Jaws
Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#327 42	mm	Inch	Head Wdth	Pkg.	wt.	Each
	120	4 3/4	9.5mm	1	.17	\$40.54



ESD Safe Pliers

Bent Snipe Nose 45°



327 44 ESD Safe Pliers, Snipe Nose (Chain Nose) Bent 45°, Smooth Jaws
Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#327 44	mm	Inch	Head Wdth	Pkg.	wt.	Each
	120	4 3/4	9.5mm	1	.16	\$41.68



ESD Safe Pliers

Long Needle Nose



327 46 ESD Safe Pliers, Long Needle Nose Pliers, Straight, Serrated Jaws
Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#327 46	mm	Inch	Head Wdth	Pkg.	wt.	Each
	145	5 3/4	12.0mm	1	.21	\$46.18






Wiha ESD Safe Pliers & Cutters



ESD Safe Pliers

Needle Nose, Bent 90°



327 48 ESD Safe Pliers, Needle Nose Pliers, Bent 90°, Smooth Jaws


Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#327 48	mm	Inch	Head Wdth	Pkg. wt.	Each
	145	5 3/4	12.0mm	1 .21	\$46.18



ESD Safe Pliers

Short Round Nose Pliers



327 50 ESD Safe Pliers, Short Round Nose Pliers, Smooth Jaws


Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#327 50	mm	Inch	Head Wdth	Pkg. wt.	Each
	120	4 3/4	9.5mm	1 .17	\$40.54



ESD Safe Pliers

Short Flat Nose Pliers



327 52 ESD Safe Pliers, Short Flat Nose Pliers, Smooth Jaws

Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#327 52	mm	Inch	Head Wdth	Pkg. wt.	Each
	120	4 3/4	9.5mm	1 .16	\$40.54



327 90 4 Pc. ESD Safe Pliers Set In Custom Case Pliers drop-forged for an ideal material structure. Two component non-slip soft grip handle. ESD Safe Dissipative. ESD standard IEC 61340-5-1

#327 90	4 piece ESD Safe Pliers Set
Set includes:	
32716 4.5" Oval Side Cutters	32746 5.75" Long Nose Pliers
32752 4.75" Flat Nose Pliers	32728 4.375" Oblique Cutters
lbs. 2.06	Each \$198.28



ESD standard IEC 61340-5-1



327 91 11 Pc. Set, 4 ESD Safe Pliers, SYSTEM 4 Slotted & Phillips 5 Pc. Set & 2 ESD Safe Tweezers Pliers drop-forged for an ideal material structure. Two component non-slip soft grip handle. ESD Safe Precision handle & 4 CVM tool steel blades. Tweezers anti-static conductive, ESD Safe Hypo allergenic, anti-magnetic stainless.

#327 91 11 piece ESD Safe Pliers, Tweezers & SYS 4 precision Set in custom case includes:

ESD Safe Pliers & Cutters	
32716 4.5" Oval Side Cutters	32746 5.75" Long Nose Pliers
32752 4.75" Flat Nose Pliers	32728 4.375" Oblique Cutters

SYSTEM 4 Set in separate pouch
28000 ESD Safe Conductive Precision Handle
Slotted: 1.5, 2.0, 3.0 & 4.0 Phillips: 000, 00, 0 & 1
ESD Safe Tweezers: 44501 AA SA ESD 44510 7a SA ESD
lbs. 2.43 Each \$269.26