

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









Mono Enclosed Speaker - 3W 4 Ohm

PRODUCT ID: 3351



. Description

Listen up! This 2.8" x 1.2" speaker is a great addition to any audio project where you need 4 ohm impedance and 3W or less of power. We particularly like this speaker as it is small and enclosed for good audio volume and quality. It has a handy JST 2PH input cable to add audio to your displays and other projects (this connector is part of the JST-PH series which is \sim 2.0mm spacing).

This speaker will work peachy-keen with any of our mono audio amps, such as the PAM8302 or MAX98357A mono class D amplifiers.

We also sell this as a 'stereo set' over here if you want 2 at a time.

. Technical Details

- o Speaker weight: 26.4g
- o Dimensions: 30mm x 70mm x 17mm / 1.2" x 2.8" x .7"
- o Cable is 22.5" long
- o 3.4mm diameter mounting holes
- o 63mm x 24mm mounting rectangle