



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Hobby Creek Magnetic Helper Hand

PRODUCT ID: 3373



. Description

Have you ever needed a hand in tight spaces? How about two hands? Well, it looks like we've got to give yet another 'hand' to the folks at Hobby Creek because this **Mag Helper Hand** provides just that! It's a fine addition to their family of Hands.

This Mag Helper features a neodymium magnetic base and a Y-connector to support two arms to help you in the tightest of situations. The clips can swivel 360 degrees and are covered in heat resistant silicone to prevent melting or marring while you work.

This works extremely well on any ferrous surface (e.g. something a magnet can stick to). Works both in vertical or horizontal orientations!

It features:

- Two swiveling clips with silicone covers
- Neodymium magnetic base
- Full articulation in all directions

• **Technical Details**

- Base Diameter: 32mm / 1.26"
- Base Thickness: 24mm / 0.95"
- Arm Diameter: 15.9mm / 0.63"
- Arm Length (from Y-connector, including clip): ~295mm / ~11.5"
- Weight: 204.5g