



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL INTERNATIONAL RIGHTS RESERVED.


LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD		
	F3	REV PER ECO-09-021826	05SEP09	KK	AEG		
	G	ECR-10-019054	15SEP10	DP	MQW		
	H	ECR-12-010544	03DEC12	SY	AC		



- NOTES:
- ① PLATING:
CONTACT AREA : 0.76µm Au. MIN. OVER 1.27µm Ni min.
ACTION PIN : 0,5µm SnPb MIN.
REMAINDER : Ni
 - ② MATERIAL; PHOSPHORBRONZE.
 - ③ ROW "f" 13 PLATED THROUGH HOLES FOR UPPERSHIELD
 - ④ HOLE PATTERN FOR FEMALE CONNECTOR TYPE B-25 COLUMNS
125 PLATED-THROUGH HOLES AT 2x2mm SQUARE GRID
 - ⑤ SHIELD LUBRICATED WITH BELLCORE APPROVED LUBRICANT.
TECHNICAL REF: TR-NWT-001217 ISSUE 1, SEPT. 1992.
 - ⑥ PLATING:
CONTACT AREA : 0.76µm Au. MIN. OVER 1.27µm Ni min.
ACTION PIN : 0.5µm SnPb MIN. ASTM B579 60/40
REMAINDER : Ni



- ⑦ OPTIONAL DIMPLES AT DISCRETION OF DIE ENGINEER.
- ⑧ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



COMPONENT SIDE AS SHOWN
 RECOMMENDED PCB-HOLE LAY-OUT

P.C.B. HOLE DIM. ACTION PIN
 FOR DETAILS SEE APPLICATION SPECIFICATION

	FINISH	MATERIAL	PARTNUMBER
⑧ OBSOLETE	⑥ ⑤	②	1-338109-9
OBSOLETE	① ⑤	②	338109-9
OBSOLETE	①	②	-338109-2-

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.2	DWN D. TRUREN 28-11-96	Tyco Electronics Corporation 's-Hertogenbosch, Nederland
MATERIAL	FINISH	CHK W. v.d.HEIJDEN 28-11-96	
6-PLC ± ± 1-PLC ± ± 2-PLC ± ± 3-PLC ± ± 4-PLC ± ± ANGLES ± ±		APVD F. v.KONINGSBRUGGE	NAME
		PRODUCT SPEC 108-19082	Z-PACK 2mm HM
		APPLICATION SPEC 114-19029	GROUND RETURN UPPER SHIELD
		WEIGHT -	TYPE B-25 COLUMNS
		CUSTOMER DRAWING	SIZE A2 CAGE CODE 00779 DRAWING NO. C=338109 RESTRICTED TO -
		SCALE 5:1 SHEET 1 OF 1 REV H	