



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





343C3

Dual Input K-Type Thermocouple Thermometer with two CK21M pipe clamp probes, two GK13M Probes, and A908 Case

343C1 consists of the following:

343 Thermometer



A304 Boot w/ tilt stand

- Auto Field Calibrate in less than 10 seconds in ice water to achieve +/- 1°F system (tester & probe) accuracy within 30°F to 120°F temperature range

Measurement Range (K-Type): -58 to 2,462 °F (-50 to 1,350 °C)

Resolution: 0.1° / 1°

Connector Type: Submini, Dual Input

CK21M Pipe Clamp Probe (x2)

Measurement Range: -58° to 482°F
-50° to 250°C

Max jaw opening: 1.2"

Nominal jaw opening: 0.75"

Lead Length: 39.4" (1M)

Connector Type: Submini

Insulation Type: Polyurethane



GK13M K-Type Probe (x2)

Measurement Range: -165° to 400°F
-110° to 204°C

Diameter: 28 gauge

Lead Length: 48" (1.2M)

Connector Type: Submini

Insulation Type: FEP



A908 Carrying Case

Soft padded case with shoulder strap holds the thermometer and probes

