



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



HL 1610 S

Professional Heat Guns



 Double Insulated



HL 1610 S Specifications

Item No.	34810 34811 with case
Temperature	575°F (302°C) / 950°F (510°C)
Airflow	8.5 / 14.8 cfm
2 Stage Switch	575°F (302°C) / 8.5 cfm 950°F (510°C) / 14.8 cfm
Element	reinforced ceramic / mica
Output	1300 watts
Voltage	120 VAC / 60 Hz
Amps	10.8
Power Cord	industrial grade rubber, length: 6 ft
Nozzle Diameter	1.3" (33.0 mm)
Net Weight	1.7 lbs (26.9 oz)
Dimensions	9.5" x 3.5" x 8.5" (l x w x h)
Single Sell Pack	dimensions: 11.4" x 9.5" x 3.7" weight: 2.2 lbs (34.6 oz)
Warranty	one year limited
Certifications	C-UL-UL Listed, RoHs Compliant, ISO 9001:2001 Made in E.U.

HL 1610 S Three Stage Professional Heat Gun

General purpose heat gun with two temperature settings is designed for safe, convenient professional and industrial use. Lightweight, ergonomic design ensures comfortable long term operation.

Applications

Thawing pipes, drying compounds, stripping paint, loosening decals or seized fasteners and all other basic heat applications.

Key Features:

- Two stage switch
- Reinforced ceramic mica heating element
- Compact, lightweight construction



2 Stage Switch:
Low / High



Dual Air Filters



Reinforced Ceramic / Mica



Rubber Power Cord



www.steinell.net

HL 1610 S

Professional Heat Gun



Industry Specific Kits Available



- Heat Gun with Case**
- HL 1610 S
 - Heavy Duty Case
- No. 34811



Accessories for a Variety of Applications

Spreader, Reflector and Deflector Nozzles Directs Air without Restricting Airflow



20 mm Reduction Nozzle
2.0" x 1.5" x 1.5"
No. 07081



50 mm Spreader Nozzle
2.0" x 2.0" x 1.4"
No. 07011



75 mm Spreader Nozzle
3.1" x 3.0" x 1.4"
No. 07021



50 mm Window Nozzle
2.2" x 2.2" x 1.4"
No. 07031



75 mm Window Nozzle
3.4" x 3.1" x 1.5"
No. 07041



39 mm Reflector Nozzle
2.5" x 1.4" x 1.4"
No. 07051



75 mm Reflector Nozzle
4.2" x 3.2" x 1.4"
No. 07301



Wire Protection Tube
4.3" x 3.2" x 2.8"
No. 07403



Metal Heat Gun Stand
7.5" x 5.0" x 5.0"
No. 01410



Heavy Duty Carrying Case
14.5" x 4.0" x 14.0"
No. 40100