

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China










## STEMMA Cable – 150mm/6" Long 4 Pin JST-PH Cable-Female/Female

PRODUCT ID: 3568





## Description

This 4-wire cable is a little over 150mm / 6" long and fitted with JST-PH female 4-pin connectors on each end. These types of JST cables are commonly found on small rechargeable battery packs, RC receivers and transmitters, tiny cameras, and other small electronic devices

We're using these to connect to STEMMA boards, the connector is compact yet durable, stays connected even when moved around, but clicks easy to insert & remove.

We like the solid and compact nature of these connectors and the latch that keeps the cable from coming apart easily. The 4 wires are 26AWG stranded, and the connectors have 2mm pitch.

## **Technical Details**

Product Dimensions: 177.0mm x 10.0mm x 4.0mm / 7.0" x 0.4" x 0.2"

Product Weight: 2.2g / 0.1oz

o JST PH Series Datasheet http://www.jst-mfg.com/product/pdf/eng/ePH.pdf

