



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com


Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Adafruit AMG8833 IR Thermal Camera FeatherWing

PRODUCT ID: 3622



Description

A Feather board without ambition is a Feather board without FeatherWings! This is the Thermal Camera FeatherWing: thanks to the Panasonic AMG8833 8x8 GridEYE sensor, it adds heat-vision to *any* Feather main board. Using our Feather Stacking Headers or Feather Female Headers you can connect a FeatherWing on top of your Feather board and let the board take flight!

This sensor from Panasonic is an 8x8 array of IR thermal sensors. When connected to your Feather it will return an array of 64 individual infrared temperature readings over I2C. It's like those fancy thermal cameras, but compact and simple enough for easy integration.

This part will measure temperatures ranging from 0°C to 80°C (32°F to 176°F) with an accuracy of $\pm 2.5^\circ\text{C}$ (4.5°F). It can detect a human from a distance of up to 7 meters (23) feet. With a maximum frame rate of 10Hz, It's perfect for creating your own human detector or mini thermal camera. We have an easy-to use Arduino and CircuitPython code so you can get started fast. The sensor communicates over I2C. If you have a fast Feather like the ESP8266, ESP32 or Teensy, you can interpolate the 8x8 grid and get some pretty nice results! (The video above shows a peace-sign finger demo using a Teensy Feather and 24x24 interpolation)

The AMG8833 is the next generation of 8x8 thermal IR sensors from Panasonic, and offers higher performance than its predecessor the AMG8831. The sensor only supports I2C, and has a configurable interrupt pin that can fire when any individual pixel goes above or below a threshold that you set.

Pair this up with our TFT FeatherWing and some stackin' headers to make the snazzy Thermal Camera demo shown above - Feather and TFT Wing not included.

Technical Details

Check out our detailed guide for wiring diagrams, datasheets, schematics, libraries, code, Fritzing objects, etc! <https://cdn-learn.adafruit.com/downloads/pdf/adafruit-amg8833-8x8-thermal-camera-sensor.pdf>

Product Dimensions: 50.0mm x 23.0mm x 6.1mm / 2.0" x 0.9" x 0.2"

Product Weight: 4.7g / 0.2oz

