



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





2018



wiha 


Tools that work for you

## Professional TORX® Tools


























***TORX  
For  
Tooling***

# Complete TORX® Program
















## Torx® Index





	DESCRIPTION	Page
	SoftFinish® Cushion Grip	5
	ESD Safe SoftFinish® Cushion Grip	6
	Insulated Cushion Grip	7
	MicroFinish Non-Slip Grip	7
	Powerhandle	8
	Protturn	8
	3K Series	9
	Drive-Loc VI Blades	10
	T-handle & ComfortGrip	13
	L-Keys Offset Screwdrivers	12-13 11
	PocketStar Fold Outs	11
	Wing Handle	14
	Flag Handle	14
	TorqueControl Blades	20-22
Precision Tools		
	Standard	23
	PicoFinish	23
	ESD Safe	24
	SYSTEM 4 Blades	24
	SYSTEM 4 Micro Bits	25
	Bit Sets	26-27
	Insert & Power Bits	29-32
	Bit Sockets & Sets	35-36

\* Standard TORX® are not for use in TORXPlus® fasteners











## TorxPlus® Index

	DESCRIPTION	Page
	Wing Handle	16
	Flag Handle	16
	PocketStar Fold Outs	16
	SoftFinish® Cushion Grip	17
	T-handles	17
	L-Keys Short/Long Arm	18
	TorqueControl Blade	20-22
	ESD Safe Precision	24
	Bit-Selectors	27
	Insert Bits	34
	Power Bits	34
	Bit Sockets & Sets	35,37








## Ball End Torx® Index

	DESCRIPTION	Page
	SoftFinish Drivers Cushion Grip	15
	L-Keys	15
	Power Bits	15





## Security Torx® Index

	DESCRIPTION	Page
	SoftFinish® Cushion Grip & Insulated	6,11
	Drive-Loc VI Blades	10
	L-Keys	12
	PocketStar Fold Outs	11
	SYSTEM 4 Micro Bits	25
	Bit Sets	26-27
	Insert Bits - 1/4" & 5/16"	33
	Power Bits	33
	Bit Sockets	35,37














## MagicSpring Screw Holding

	DESCRIPTION	Page
	SoftFinish® Screw Holding Cushion Grip	19
	PicoFinish Soft Grip Screw Holding	19
	L-keys Screw Holding	18
	Wing Handle Screw Holding	19
	TorqueControl Blades Screw Holding	20
	Power Bits	34





## Wing/Flag & L-keys Index

	DESCRIPTION	Page
	L-Keys	12-13
	Offset Screwdrivers	11
	Wing Handle Torx®, TorxPlus® & MagicSpring	14,16,19
	Flag Handle Torx® & TorxPlus®	14,16

## Screwdrivers Index

	DESCRIPTION	Page
	SoftFinish® CushionGrip Torx®, Security Torx®, TorxPlus®, MagicSpring	5-6,15,17,19
	ESD Safe SoftFinish® Cushion Grip - Torx®	6
	Insulated Torx® & Security Torx®	7,11
	MicroFinish Non-Slip Grip - Torx®	7
	Powerhandle- Torx®	8
	Protturn - Torx®	8
	3K Series - Torx®	8
	Offset Screwdrivers	11
	T-handle/ComfortGrip Torx® & TorxPlus®	13,17
	Precision Tools	
	Standard	23
	PicoFinish	23
	ESD Safe	24

## Drive-Loc VI Interchangeable

	DESCRIPTION	Page
	Drive-Loc VI Handle SoftFinish® Cushion Grip	10
	Drive-Loc VI Handle ESD Safe Cushion Grip	10
	Drive-Loc VI Handle MicroFinish Non-Slip Grip	10
	Drive-Loc VI Blades Torx® / Security Torx®	10

## Fold Outs Index

	DESCRIPTION	Page
	PocketStars Torx, Security Torx, TorxPlus	11,16

## TorqueControl Index

DESCRIPTION	Page
TorqueVario Handle	20
Torx® / TorxPlus® Blades	20
Insulated Torque Tools	21
Easy Torque Tools	21
ESD Safe TorqueControl	22
ESD Safe Torx® Blades	22
T-handle Torque Tools	22
Interchangeable Blades For Torque T-handle	22
TorqueControl Sets	22

## High Performance Bits Index

DESCRIPTION	Page
Torx® Dura Insert Bits Tungsten Carbide Coated	30
Torx® Diamond Bits	30
Torx® TiN Coated- Titanium	30

## Standard Bits Index

DESCRIPTION	Page
Torx® Insert/Power Bits	30-32

## Specialty Bits Index

DESCRIPTION	Page
Ball End Torx®	15
Torx® Align Bits Insert/Power Bits	32
Security Torx® Insert/Power Bits	33
TorxPlus® Bits Insert/Power Bits	34
Security Pentalobe	34

## Bit Sets Index

DESCRIPTION	Page
BitFlip Sets	26
Six-in-One Bit Sets	26
Bit Selector Sets	27
Power Bit Belt Packs	27
SYSTEM 4 Sets Micro Bits & Interchangeable Blades	25
XSelectors	27

See Bit Holders on Pg. 26-28

## ESD Blade Set Index

DESCRIPTION	Page
Interchangeable Blade Set	24-25

## Sockets Index

DESCRIPTION	Page
Torx® 1/4" Drive	35-37
Torx® 3/8" Drive	35-37
Torx® 3/8" - 5/16" Bits	35-37
Security Torx® 3/8", 1/2"	35,37
External Torx® Sockets 1/4", 3/8", 1/2"	36
6" Bit Sockets 1/4" & 3/8" Drive	36
Bit Socket Sets	36-37



**Wiha TORX® SoftFinish® Screwdrivers - Ergonomic Cushion Grip Handle**




**TORX®**

Extra large diameter to achieve high torque

Improved torque zone. For all working conditions with molded on soft cushion grips

Flat surfaces give roll-off protection



Handle is molded directly onto the blade for a permanent bond



**362 TORX® Screwdriver, With Wiha-SoftFinish® Handle**

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36264	T5	60	2.4	2.5	.098	164	6.5	.05	10
36266	T6	60	2.4	3.5	.139	164	6.5	.06	10
36268	T7	60	2.4	3.5	.139	164	6.5	.06	10
36270	T8	60	2.4	3.5	.139	164	6.5	.06	10
36272	T9	60	2.4	4.0	.157	171	6.7	.10	10
36274	T10	80	3.1	4.0	.157	191	7.5	.11	10
36276	T15	80	3.1	4.0	.157	191	7.5	.11	10
36278	T20	100	3.9	4.0	.157	211	8.3	.11	10
36280	T25	100	3.9	4.5	.177	211	8.3	.12	10
36282	T27	115	4.5	5.5	.216	233	9.2	.19	10
36284	T30	115	4.5	6.0	.236	233	9.2	.20	10
36286	T40	130	5.1	7.0	.275	254	10.0	.27	10
36288	T45	130	5.1	8.0	.315	254	10.0	.31	10



**36294 8 Pcs. TORX® Set**

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Size	mm	lbs.
36294	T6	60	T20	100	1.24
	T8	60	T25	100	
	T10	80	T27	115	
	T15	80	T30	115	



**36291 6 Pcs. TORX® Set**

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Size	mm	lbs.
36291	T6	60	T9	60	.77
	T7	60	T10	80	
	T8	60	T15	80	



**36201 6 Pcs. TORX® Set**

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Size	mm	lbs.
36201	T6	60	T15	80	.83
	T8	60	T20	100	
	T10	80	T25	100	



**36267 Set 12 Pcs. TORX® Round**

blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Size	mm	lbs.
36267	T5	60	T15	80	2.03
	T6	60	T20	100	
	T7	60	T25	100	
	T8	60	T27	115	
	T9	60	T30	115	
	T10	80	T40	130	





## Wiha Security TORX® Drivers



### 362 Security TORX® Screwdriver With Wiha-SoftFinish® Handle

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36269	T7s	60	2.4	3.5	.139	164	6.5	.06	10
36271	T8s	60	2.4	3.5	.139	164	6.5	.06	10
36273	T9s	60	2.4	4.0	.157	171	6.7	.10	10
36275	T10s	80	3.1	4.0	.157	191	7.5	.11	10
36277	T15s	80	3.1	4.0	.157	191	7.5	.11	10
36279	T20s	100	3.9	4.0	.157	211	8.3	.11	10
36281	T25s	100	3.9	4.5	.177	211	8.3	.11	10
36283	T27s	115	4.5	5.5	.216	233	9.2	.19	10
36285	T30s	115	4.5	6.0	.236	233	9.2	.20	10
36287	T40s	130	5.1	7.0	.275	254	10.0	.28	10



### 36298 7 Pcs. Security TORX® Set

Item					
No.	Size	mm	Size	mm	lbs.
36298	T7s	60	T15s	80	.95
	T8s	60	T20s	100	
	T9s	60	T25s	100	
	T10s	80			



### 36259 10 Pcs. Security TORX® Set

Item					
No.	Size	mm	Size	mm	lbs.
36259	T7s	60	T20s	100	1.5
	T8s	60	T25s	100	
	T9s	60	T27s	115	
	T10s	80	T30s	115	
	T15s	80	T40s	130	

## Wiha SoftFinish® ESD Safe Handle



ESD Safe (10<sup>6</sup>-10<sup>9</sup> Ohm)

### 362 ESD Safe TORX® Driver, Wiha-SoftFinish® Handle DIN EN 61340-5-1/61340-5-2

Round blade, CVM steel, hardened, hard chromed. Offers protection against electrostatic discharge. Dissipative SoftFinish® cushion grip handle, multi-component.

Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36260	T3	60	2.4	3.5	.139	164	6.5	.06	10
36204	T4	60	2.4	3.5	.139	164	6.5	.06	10
36200	T5	60	2.4	3.5	.139	164	6.5	.06	10
36206	T6	60	2.4	3.5	.139	164	6.5	.06	10
36208	T8	60	2.4	3.5	.139	164	6.5	.06	10
36209	T9	60	2.4	4.0	.157	171	6.7	.10	10
36218	T10	80	3.1	4.0	.157	191	7.5	.11	10
36219	T15	80	3.1	4.0	.157	191	7.5	.11	10
36224	T20	100	3.9	4.0	.157	211	8.3	.11	10



ESD Safe (10<sup>6</sup>-10<sup>9</sup> Ohm)



### 36289 Set 6 Pcs. ESD Safe TORX® Screwdrivers

Item No.	TORX®	Size	lbs.
36289	T6, T8, T9, T10, T15, T20		.81

## Wiha ESD Safe Interchangeable Blade Set

In Durable Pouch



### 10893 ESD Safe 5 Piece TORX®

Interchangeable Blade Set Includes ESD Safe handle & 4 interchangeable blades.

Item	lbs.
No. 10893	.75
TORX®: T6, T7, T8, T9, T10, T15, T20, T25	
Wiha ESD Safe Handle	

**Wiha Insulated TORX® Screwdrivers**



  1000Volt



**325 TORX® Screwdriver, With Wiha-SoftFinish® Handle Insulation According to ASTM F-1505-10, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E, up to 1000 Volt. Individually Tested.**

Blade high alloy cvm steel, hardened, black finish. Insulation molded directly onto blade.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
32505	T5	60	2.4	164	6.5	.06	10
32511	T6	60	2.4	164	6.5	.06	10
32516	T7	60	2.4	164	6.5	.06	10
32521	T8	60	2.4	164	6.5	.06	10
32526	T9	60	2.4	164	6.5	.06	10
32531	T10	60	2.4	164	6.5	.06	10
32536	T15	80	3.1	191	7.5	.12	10
32541	T20	80	3.1	191	7.5	.12	10
32546	T25	80	3.1	198	7.8	.17	10
32551	T27	100	3.9	218	8.6	.20	10
32556	T30	100	3.9	218	8.6	.20	10
32561	T40	150	5.9	274	10.8	.30	10
32566	T45	150	5.9	274	10.8	.35	10

  1000Volt



**32590 Set 6 Pcs. TORX®**

Item No.	Size	mm	Size	mm	lbs.
32590	T8	60	T15	80	.83
	T9	60	T20	80	
	T10	60	T25	80	



  1000Volt

**32592 Set 10 Pcs. TORX®**

Item No.	Size	mm	Size	mm	lbs.
32592	T6	60	T15	80	1.2
	T7	60	T20	80	
	T8	60	T25	80	
	T9	60	T27	100	
	T10	60	T30	100	

**Wiha TORX® MicroFinish Handle Non-Slip Grip**

**Wiha MicroFinish handle** has a patented non-slip surface - it won't peel, crack or deteriorate when exposed to petroleum solvents. Oil and moisture flow away from the handle surface for a powerful, non-slip grip. You get maximum force and comfort with dry, oily or wet hands.

**Exact** fit precision ground tips

**Blades** are hardened & hard chromed

**MicroFinish Handle** with patented non-slip surface. Ergo handle shape for maximum comfort & exceptional torque transfer

**Safe**, high density material, eliminates risk of sharp objects becoming embedded in the handle



**527 TORX® Screwdriver, With Wiha-MicroFinish Handle**

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant. Round blades.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
52711	T9	60	2.4	4.0	.157	171	6.7	.15	10
52713	T10	80	3.1	4.0	.157	191	7.5	.15	10
52716	T15	80	3.1	4.0	.157	191	7.5	.15	10
52719	T20	100	3.9	4.0	.157	211	8.3	.15	10
52722	T25	100	3.9	4.5	.177	211	8.3	.16	10
52726	T27	115	4.5	5.5	.216	233	9.2	.25	10
52729	T30	115	4.5	6.0	.236	233	9.2	.27	10
52732	T40	130	5.1	7.0	.275	254	10.0	.40	10





**52790 Set 5 Pcs. TORX®**

Item No.	Size	mm	Size	mm	lbs.
52790	T10	80	T25	100	1.0
	T15	80	T30	115	
	T20	100			





**52791 Set 8 Pcs. TORX®**

Item No.	Size	mm	Size	mm	lbs.
52791	T9	60	T25	100	1.89
	T10	80	T27	115	
	T15	80	T30	115	
	T20	100	T40	130	



## Wiha Powerhandle TORX®



### 362 TORX® Screwdriver, With Wiha-Powerhandle

CVM steel blade, hardened, hard chromed. Wiha-powerhandle cellulose-acetate.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36205	T5	50	2.0	2.5	.098	110	4.3	.03	10
36210	T6	50	2.0	3.5	.139	125	4.9	.06	10
36212	T7	50	2.0	3.5	.139	125	4.9	.06	10
36215	T8	60	2.4	3.5	.139	135	5.3	.06	10
36220	T9	60	2.4	4.0	.157	140	5.5	.09	10
36225	T10	80	3.1	4.0	.157	170	6.7	.13	10
36230	T15	80	3.1	4.0	.157	170	6.7	.13	10
36235	T20	100	3.9	4.0	.157	200	7.9	.17	10
36240	T25	100	3.9	4.5	.177	200	7.9	.18	10
36245	T27	115	4.5	5.5	.216	215	8.5	.20	10
36250	T30	115	4.5	6.0	.236	225	8.9	.28	10



### 36292 8 Pcs. Set TORX® With Wiha-Powerhandle

Item No.	TORX®	lbs.
36292	T6, T8, T10, T15, T20, T25, T27, T30	1.45




### 36293 6 Pcs. Set TORX® With Wiha-Powerhandle

Item No.	TORX®	lbs.
36293	T6, T7, T8, T9, T10, T15	.78

## Wiha TORX® Protturn Screwdrivers

# protturn

## TORX®



Molded on ergonomic handle proportioned to blade sizes

Black finish blades

Through hardened for optimum wear resistance

High performance tool steel



### 45591 6 Pcs. TORX® Set

Item No.	TORX®	lbs.
45591	T7, T8, T9, T10, T15, T20	.72



### 45592 8 Pcs. TORX® Set

Item No.	TORX®	lbs.
45592	T8, T9, T10, T15, T20, T25, T27, T30	1.07



### 45589 11 Pcs. TORX® Set

Item No.	TORX®	lbs.
45589	T6, T7, T8, T9, T10x80, T15, T20, T25, T27, T30, T40	2.2



### 455 TORX® Screwdriver, With Wiha-Protturn Handle

Blade high alloy CVM steel, hardened, black finish. Molded on ergonomic Wiha-Protturn handle, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
45505	T6	50	2.0	3.5	.139	129	5.1	.05	10
45506	T7	50	2.0	3.5	.139	129	5.1	.05	10
45511	T8	60	2.4	3.5	.139	139	5.5	.06	10
45516	T9	60	2.4	4.0	.157	149	5.8	.08	10
45521	T10	80	3.1	4.0	.157	170	6.7	.10	10
45522	T10	275	10.8	4.0	.157	363	14.2	.13	10
45526	T15	80	3.1	4.0	.157	170	6.7	.10	10
45531	T20	100	3.9	4.0	.157	190	7.5	.11	10
45536	T25	100	3.9	4.5	.177	190	7.5	.11	10
45541	T27	115	4.5	5.5	.216	215	8.4	.11	10
45546	T30	115	4.5	6.0	.236	215	8.4	.20	10
45551	T40	130	5.1	7.0	.275	240	9.4	.28	10
45561	T50	130	5.1	9.0	.354	240	9.4	.31	10

**Wiha TORX® 3K Series Drivers and Sets**

**3K Series**

Blade high alloy CVM steel, hardened

Hole for hanging



Precision black tip

Molded on soft grip ergonomic handle, impact resistant



**455 TORX® Screwdriver, With Wiha-3K Series Handle** Blade high alloy CVM steel, hardened, precision black tip. Molded on ergonomic Wiha-3K Series handle, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
45504	T6	60	2.4	3.2	9/64	145	5.7	.06	10
45507	T7	60	2.4	3.5	9/64	129	5.1	.05	10
45508	T8	60	2.4	3.5	9/64	139	5.5	.06	10
45509	T9	60	2.4	4.0	5/32	149	5.8	.08	10
45510	T10	80	3.1	4.0	5/32	170	6.7	.10	10
45515	T15	80	3.1	4.0	5/32	190	7.5	.11	10
45520	T20	100	3.9	5.5	7/32	215	8.4	.11	10
45525	T25	100	3.9	6.0	1/4	215	8.4	.20	10
45527	T27	115	4.5	7.0	9/32	240	9.4	.28	10
45530	T30	115	4.5	6.0	1/4	233	9.1	.21	10
45540	T40	130	5.1	7.0	9/32	248	9.7	.25	10
45545	T45	130	5.1	8.0	5/16	249	9.8	.30	10
45550	T50	130	5.1	9.0	3/8	249	9.8	.33	10



**45593 Set 5 Pcs. TORX® Blade CVM steel, hardened, precision black tip. Wiha-3K Ergo handle, cushion grip.**

Item No.	TORX®	lbs.
45593	T8, T10, T15, T20, T25	.86



**45598 Set 6 Pcs. TORX® Blade CVM steel, hardened, precision black tip. Wiha-3K Ergo handle, cushion grip.**

Item No.	TORX®	lbs.
45598	T6, T7, T8, T9, T10, T15	.88



**45595 Set 8 Pcs. TORX® Wiha-3K Ergo handle, cushion grip.**

Item No.	TORX®	lbs.
45595	T8, T9, T10, T15, T20, T25, T27, T30	1.36

**Wiha Bit Holders**



**48401 1/4" Bit holding Screwdriver, With Wiha-Ergo 3K Handle** Magnetic, holds bit & screw. Retainer out of stainless steel. CVM tool steel, nickel plated.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
48401	1/4"	125	5.0	211	8.3	.24	1



**48400 1/4" Bit holding Screwdriver, With Wiha-Proturn Handle** Magnetic, holds bit & screw. Retainer out of stainless steel. Shaft CVM tool steel, nickel plated.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
48400	1/4"	125	5.0	243	9.6	.24	10



**45597 Set 11 Pcs. TORX® 3K Ergo Series Screwdriver Set**

Item No.	TORX®	lbs.
45597	T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40	1.72

## Wiha Drive-Loc VI Handles, Blades & Sets



**28488 Drive-Loc VI Cushion Grip Handle**  
 Wiha-SoftFinish® impact resistant, with roll off protection. Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold & rapid blade exchange.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28488	6.0	115	4.5	36.0	1.41	.20



**28486 ESD Safe Drive-Loc VI Cushion Grip Handle** Wiha-SoftFinish® impact resistant, with roll off protection. Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange. Static Dissipative

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28486	6.0	115	4.5	36.0	1.41	.20



**28487 Drive-Loc VI MicroFinish Non-Slip Grip Handle** Wiha-MicroFinish handle, won't peel, crack or deteriorate when exposed to petroleum solvents. Ideal for Hex, TORX® & Nut Drivers. Ergonomic handle shape for maximum comfort, mechanism guarantees a secure hold & rapid blade exchange.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28487	6.0	115	4.5	36.0	1.41	.20



**10810 Drive-Loc VI Standard Narrow Profile Tech Handle** Dynamic non-locking, impact resistant, friction hold. Fits all Drive-Loc blades. Does not have locking feature.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
10810	6.0	135	5.3	15.2	.60	.16



## Drive-Loc VI

For Adjustable Length Locking Blades

Locking mechanism allows blade length to be adjusted from 40mm-120mm. (1.7 to 4.7" In 1/8" increments)

Blades high quality CVM steel, hard chrome finish.

Ergonomic handles in ESD Safe, cushioned & non-slip grip.



**281 TORX® Drive-Loc VI Interchangeable Blade** High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item						
No.	Size + Size	lbs.	pkg.			
28126	T6 T8	.09	1			
28127	T7 T9	.09	1			
28128	T10 T15	.10	1			
28129	T20 T25	.10	1			
28130	T30 T40	.10	1			



**28197 Drive-Loc VI Interchangeable Blade Set, 6 Pcs. In Durable Pouch**  
 Set includes Drive-Loc VI handle & 5 interchangeable blades.  
**Item No.** Security **TORX®**  
**28197** T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s  
 lbs. SoftFinish® Cushion Grip Blade  
 .83 Lock Handle



**281 Security TORX® Drive-Loc VI**  
 Over all blade length 150mm/5.9".  
 Blades fit all Drive-Loc VI handles.

Item						
No.	Size + Size	lbs.	pkg.			
28132	T6s T8s	.09	1			
28133	T7s T9s	.09	1			
28134	T10s T15s	.10	1			
28135	T20s T25s	.10	1			
28136	T30s T40s	.10	1			



**28189 15Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch** Set includes Drive-Loc VI handle & 14 interchangeable blades.  
**Item No.** 28189 lbs. 1.28  
**Slotted:** 3.5+4.5, 5.5+6.5  
**Phillips:** 1+2  
 Security **TORX®:** T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s  
**Hex Inch:** 3/32+7/64, 1/8+9/64, 5/32+3/16  
**Hex Metric:** 2.0+2.5, 3.0+4.0, 5.0+6.0mm  
 Wiha SoftFinish® Cushion Grip Blade Lock Handle



**28485 5 Pack Drive-Loc VI Interchangeable Blade Set**  
 Over all blade length 150mm/5.9"  
**Item No.** **TORX®** lbs.  
**28485** T6+T8, T7+T9, T10+T15, T20+T25, T30+T40 .35




**28477 5 Pack Drive-Loc VI Interchangeable Blade Set**  
**Item No.** **TORX®** T6s+T8s, lbs.  
**28477** T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s .35











**Wiha SlimLine Security TORX® SoftFinish® Screwdrivers**




  1000Volt

**325** Insulated Security TORX® SlimLine Drivers Insulation According to ASTM, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA,  up to 1000 Volt. Individually Tested to 10,000Volts.

Item							
No.	Size	mm	mm	lbs.	Pkg.		
32512	T10s	100	204	.08	1		
32513	T15s	100	211	.12	1		
32514	T20s	100	211	.12	1		
32515	T25s	125	243	.18	1		
32517	T27s	125	243	.21	1		
32518	T30s	125	243	.21	1		
32519	T40s	150	268	.26	1		



  1000Volt

**32596** 6 Pc. Insulated SlimLine Security TORX® Screwdrivers. Insulation According to ASTM F-1505, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA,  up to 1000 Volt. Individually Tested to 10,000Volts. High quality CV steel, through hardened. SlimLine blades have up to 33% narrower insulation diameter than standard insulated tools.

Item	Security TORX®	Size	lbs.
No.	T10s, T15s, T20s, T25s, T27s, T30s		
32596			1.18









**Wiha Insulated SlimLine Tools**

Insulation according to EN/IE, ASTM, VDE, DIN, NFPA70E & CSA specification



**28301** SlimLine Blade Holder, With Wiha-SoftFinish® Handle Insulation

Chrome-vanadium steel, through-hardened. Insulation molded directly onto blade. Friction hold blade holder. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item								
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.	
28301	1/4"	50	2.0	160	6.3	.15	1	





**Wiha SlimTECHNOLOGY**

Achieves blade diameters up to 33% narrower utilizing integrated insulation



**283** Insulated TORX® SlimLine Blades

High quality CV steel, through hardened.

Item		Slim	Max	Inch/			
No.	Size	Dia.	Nm	lbs.	lbs.	Pkg.	
28339	T8	4.0	1.3	11.5	.02	1	
28344	T9	4.0	1.3	11.5	.02	1	
28340	T10	4.0	3.8	33.6	.02	1	
28341	T15	6.0	5.5	48.7	.02	1	
28342	T20	6.0	5.5	48.7	.02	1	
28343	T25	6.0	5.5	48.7	.02	1	

**Wiha PocketStar Fold Outs**



**36396** TORX® PocketStar Fold Outs, 7 Pc. Set High alloy CVM steel, hardened, molded ergonomic handle. OAL 3.8"

Item No.	TORX®	lbs.
36396	T7, T8, T9, T10, T15, T20, T25	.22



**36395** Security TORX® PocketStar Fold Outs, 7 Pc. Set High alloy CVM steel, hardened, molded ergonomic handle. OAL 3.8"

Item No.	TR TORX®	lbs.
36395	T7s, T8s, T9s, T10s, T15s, T20s, T25s	.22



**36398** TORX® PocketStar Fold Outs, 8 Pc. Set High alloy CVM steel, hardened, molded ergonomic handle. OAL 4.74"

Item No.	TORX®	lbs.
36398	T9, T10, T15, T20, T25, T27, T30, T40	.24







**36397** Security TORX® PocketStar Fold Outs, 8 Pc. Set High alloy CVM steel, hardened, molded ergonomic handle. OAL 4.74"

Item No.	TR TORX®	lbs.
36397	T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s	.24

**Wiha Offset Screwdrivers**






**207** TORX® Offset Screwdriver With Molded Handle For working in confined spaces. Blade CVM special steel, hardened, black finish.

Item				
No.	Size	lbs.	pkg.	
20756	T6 + T8	.02	1	
20757	T7 + T9	.02	1	
20758	T10 + T15	.02	1	
20759	T20 + T25	.07	1	
20760	T27 + T30	.10	1	



**20799** TORX® Offset Screwdriver Set, 5 Pcs. With Molded Handle Blade CVM special steel, hardened, black finish.

Item	Set Includes:			
No.	T7+T9, T10+T15,	lbs.	pkg.	
20799	T20+T25, T27+T30	.24	1	

## TORX® Short Arm L-keys



### 363 TORX® L-key, Short Arm

High alloy CVM steel, hardened, black finish.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
36305	T5	37	1.5	16	.6	.01	10
36306	T6	39	1.5	16	.6	.01	10
36307	T7	42	1.7	16	.6	.01	10
36308	T8	45	1.8	16	.6	.01	10
36309	T9	48	1.9	16	.6	.01	10
36310	T10	51	2.0	17	.7	.01	10
36315	T15	54	2.1	19	.7	.01	10
36320	T20	58	2.3	19	.7	.01	10
36325	T25	63	2.5	21	.8	.02	10
36327	T27	67	2.6	22	.9	.03	10
36330	T30	73	2.9	24	.9	.05	10
36340	T40	79	3.1	26	1.0	.06	10
36345	T45	82	3.2	28	1.1	.09	10
36350	T50	95	3.7	32	1.3	.13	10
36355	T55	108	4.3	35	1.4	.27	10
36360	T60	120	4.7	38	1.5	.40	10

## TORX® Long Arm L-keys



### 366 TORX® L-key, Long Arm

High alloy CVM steel, hardened, black finish.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
36645	T5	71	2.8	12	.5	.06	10
36646	T6	78	3.1	13	.5	.07	10
36647	T7	87	3.4	16	.6	.10	10
36648	T8	99	3.9	18	.7	.13	10
36649	T9	106	4.2	18	.7	.17	10
36650	T10	118	4.6	21	.8	.23	10
36651	T15	131	5.2	23	.9	.33	10
36652	T20	144	5.7	25	1.0	.44	10
36653	T25	158	6.2	28	1.1	.65	10
36654	T27	169	6.7	30	1.2	.98	10
36655	T30	184	7.2	32	1.3	1.27	10
36659	T40	201	7.9	35	1.4	2.09	10
36660	T45	222	8.7	40	1.6	2.70	10
36661	T50	213	8.4	40	1.6	3.14	10

## Wiha Security TORX® L-keys



### Security Torx® L-Keys

High alloy CVM steel, hardened, black finish.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
36321	T7s	42	1.7	16	.6	.01	10
36323	T8s	45	1.8	16	.6	.01	10
36326	T9s	48	1.9	16	.6	.01	10
36328	T10s	51	2.0	17	.7	.01	10
36329	T15s	54	2.1	19	.7	.01	10
36332	T20s	58	2.3	19	.7	.02	10
36335	T25s	63	2.5	21	.8	.02	10
36337	T27s	67	2.6	22	.9	.03	10
36339	T30s	73	2.9	24	.9	.04	10
36342	T40s	79	3.1	26	1.0	.06	10
36346	T45s	82	3.2	28	1.1	.09	10
36352	T50s	95	3.7	35	1.3	.13	10
36357	T55s	108	4.3	38	1.4	.27	10



### 36392 TORX® Set, 7 Pc. In Plastic Holder

Equipped with T6, T7, T8, T9, T10, T15, T20

Item No.	lbs.	pkg.
36392	.10	1

### 36394 TORX® Set, 9 Pc. In Plastic Holder

T8, T9, T10, T15, T20, T25, T27, T30, T40

Item No.	lbs.	pkg.
36394	.30	1

### 36399 TORX® Set, 16 Pc.

Equipped with T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45, T50, T55, T60

Item No.	lbs.	pkg.
36399	1.14	1



### 36699 Long Arm TORX® Set, 13 Pc. in Molded Holder

Equipped with T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T50

Item No.	lbs.	pkg.
36699	1.13	1



### 36698 Long Arm TORX® Set, 10 Pc. In Molded Holder

Equipped with T6, T7, T8, T9, T10, T15, T20, T25, T27, T30

Item No.	lbs.	pkg.
36698	1.04	1



### 36694 26 Piece Combo Pack Long Arm TORX® And Hex Inch L-key Sets, In Pouch

Set includes: 36699-13pc set T5-T50 and 36991-13pc set .050 - 3/8"

Item No.	lbs.	pkg.
36694	2.13	1



### Security Torx® L-Key Sets



### 36393 Security TORX® Set, 9 Pcs. In Plastic Holder

Equipped with T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s

Item No.	lbs.	pkg.
36393	.30	1



### 36391 Security TORX® Set, 6 Pcs.

T10s, T15s, T20s, T25s, T27s, T30s

Item No.	lbs.	pkg.
36391	.16	1



### 36390 TORX® Set, 9 Pc. In Metal Stand

Equipped with T10, T15, T20, T25, T30, T40, T50, T55, T60

Item No.	lbs.	pkg.
36390	1.86	1



**Wiha "Rust Free" Finish TORX® L-keys**

Pacified Zinc Chromate Finish

96 hour salt bath tested for best corrosion protection



CVM tool steel through hardened and tempered for maximum tool life

**36693 TORX® Long Arm Set, 13 Pc.**

**In ErgoStar Molded Holder** Equipped with T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45

Item No.	↔ lbs.	📦 pkg.
36693	1.10	1

**Wiha TORX® T-handle**

Blade high alloy CVM steel, hardened, hard chrome finish.

Wiha T-handle high quality plastic, impact resistant



**364 TORX® with Wiha T-handles**

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs	pkg.
36409	T9	100	3.9	4.0	5/32	80	3.1	.07	10
36410	T10	100	3.9	4.0	5/32	80	3.1	.07	10
36415	T15	100	3.9	4.0	5/32	80	3.1	.07	10
36417	T15	200	7.9	5.5	7/32	80	3.1	.13	10
36420	T20	100	3.9	4.0	5/32	100	3.9	.10	10
36422	T20	200	7.9	5.5	7/32	100	3.9	.17	10
36425	T25	100	3.9	4.0	5/32	100	3.9	.11	10
36427	T25	200	7.9	5.5	7/32	100	3.9	.17	10
36430	T27	100	3.9	5.5	7/32	100	3.9	.14	10
36432	T27	200	7.9	5.5	7/32	100	3.9	.17	10
36435	T30	100	3.9	7.9	6.0	100	3.9	.14	10
36437	T30	200	7.9	6.0	1/4	100	3.9	.19	10
36440	T40	100	3.9	7.0	9/32	100	3.9	.16	10
36442	T40	200	7.9	7.0	9/32	100	3.9	.23	10
36445	T45	150	5.9	8.0	5/16	120	4.7	.29	10
36450	T50	150	5.9	9.0	3/8	120	4.7	.30	10
36452	T50	250	9.8	9.0	3/8	120	4.7	.45	10

**Wiha TORX® Soft Grip T-handles & Set**

**Two Tools In One!**



Through the handle side driver


Short and Long Arm In One Powerful Tool

Two component soft grip handle

Torx - Blades of CVM tool steel, through hardened durability, hard chrome finish

**Maximum Comfort & Maximum Power**

Soft grips are molded on & include through the handle side torque drive



**36492 TORX® T-handle Set, 7 Pc.**

Includes T9, T10, T15, T20, T25, T27, T30

Item No.	↔ lbs.	📦 pkg.
36492	1.24	1



**36490 TORX® T-handle Set, 7 Pc.**

**In Metal Stand** Equipped with T10, T15, T20, T25, T30, T40, T50

Item No.	↔ lbs.	📦 pkg.
36490	2.65	1



**36494 TORX® T-handle Set, 8 Pc. In Metal Stand**

Equipped with T9, T10, T15, T20, T25, T27, T30, T40

Item No.	↔ lbs.	📦 pkg.
36494	3.10	1

**364 Soft Grip TORX® T-handle**

Item No.	Size	mm	lbs.	pkg.
36480	T10	100	.08	10
36481	T15	100	.08	10
36482	T20	100	.13	10
36483	T25	150	.16	10
36484	T27	150	.19	10
36486	T30	150	.20	10
36487	T40	150	.24	10



**36497 7 Piece TORX® Set Soft Grip T-handles**

Item No.	TORX®	↔ lbs.
36497	T10, T15, T20, T25, T27, T30, T40	1.53





## Wiha TORX® Tools Wing Handle 10 Packs & 2 Packs

Ideal for use with indexable carbide tooling and also for working in confined spaces



**365 TORX® Screwdriver, With Wing Handle - 10 Pack** Blade high alloy CVM steel, hardened, black finish. Wing handle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36511	T6	35	1.4	70	2.7	40	1.6	.02	10
36513	T7	35	1.4	70	2.7	40	1.6	.02	10
36514	T8	40	1.6	75	2.9	40	1.6	.02	10
36534	T9	40	1.6	75	2.9	40	1.6	.02	10
36536	T10	40	1.6	75	2.9	40	1.6	.02	10
36537	T15	45	1.8	80	3.1	40	1.6	.02	10
36538	T20	45	1.8	80	3.1	40	1.6	.02	10

**365 TORX® Screwdriver, With Wing Handle - 2 Pack**

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36516	T6	35	1.4	70	2.7	40	1.6	.02	2
36517	T7	35	1.4	70	2.7	40	1.6	.02	2
36518	T8	40	1.6	75	2.9	40	1.6	.02	2
36519	T9	40	1.6	75	2.9	40	1.6	.02	2
36521	T10	40	1.6	75	2.9	40	1.6	.02	2
36522	T15	45	1.8	80	3.1	40	1.6	.02	2
36523	T20	45	1.8	80	3.1	40	1.6	.02	2

## Wiha TORX® Tools Flag Handle 10 Packs & 2 Packs

Ideal for use with indexable carbide tooling and also for working in confined spaces



**370 TORX® Screwdriver, With Flag Handle - 10 Pack** Blade high alloy CVM steel, hardened, black finish. Flag handle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
37005	T5	35	1.4	63	2.6	15.0	.75	.01	10
37006	T6	35	1.4	63	2.6	15.0	.75	.01	10
37007	T7	35	1.4	67	2.6	19.0	.75	.01	10
37008	T8	40	1.6	72	2.8	19.0	.75	.01	10
37009	T9	40	1.6	74	2.9	23.5	.93	.01	10
37010	T10	40	1.6	74	2.9	23.5	.93	.01	10
37011	T15	45	1.8	80	3.1	28.0	1.10	.02	10
37012	T20	45	1.8	80	3.1	28.0	1.10	.02	10

**370 TORX® Screwdriver, With Flag Handle - 2 Pack**

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
37014	T5	35	1.4	63	2.6	15.0	.75	.01	2
37015	T6	35	1.4	63	2.6	15.0	.75	.01	2
37017	T7	35	1.4	67	2.6	19.0	.75	.01	2
37018	T8	40	1.6	72	2.8	19.0	.75	.01	2
37021	T9	40	1.6	74	2.9	23.5	.93	.01	2
37023	T10	40	1.6	74	2.9	23.5	.93	.01	2
37024	T15	45	1.8	80	3.1	28.0	1.10	.02	2
37027	T20	45	1.8	80	3.1	28.0	1.10	.02	2



**36591 Wing Handle TORX® Set, 7 Pc.**

Set includes: T6, T7, T8, T9, T10, T15, T20  
wt. .16




**36590 Wing Handle TORX® Set, 7 Pc. In Metal Stand**

Set includes: T6, T7, T8, T9, T10, T15, T20  
wt. .32



**37091 Flag Handle TORX® Set, 7 Pc.**

Set includes: T6, T7, T8, T9, T10, T15, T20  
wt. .14



**37090 Flag Handle TORX® Set, 7 Pc. In Metal Stand**

Set includes: T6, T7, T8, T9, T10, T15, T20  
wt. .31










**Wiha Ball End TORX® Screwdrivers**

- Ball End For 25° Angle Driving
- Precision Machined Exact Fit Tips
- Through Hardened For Maximum Durability
- WIHA High Performance CRM-72 Tool Steel
- Guaranteed Quality Made By Wiha








**362 Ball End TORX® Screwdriver, With Wiha-SoftFinish® Handle**

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36216	T9	60	2.4	4.0	.157	164	6.5	.10	10
36217	T10	60	2.4	4.0	.157	184	7.2	.11	10
36221	T15	80	3.1	4.0	.157	191	7.5	.11	10
36222	T20	80	3.1	4.0	.157	211	8.3	.11	10
36226	T25	100	3.9	4.5	.177	218	8.6	.12	10
36227	T27	115	4.5	5.5	.216	233	9.2	.19	10
36236	T30	115	4.5	6.0	.236	233	9.2	.20	10



**36237 Set 7 Pcs. TORX®** Blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. SoftFinish® handle, multi-component, cushion grips.








Item					
No.	Size	mm	Size	mm	lbs.
36237	T9	60	T25	100	1.24
	T10	60	T27	115	
	T15	80	T30	115	
	T20	80			


**Wiha Ball End TORX® L-keys**



**366 Ball End TORX® L-key, Long Arm**




High alloy CVM steel, hardened, black finish.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
36631	T9	111	4.4	21	.83	.17	10
36632	T10	121	4.8	23	.91	.23	10
36633	T15	136	5.4	27	1.1	.33	10
36634	T20	148	5.8	29	1.1	.44	10
36635	T25	163	6.4	33	1.3	.65	10
36636	T27	176	6.9	36	1.4	.98	10
36637	T30	191	7.5	38	1.5	1.27	10
36638	T40	210	8.3	43	1.7	2.09	10
36639	T45	232	9.1	50	2.0	2.34	10



**36692 Ball End TORX® L-key Set, 8 Pc. in Plastic Holder**

Equipped with T9, T10, T15, T20, T25, T27, T30, T40





Item			
No.	lbs.	pkg.	
36692	6.16	1	

**Ball End TORX® Power Bits**



**745 Ball End TORX® Power Bits**




1/4" Hex Drive, Length 2.0"/50mm

Item				
No.	Size	mm	pkg.	lbs.
74524	T9	50	10	.18
74526	T10	50	10	.18
74528	T15	50	10	.18
74532	T20	50	10	.18
74534	T25	50	10	.18
74537	T27	50	10	.18
74539	T30	50	10	.18
74541	T40	50	10	.18



2 bit pack

**745 Ball End TORX® Power Bit Packs, 1"**





Item			
No.	Size	mm	lbs.
74505	T9	50	.05
74520	T10	50	.05
74522	T15	50	.05
74543	T20	50	.05
74545	T25	50	.06
74547	T27	50	.06
74549	T30	50	.08
74550	T40	50	.08

**Wiha ErgoStar Ball End TORX® Long L-keys**




**36689 ErgoStar TORX® Long Arm Set, 13 Pc. In Molded Holder**

Equipped with T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45

Item No.				
	lbs.	pkg.		
36689	1.08	1		

## The TORXPlus® Advantage

The TorxPlus® Drive System offers 100% improvement in driver bit fatigue & 25% average improvement in driver bit torsional strength. In addition its unique design provides optimum torque transfer & eliminates the need for excessive end load pressure while driving the fastener. The TorxPlus® configuration also virtually eliminates tool "camout" & slippage that can damage the head of the fastener and cause reduced tool life.



Not for use in standard Torx fasteners

- Broad Surface For Driving
- Features 0° Drive Angle Between The Fastener & Driver
- Greater Engagement Depth



## Wiha PocketStar Fold Out



Push button key release

### 36697 TORXPlus® PocketStar Fold

**Outs, 8 Pc. Set** High alloy CVM steel, hardened, molded ergonomic handle.

Item No. lbs. .31

36697 : IP6, IP7, IP8, IP9, IP10, IP15, IP20, IP25

## Wiha TORXPlus® Tools 2 Packs & 10 Packs

### TORXPlus®

Not for use in standard Torx fasteners



### 370 TORXPlus® Screwdriver, With Flag Handle - 2 & 10 Packs

Ideal for use with indexable carbide tooling and also for working in confined spaces. Blade high alloy CVM steel, hardened, black finish. Flag handle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
37063	IP5	35	1.4	63	2.6	15.0	.75	.01	10
37064	IP6	35	1.4	63	2.6	15.0	.75	.01	10
37065	IP7	35	1.4	67	2.6	19.0	.75	.01	10
37066	IP8	40	1.6	72	2.8	19.0	.75	.01	10
37067	IP9	40	1.6	74	2.9	23.5	.93	.01	10
37068	IP10	40	1.6	74	2.9	23.5	.93	.01	10
37069	IP15	45	1.8	80	3.1	28.0	1.10	.02	10
37070	IP20	45	1.8	80	3.1	28.0	1.10	.02	10



### 37092 Flag Handle TORXPlus® Set, 7 Pc. in Metal Stand

Set includes: lbs. .31  
IP6, IP7, IP8, IP9, IP10, IP15, IP20



### 36592 TORXPlus® 7 Pc. Wing Handle

Set In Metal Stand. Equipped with IP6, IP7, IP8, IP9, IP10, IP15, IP20

Item No.	lbs.	pkg.
36592	.38	1

### TORXPlus®

Not for use in standard Torx fasteners



### 365 TORXPlus® Screwdriver, With Wing Handle - 2 & 10 Packs

Blade high alloy CVM steel, hardened, black finish. Wing handle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36539	IP5	35	1.4	70	2.7	40	1.6	.02	10
36541	IP6	35	1.4	70	2.7	40	1.6	.02	10
36543	IP7	35	1.4	70	2.7	40	1.6	.02	10
36545	IP8	40	1.6	75	3.0	40	1.6	.02	10
36547	IP9	40	1.6	75	3.0	40	1.6	.02	10
36549	IP10	40	1.6	75	3.0	40	1.6	.02	10
36551	IP15	45	1.8	80	3.1	40	1.6	.02	10
36553	IP20	45	1.8	80	3.1	40	1.6	.02	10

Item No.	Size	pkg.
36524	IP5	2
36526	IP6	2
36527	IP7	2
36528	IP8	2
36529	IP9	2
36531	IP10	2
36532	IP15	2
36533	IP20	2



**Wiha TORXPlus® Cushion Grip Drivers**



 Not for use in standard Torx fasteners

**362 TORXPlus® Screwdriver With Wiha SoftFinish Handle**  
Round blade high alloy CVM tool steel, hardened, hard chromed. Wiha-Chromtop finish on tips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36211	IP6	60	2.4	3.5	.139	164	6.5	.06	10
36223	IP7	60	2.4	3.5	.139	164	6.5	.06	10
36228	IP8	60	2.4	4.0	.157	171	6.7	.10	10
36229	IP9	60	2.4	4.0	.157	171	6.7	.11	10
36233	IP10	80	3.1	4.0	.157	191	7.5	.11	10
36238	IP15	80	3.1	4.0	.157	191	7.5	.11	10
36239	IP20	100	3.9	4.5	.177	211	8.3	.11	10
36243	IP25	100	3.9	5.5	.216	211	8.3	.19	10
36248	IP27	115	4.5	6.0	.236	233	9.2	.20	10
36253	IP30	115	4.5	7.0	.275	233	9.2	.28	10
36255	IP40	130	5.1	7.0	.275	254	10.0	.28	10

**362 TORXPlus® Screwdriver With Wiha SoftFinish Handle In Clamshell**  
Round blade high alloy CVM tool steel, hardened, hard chromed. Wiha-Chromtop finish on tips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36214	IP6	60	2.4	3.5	.139	164	6.5	.06	1
36231	IP7	60	2.4	3.5	.139	164	6.5	.06	1
36232	IP8	60	2.4	4.0	.157	171	6.7	.10	1
36241	IP9	60	2.4	4.0	.157	171	6.7	.11	1
36242	IP10	80	3.1	4.0	.157	191	7.5	.11	1
36246	IP15	80	3.1	4.0	.157	191	7.5	.11	1
36247	IP20	100	3.9	4.5	.177	211	8.3	.11	1
36252	IP25	100	3.9	5.5	.216	211	8.3	.19	1
36262	IP27	115	4.5	6.0	.236	233	9.2	.20	1
36263	IP30	115	4.5	7.0	.275	233	9.2	.28	1
36265	IP40	130	5.1	7.0	.275	254	10.0	.28	1

**Wiha T-handle TORXPlus®**

Not for use in standard Torx fasteners



**364 TORXPlus® Screwdriver, With Wiha T-handle**  
Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha T-handle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36461	IP9	100	3.9	4.0	.157	80	3.1	.07	10
36463	IP10	100	3.9	4.0	.157	80	3.1	.07	10
36466	IP15	100	3.9	4.0	.157	80	3.1	.07	10
36469	IP20	100	3.9	4.0	.157	80	3.1	.10	10
36472	IP25	150	5.9	8.0	.315	120	4.7	.13	10
36474	IP27	150	5.9	8.0	.315	120	4.7	.14	10
36476	IP30	150	5.9	8.0	.315	120	4.7	.16	10
36478	IP40	150	5.9	8.0	.315	120	4.7	.20	10



**36296 Set 6 Pcs. TORXPlus® Blade** high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish handle, multi-component.

Item No.	TORXPlus®	lbs.
36296	IP6, IP7, IP8, IP9 IP10, IP15	.72



**36299 Set 7 Pcs. TORXPlus® Blade** high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish handle, multi-component.

Item No.	TORXPlus®	lbs.
36299	IP8, IP10, IP15, IP20, IP25, IP30, IP40	1.23



**36297 Set 8 Pcs. TORXPlus® Blade** high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish handle, multi-component.

Item No.	TORXPlus®	lbs.
36297	IP6, IP7, IP8, IP9 IP10, IP15, IP20, IP25	1.35




**36496 Set 6 Pc. TORXPlus® T-handles**  
Blade CVM steel, hardened, hard chromed. Chromtop blade tips. Wiha T-handle high quality plastic, impact resistant.

Item No.	Size	mm	Size	mm	lbs.
36496	IP10	100	IP25	150	1.01
	IP15	100	IP27	150	
	IP20	100	IP30	150	

## TORXPlus®


For Improved Torque and Longer Tool Life



Not for use in standard Torx fasteners

**361 TORXPlus® L-key, Short Arm**  
High alloy CVM steel, hardened, black finish.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
36106	IP6	39	1.5	16	.6	.01	10
36107	IP7	42	1.7	16	.6	.01	10
36108	IP8	45	1.8	16	.6	.01	10
36109	IP9	48	1.9	16	.6	.01	10
36110	IP10	51	2.0	17	.7	.01	10
36115	IP15	55	2.2	19	.7	.01	10
36120	IP20	58	2.3	19	.7	.01	10
36125	IP25	63	2.5	21	.8	.01	10
36127	IP27	68	2.7	22	.9	.02	10
36130	IP30	73	2.9	24	.9	.03	10
36140	IP40	81	3.2	26	1.0	.05	10



Not for use in standard Torx fasteners

**366 TORXPlus® L-key, Long Arm**  
High alloy CVM steel, hardened, black finish.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
36606	IP6	64	2.5	14	.6	.01	10
36607	IP7	68	2.7	14	.6	.01	10
36608	IP8	74	2.9	15	.6	.01	10
36609	IP9	78	3.1	16	.6	.01	10
36610	IP10	83	3.3	18	.7	.01	10
36615	IP15	88	3.5	18	.7	.02	10
36620	IP20	94	3.7	18	.7	.02	10
36625	IP25	98	3.9	19	.7	.03	10
36627	IP27	107	4.2	23	.9	.05	10
36630	IP30	114	4.5	24	.9	.06	10
36640	IP40	118	4.6	27	1.0	.09	10




**36197 TORXPlus® L-key, Short Arm, 7 Pc. Set In Holder**  
High alloy CVM steel, hardened, black finish.

Item No.	lbs.	Set includes the following L-keys:
36197	.10	IP6, IP7, IP8, IP9, IP10, IP15, IP20



**36690 TORXPlus® L-key, Long Arm, 7 Pc. Set In Holder**  
High alloy CVM steel, hardened, black finish.

Item No.	lbs.	Set includes the following L-keys:
36690	.22	IP6, IP7, IP8, IP9, IP10, IP15, IP20



**36199 TORXPlus® L-key, Short Arm, 9 Pc. Set In Holder**

Item No.	lbs.	Set includes the following L-keys:
36199	.30	IP8, IP9, IP10, IP15, IP20, IP25, IP27, IP30, IP40



**36691 TORXPlus® L-key, Long Arm, 9 Pc. Set In Holder**

Item No.	lbs.	Set includes the following L-keys:
36691	.35	IP8, IP9, IP10, IP15, IP20, IP25, IP27, IP30, IP40

## MagicSpring TORX® Tools



**371 MagicSpring Screw Holding TORX® L-key, Long Arm**  
High alloy CVM steel, hardened, black finish.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
37106	T6	14	.55	80	3.1	.001	10
37107	T7	16	.63	88	3.5	.002	10
37108	T8	18	.71	101	4.0	.003	10
37109	T9	19	.75	111	4.4	.005	10
37110	T10	21	.83	121	4.8	.007	10
37115	T15	22	.87	136	5.4	.009	10
37120	T20	25	.98	148	5.8	.01	10
37125	T25	28	1.1	163	6.4	.02	10
37127	T27	30	1.2	176	6.9	.03	10
37130	T30	34	1.3	191	7.5	.04	10
37140	T40	36	1.4	210	8.3	.07	10



**37190 MagicSpring Long Arm Screw Holding TORX® Set, 7 Pc. in Plastic Holder**  
Equipped with T6, T7, T8, T9, T10, T15, T20

Item No.	lbs.	pkg.
37190	.20	1



**37192 MagicSpring Long Arm Screw Holding TORX® Set, 10 Pc. in Plastic Holder**  
T6, T7, T8, T9, T10, T15, T20, T25, T27, T30

Item No.	lbs.	pkg.
37192	.35	1

Laser Welded MagicSpring Assembly



**Wiha MagicSpring TORX® Tools**

- Laser welded assembly
- Holds screws securely
- Won't damage screws
- Doesn't weaken tool
- Exact fit tips
- Hardened tool steel blades
- Holds standard Torx screws\*

**Screw Holding TORX®**



Stainless Rotary Spring



Wiha-Chromtop finish on tips

Wiha-SoftFinish® handle, multi-component, cushion grips



**362 MagicSpring Screw Holding TORX® Driver, With Wiha-SoftFinish® Handle**

Round blade high alloy CVMm steel, hardened, hard chromed.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36202	T6	60	2.4	3.5	.139	164	6.5	.07	10
36203	T7	60	2.4	3.5	.139	164	6.5	.07	10
36207	T8	60	2.4	3.5	.139	164	6.5	.07	10
36234	T9	60	2.4	4.0	.157	171	6.7	.11	10
36244	T10	80	3.1	4.0	.157	191	7.5	.11	10
36249	T15	80	3.1	4.0	.157	191	7.5	.11	10
36254	T20	100	3.9	4.0	.157	211	8.3	.16	10
36256	T25	100	3.9	4.5	.177	211	8.3	.17	10
36257	T27	115	4.5	5.5	.216	233	9.2	.20	10
36258	T30	115	4.5	6.0	.236	233	9.2	.21	10



Stainless Rotary Spring



**365 MagicSpring Screw Holding TORX® driver, With Wing Handle** Ideal for use with

indexable carbide tooling and also for working in confined spaces. Blade high alloy CVM steel, hardened, black finish. Wing handle high quality plastic, impact resistant. Molded on.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36556	T6	35	1.4	70	2.7	40	1.6	.01	10
36557	T7	35	1.4	70	2.7	40	1.6	.02	10
36558	T8	40	1.6	75	3.0	40	1.6	.02	10
36559	T9	40	1.6	75	3.0	40	1.6	.02	10
36560	T10	40	1.6	75	3.0	40	1.6	.02	10
36561	T15	45	1.8	80	3.1	40	1.6	.02	10
36562	T20	45	1.8	80	3.1	40	1.6	.02	10



Screw Holding Tools



**36598 MagicSpring Screw Holding TORX® Wing Handle Set, Pc. in Metal Stand**

Equipped with T6, T7, T8, T9, T10, T15, T20  
 .36 lbs.



**36290 Set 6 Pcs. MagicSpring Screw Holding TORX® SoftFinish Screwdrivers**

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips. Molded on.

Item No.	Size	mm	Size	mm	lbs.
36290	T8	60	T20	100	.98
	T10	80	T25	100	
	T15	80	T30	115	

\*MagicSpring tools will hold Torx® screws made to CamCar Textron Torx® specifications



**267 MagicSpring Screw Holding TORX® Driver, With Wiha-Precision PicoFinish Handle**

Blade high alloy CVM steel, hardened, hard chromed. Molded on ergo Wiha-Pico Finish precision handle, molded on, soft grips.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26721	T6	40	1.6	140	5.5	.03	10
26723	T7	40	1.6	140	5.5	.03	10
26725	T8	40	1.6	140	5.5	.03	10
26727	T9	50	2.0	150	5.9	.04	10
26729	T10	50	2.0	150	5.9	.04	10
26731	T15	60	2.4	160	6.3	.04	10



**26798 Set 6 Pcs. MagicSpring Screw Holding TORX® Screwdriver, With Wiha-Precision PicoFinish Handle**

Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-Pico Finish precision handle, molded on, soft grips.

Item No.	Size	mm	Size	mm	lbs.
26798	T6	40	T9	50	.45
	T7	40	T10	50	
	T8	40	T15	60	





## Wiha TorqueControl Screwdrivers

Molded cushion grip two component handles allow for maximum achievable torque to be reached with comfort


**Precise repeatability!**

All TorqueVario tools are tested and comply with:

- EN ISO 6798
- BS EN 26789
- ASME B107.14M

Each tool has unique serial number and certificate of calibration

See 4mm Micro Bits on Page 25



Direct Reading Scale



+/-6% accuracy tolerance  
Certificate of calibration



+/-6% accuracy tolerance  
Certificate of calibration

**285 Adjustable TorqueVario With Direct Reading Scale** EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle. Pkg. 1

Item No.	Range	Inch lbs.	Increments	mm
28501	15 - 80(in/oz)	2.5 In.oz.	127	
28502	5 - 10	.5 In.lbs.	127	
28506	10 - 50	2 In.lbs.	138	

\* 28501 +/- 10% (This unit only)\*

Item No.	Range	Inch lbs.	Increments	mm
28404	5 - 18	.5 in/lbs.	131	
28408	18 - 62	2 In.lbs.	142	

**285 Adjustable TorqueVario-S Handle In Newton Meter Scale** EN ISO 6798, BS EN 26789, ASME B107.14M. Ergo molded multi-component handle, light & compact. Handle sizes proportioned to optimize torque range. Audible & perceptible click when the torque setting has been attained, automatically resets for next torque cycle. Pkg. 1

Item No.	Newton Meter Scale	Increments	mm
28550	0.1 - 0.6Nm	.02 Nm	127
28551	0.4 - 1.0Nm	.05 Nm	127
28552	0.5 - 2.0Nm	.10 Nm	131
28553	0.8 - 5.0Nm	.20 Nm	138
28655	2.0 - 7.0Nm	.25 Nm	142

\* +/- 10% (This unit only)



**285 TORX® Interchangeable Blades For TorqueFix & TorqueVario** TORX® tip blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item No.	Size	mm	mm	lbs.	Nm	pkg.
28561	T5	175	4.0	.07	0.4	1
28562	T6	175	4.0	.07	0.6	1
28563	T7	175	4.0	.07	0.9	1
28564	T8	175	4.0	.07	1.3	1
28565	T9	175	4.0	.07	2.5	1
28566	T10	175	4.0	.07	3.8	1
28567	T15	175	4.0	.07	5.5	1
28568	T20	175	4.0	.07	8.0	1
28569	T25	175	4.0	.07	8.0	1



**285 TORXPlus® Blades For TorqueFix & TorqueVario** TORXPlus® tip blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item No.	Size	mm	mm	lbs.	Nm	pkg.
28571	IP5	175	4.0	.07	0.5	1
28572	IP6	175	4.0	.07	0.8	1
28573	IP7	175	4.0	.07	1.3	1
28574	IP8	175	4.0	.07	2.0	1
28575	IP9	175	4.0	.07	3.0	1
28576	IP10	175	4.0	.07	4.5	1
28577	IP15	175	4.0	.07	6.6	1
28578	IP20	175	4.0	.07	8.0	1
28579	IP25	175	4.0	.07	8.0	1



**285 MagicSpring TORX® Blades For TorqueFix & TorqueVario** blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item No.	Size	mm	mm	lbs.	Nm	pkg.
28512	T6	175	4.0	.07	0.6	1
28527	T7	175	4.0	.07	0.9	1
28528	T8	175	4.0	.07	1.3	1
28529	T9	175	4.0	.07	2.5	1
28530	T10	175	4.0	.07	3.8	1
28531	T15	175	4.0	.07	5.5	1
28532	T20	175	4.0	.07	8.0	1
28533	T25	175	4.0	.07	8.0	1



**286 MagicSpring TORXPlus® Interchangeable Blades For TorqueFix & TorqueVario** blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item No.	Size	mm	mm	lbs.	Nm	pkg.
28611	IP6	175	4.0	.07	0.8	1
28612	IP7	175	4.0	.07	1.3	1
28613	IP8	175	4.0	.07	2.0	1
28614	IP9	175	4.0	.07	3.0	1
28616	IP10	175	4.0	.07	4.5	1
28617	IP15	175	4.0	.07	6.6	1
28618	IP20	175	4.0	.07	8.0	1
28619	IP25	175	4.0	.07	8.0	1

\*None of the blades featured on this page will function in a TorqueVario Insulated Handle

### Wiha Easy Torque Handles



#### 292 easyTorque Screwdriver Handle

**With TORX® Blades** easyTorque value pre-set. Release accuracy +/- 10%. Internal mechanism clicks when torque value has been attained. Cushion grip comfortable handle for good power transfer.

Item No.	Pre-Sets Size	Inch/lbs.	Nm	lbs.	pkg.
29232	T5	4.4	0.5	.24	1
29233	T6	5.3	0.6	.24	1
29234	T7	8.0	0.9	.24	1
29236	T8	10.6	1.2	.25	1
29237	T9	12.4	1.4	.25	1
29239	T10	17.7	2.0	.26	1
29242	T15	26.6	3.0	.26	1
29243	T20	35.4	4.0	.26	1
29244	T25	44.2	5.0	.28	1

\* No Calibration Certificates



#### 292 easyTorque Screwdriver Handle

**With TORXPlus® Blades** easyTorque value pre-set. Release accuracy +/- 10%. Internal mechanism clicks when torque value has been attained. Cushion grip comfortable handle for good power transfer.

Item No.	Pre-Sets Size	Inch/lbs.	Nm	lbs.	pkg.
29246	IP5	4.4	0.5	.24	1
29247	IP6	5.3	0.6	.24	1
29248	IP7	8.0	0.9	.24	1
29249	IP8	10.6	1.2	.25	1
29252	IP9	12.4	1.4	.25	1
29253	IP10	17.7	2.0	.26	1
29254	IP15	26.6	3.0	.26	1
29255	IP20	35.4	4.0	.26	1
29256	IP25	44.2	5.0	.28	1

\* No Calibration Certificates

### TorqueFix Key Wing Handles & Blades

EN ISO 6798,  
BS EN 26789, ASME  
B107.14M

+/- 6% Accuracy



Includes Calibration Certificate

#### 283 TorqueFix Wing Handles

Audible & perceptible click when torque setting has been attained.

Item No.	Nm	mm	Inch	pkg.	lbs.
28349	0.5	68	2.7	1	.28
28351	0.6	68	2.7	1	.28
28352	0.9	68	2.7	1	.28
28353	1.1	68	2.7	1	.28
28354	1.2	68	2.7	1	.28
28355	1.4	68	2.7	1	.28
28356	2.0	68	2.7	1	.28
28357	2.5	68	2.7	1	.28
28358	3.0	68	2.7	1	.28
28359	3.8	68	2.7	1	.28
28360	4.0	68	2.7	1	.28



Compact design specially used for hard to reach screws and confined spaces

CVM steel, through-hardened,  
titanium silver blades



#### 283 TORX® Blades For TorqueFix Wing Handles

Item No.	Size	Max Nm	Inch	pkg.
28374	T6	0.6	3.0	1
28375	T7	0.9	3.0	1
28376	T8	1.3	3.0	1
28377	T9	2.5	3.0	1
28378	T10	3.8	3.0	1
28379	T15	5.5	3.0	1
28380	T20	8.0	3.0	1
28381	T25	8.0	3.0	1



#### 283 TORXPlus® Blades For TorqueFix Wing Handles

Item No.	Size	Max Nm	Inch	pkg.
28382	IP6	0.8	3.0	1
28383	IP7	1.3	3.0	1
28384	IP8	2.0	3.0	1
28385	IP9	3.0	3.0	1
28386	IP10	4.5	3.0	1
28387	IP15	6.6	3.0	1
28388	IP20	8.0	3.0	1
28389	IP25	8.0	3.0	1

### Wiha Insulated TorqueControl Tools



\* Includes Certificate

\* Includes SlimLine blade holder #28350

\* Requires SlimLine Blades

⚡ 1000Volt



#### 287 Insulated TorqueVario-S, With Window Scale Insulation up to 1000Volt

EN ISO, BS EN, ASME, VDE, ASTM & NFPA70E standards, +/- 6% Accuracy. Handle sizes proportioned to optimize torque range. Audible and perceptible click when torque setting has been attained. Includes SlimLine blade holder.

Item No.	Range	Inch lbs.	Increments	mm	lbs.	pkg.
28750	5 - 18	.5	In.lbs.	131	.43	1
28751	10 - 50	2	In.lbs.	138	.40	1
28752	18 - 62	2	In.lbs.	142	.69	1

Each TorqueVario handle has unique serial number and certificate of calibration

#### 287 Insulated TorqueVario-S Handle - In Newton Meter Scale

Includes SlimLine blade holder

Item No.	Range Nm	mm	lbs.	pkg.
28740	0.5 - 2.0	131	.45	1
28741	1.0 - 5.0	138	.45	1
28742	2.0 - 7.0	142	.72	1



#### 283 Insulated TORX® SlimLine Blades

High quality CV steel, through hardened. SlimLine blades have up to 33% narrower insulation diameter than standard insulated tools.


Item No.	Size	Slim Dia.	Max Nm	Inch/ lbs.	lbs.	pkg.
28339	T8	4.0	1.3	11.5	.02	1
28344	T9	4.0	1.3	11.5	.02	1
28340	T10	4.0	3.8	33.6	.02	1
28341	T15	6.0	5.5	48.7	.02	1
28342	T20	6.0	5.5	48.7	.02	1
28343	T25	6.0	5.5	48.7	.02	1

## Wiha TorqueControl Tool Sets



### 28597 8 Pc. TorqueControl Set With

**TORX® Blades** Certified to EN ISO 6798, BS EN 26789, ASME B107.14M

28597  lbs. 1.01

**TORX®**: T7, T8, T9, T10, T15, T20

28506 - Handle Range 10 - 50 In/lbs.

With Certificate of Calibration



### 28598 8 Piece TorqueControl Set With

**TORXPlus® Blades** Certified to EN ISO 6798, BS EN 26789, ASME B107.14M

28598 **TORXPlus®**  lbs. 1.00

IP7, IP8, IP9, IP10, IP15, IP20

28506 - Handle Range 10 - 50 In/lbs.


With Certificate of Calibration



### 28599 4 Piece TorqueControl Set With

**TORX® & TORXPlus® Blades** Certified to EN ISO 6798, BS EN 26789, ASME B107.14M.

Set includes Ergonomic multi-component adjustable TorqueVario-S handle, 12 blades & Torque adjustment tool. Packed in a durable canvas pouch.

**TORXPlus®**  lbs. 1.25

IP7, IP8, IP9, IP10, IP15, IP20

**TORX®**: T7, T8, T9, T10, T15, T20

28506 - Handle Range 10 - 50 In/lbs.

With Certificate of Calibration



## T-handle TorqueControl Tools

Each TorqueFix T-handle has unique serial number and certificate of calibration



Includes Calibration Certificate

289 TorqueFix T-handle EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6%




Item No.	Torque In-lbs.	Torque Nm	mm x mm			pkg.
28931	53.1	6	56 x 120	.81		1
28933	70.8	8	56 x 120	.82		1
28935	88.5	10	56 x 120	.79		1
28937	106.2	12	56 x 120	.79		1
28938	110.6	12.5	56 x 120	.80		1
28939	123.9	14	56 x 120	.80		1

Accuracy Ergonomic multi-component handle, light & compact



Includes Calibration Certificate

28940 Adjustable TorqueVario STplus T-handle EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6%

Item No.	Torque Nm	Torque In-lbs.	mm x mm				pkg.
28940	5-14	44.3-123.9	56 x 120	.81			1

\* (1 Nm 8.8507) (Scale is shown in Nm only)



289 TORX® Interchangeable Blades For TorqueFix T-Handle TORX® tip blades on 6mm Hex shafts. High alloy CVM steel, hardened, hard chromed.

Item No.	Size	mm	Inch	mm	lbs.	pkg.
28903	T15	130	5.1	6.0	.10	1
28904	T20	130	5.1	6.0	.10	1
28905	T25	130	5.1	6.0	.11	1
28906	T27	130	5.1	6.0	.11	1
28907	T30	130	5.1	6.0	.11	1
28908	T40	130	5.1	6.0	.11	1



289 TORXPlus® Interchangeable Blades For TorqueFix T-Handle TORXPlus® tip blades on 6mm Hex shafts. High alloy CVM steel, hardened, hard chromed.

Item No.	Size	mm	Inch	mm	lbs.	pkg.
28910	IP15	130	5.1	6.0	.10	1
28911	IP20	130	5.1	6.0	.10	1
28912	IP25	130	5.1	6.0	.11	1
28913	IP27	130	5.1	6.0	.11	1
28914	IP30	130	5.1	6.0	.11	1
28915	IP40	130	5.1	6.0	.11	1


## ESD Safe Adjustable TorqueControl Tools





Each TorqueVario handle has unique serial number and certificate of calibration







Includes Certificate

285 ESD Safe TorqueVario-S, With Window Scale EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6% Accuracy.

Ergonomic multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible & perceptible click when torque setting has been attained. With Certificate of accuracy.  Pkg. 1

Item No.	Range					pkg.
28522*	15-80(in/oz)	2.5 In.oz.	122-127		.33	
28524	5-10	.2 In.lbs.	122-127		.34	
28526	7.5-20	.5 In.lbs.	126-131		.42	

Item No.	Range					pkg.
28500*	.04 - .46	124	4.875"	.35		1

\* +/- 10% (This unit only)



288 ESD Safe TORX® Interchangeable Blades For TorqueVario-S TORX® tip blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, hard chromed.

Item No.	Size	mm	mm	Max. Torque Nm	lbs.	pkg.
28825	T5	175	4.0	0.4	.07	1
28826	T6	175	4.0	0.6	.07	1
28827	T7	175	4.0	0.9	.07	1
28828	T8	175	4.0	1.3	.07	1
28829	T9	175	4.0	2.5	.07	1



288 ESD Pentalobe Interchangeable Blades For TorqueVario-S Newton Meter Handle tip blades on narrow 5/32 Hex shafts.

Item No.	Size	mm	mm	lbs.	pkg.
28818	PL1	175	4.0	.07	1



**Wiha TORX® Precision Series**

**Wiha TORX® Pico Soft Grip**



**267 TORX® Screwdriver, With Precision Handle** Blade high alloy chrome-vanadium-molybdenum steel.

Item	No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
	26701	T1	40	1.6	120	4.7	.01	10
	26702	T2	40	1.6	120	4.7	.02	10
	26703	T3	40	1.6	120	4.7	.02	10
	26704	T4	40	1.6	120	4.7	.02	10
	26705	T5	40	1.6	120	4.7	.02	10
	26706	T6	40	1.6	120	4.7	.02	10
	26707	T7	40	1.6	120	4.7	.02	10
	26708	T8	40	1.6	120	4.7	.03	10
	26709	T9	50	2.0	145	5.7	.03	10
	26710	T10	50	2.0	145	5.7	.03	10
	26715	T15	60	2.4	170	6.7	.05	10
	26720	T20	60	2.4	170	6.7	.05	10

\*Metric dimensions actual - Inch dimensions approximate



**26791 8 Pcs. TORX® Screwdriver Set**

Item No. T1, T2, T3, T4, T5, T6, T7, T8



**26799 8 Pc. TORX® Screwdriver Set**

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item	TORX®	Size	lbs.
No.	T3, T4, T5,		
	T6, T7, T8 x 40mm		
26799	T9 x T10 x 50mm		.50



**267 TORX® Driver, With Precision Soft PicoFinish Handle** Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item	No.	Size	mm	Inch	mm	Inch	Pkg.
	26732	T1	40	1.6	134	5.3	10
	26733	T2	40	1.6	134	5.3	10
	26735	T3	40	1.6	134	5.3	10
	26736	T4	40	1.6	134	5.3	10
	26737	T5	40	1.6	134	5.3	10
	26739	T6	40	1.6	140	5.5	10
	26741	T7	40	1.6	140	5.5	10
	26743	T8	40	1.6	140	5.5	10
	26745	T9	50	2.0	150	5.9	10
	26747	T10	50	2.0	150	5.9	10
	26749	T15	60	2.4	160	6.3	10
	26751	T20	60	2.4	160	6.3	10

\*Metric dimensions actual - Inch dimensions approximate



**26790 6 Pc. TORX® Screwdriver Set**

Blade high alloy chrome-vanadium-molybdenum steel.

Item	TORX®	Size	lbs.
No.	T6, T7, T8 x 40mm		.30
	T9, T10 x 50mm		
	T15 x 60mm		



**26793 8 Pc. TORX® Precision Driver Set, With Soft PicoFinish Handle** Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit.

Item	TORX®	Size	lbs.
No.	T1, T2, T3, T4,		
26793	T5, T6, T7, T8		.50



**26792 7 Pc. TORX® Screwdriver Set**

Blade high alloy chrome-vanadium-molybdenum steel.

Item	TORX®	Size	lbs.
No.	T5, T6, T7, T8 x 40mm		.33
26792	T9, T10 x 50mm		
	T15 x 60mm		



**91118 Rugged Polyester Canvas Storage Pouch** Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

Item	No.	Size	lbs.	pkg.
91118	1	14-1/2" W x 7-3/4" L	.13	1



**26796 8 Pc. TORX® Precision Driver Set, Soft PicoFinish Handle** Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit.

Item	TORX®	Size	lbs.
No.	T5, T6, T7, T8 x 40mm		.57
26796	T9, T10 x 50mm, T15, T20 x 60mm		

## ESD Safe Dissipative Precision Screwdrivers

Surface resistance of handles is  $10^6 - 10^9$  Ohms



**278 TORX® Screwdriver, With Precision ESD Safe Dissipative Handle** Blade high alloy CVM steel. Hard chrome finished. Handle impact resistant, dissipative material. ESD standard IEC 61340-5-1.

Item	No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
27801	T1	40	1.6	120	4.7	.03	10	
27802	T2	40	1.6	120	4.7	.03	10	
27803	T3	40	1.6	120	4.7	.03	10	
27804	T4	40	1.6	120	4.7	.03	10	
27805	T5	40	1.6	120	4.7	.03	10	
27811	T6	40	1.6	120	4.7	.03	10	
27817	T7	40	1.6	120	4.7	.03	10	
27823	T8	40	1.6	120	4.7	.03	10	
27829	T9	50	2.0	145	5.7	.04	10	
27835	T10	50	2.0	145	5.7	.04	10	
27841	T15	60	2.4	170	6.7	.07	10	
27847	T20	60	2.4	170	6.7	.07	10	

\*Metric dimensions actual - Inch dimensions approximate



ESD standard IEC 61340-5-1

**27890 Set 7 Pcs. TORX® Precision ESD Safe Dissipative Handle** Blade high alloy CVM steel, hardened, hard chromed. Handle manufactured from impact resistant, dissipative material.

Item	TORX®:	lbs.
No.	T4, T5, T6, T7,	
27890	T8, T9, T10	.31

ESD standard IEC 61340-5-1



**27899 Set 8 Pcs. TORX® Precision ESD Safe Dissipative Handle Set In Pouch** Blade high alloy CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material. In storage pouch.

Item	TORX®:	lbs.
No.	T1, T2, T3, T4,	
27899	T5, T6, T7	.47
	Chip Lifter	



**278 TORXPlus® Screwdriver, With Precision ESD Safe Dissipative Handle** Blade high alloy CVM steel, hardened, hard chromed. ESD standard IEC 61340-5-1.

Item	No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
27850	IP4	40	1.6	120	4.7	.03	10	
27851	IP5	40	1.6	120	4.7	.03	10	
27852	IP6	40	1.6	120	4.7	.03	10	
27853	IP7	40	1.6	120	4.7	.03	10	
27854	IP8	40	1.6	120	4.7	.03	10	
27855	IP9	50	2.0	145	5.7	.04	10	
27856	IP10	50	2.0	145	5.7	.04	10	
27857	IP15	60	2.4	170	6.7	.07	10	

\*Metric dimensions actual - Inch dimensions approximate



ESD standard IEC 61340-5-1

**27894 Set 7 Pcs. TORXPlus® Precision ESD Safe Dissipative Handle**

Item	TORXPlus®:	lbs.
No.	IP5, IP6, IP7, IP8	
27894	IP9, IP10, IP15	.27

## ESD Safe SYS 4 Drive-Loc Handle & Blades



**26961 ESD Safe Dissipative Precision Drive-Loc Handle** Surface resistant  $10^6-10^9$  Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL

Item	No.	mm	Inch	mm	Inch	lbs.
26961	4.0	.1574	23	.91	.08	

**269 SYSTEM 4 TORX® Drive-Loc Reversible Locking Blades** On 4mm Hex

Item	No.	Size	Size	lbs.
26977	T1 + T2		.02	
26978	T3 + T4		.02	
26979	T5 + T6		.02	
26980	T6 + T8		.02	
26981	T7 + T9		.02	
26982	T10 + T15		.02	

## ESD Safe Precision Handles & Blades



**28000 ESD Safe Dissipative Precision Handle** with rotating control cap. Surface resistant  $10^6-10^9$  Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item	No.	mm	Inch	mm	Inch	lbs.
28000	4.0	.1574	14.0	.55	.04	



**28001 ESD Safe Dissipative Precision Adjustable Handle** with rotating control cap.

- Use in ESD sensitive applications. Surface resistant  $10^6-10^9$  Ohms.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item	No.	mm	Inch	mm	Inch	lbs.
28001	4.0	.1574	14.0	.55	.04	



**269 SYS 4 TORX® Reversible Blade** High alloy chrome-vanadium-molybdenum steel, hardened, vapor chrome protected, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL

Item	No.	Size	Size	lbs.
26951	T6 + T8		.03	
26952	T7 + T9		.03	
26953	T10 + T15		.03	
26954	T15 + T20		.03	




**269 SYS 4 TORX® Interchangeable Blade** 120mm/4.7" OAL

Item	No.	Size	lbs.
26955	T3	.03	
26956	T4	.03	
26957	T5	.03	

**ESD Precision Blade Sets**



**26995 TORX® Precision Interchangeable Blade Set, 5 Pcs.** Wiha ESD Safe  precision collet lock handle & 4 interchangeable blades.


**26995 Set includes the following blades:**

 **TORX® :**


T6, T7, T8, T9, T10, T15, T20

 lbs. .24



**26987 TORX® Precision Interchangeable Blade Set, 8 Pcs.** Wiha ESD Safe  precision collet lock handle and 7 interchangeable blades.

**26987 Set includes the following blades:**

 **TORX® Sizes on standard blades:**

T3, T4, T5


 **TORX® Sizes on reversible blades:**

T6, T7, T8, T9, T10, T15, T20

 lbs. .33

ESD Safe



**28087 8 Pc. TORX® Precision Interchangeable Blade Set**  
Wiha-ESD Safe  precision collet lock handle and 7 Wiha interchangeable blades.


**Includes the following blades:**

 **TORX® Standard blades:** T3, T4, T5

 **TORX® Reversible blades:**

T6, T7, T8, T9, T10, T15, T20

 lbs. .29



**75988 SYSTEM 4 TORX® Micro Bit Replacement Pack, 10 Pcs.**  
CVM steel, hardened, on 4 mm hex stock.

**Item No. SYSTEM 4 Micro Bit Set**

**75988 TORX® :** T1, T2, T3, T4, T5, T6, T7, T8, T9, T10

 lbs. .06

**SYSTEM 4 Handles & Micro Bits**

Bits CVM steel, hardened



**Rotating Cap**  
for precise turning & control

**Tapered Handle**

allows rapid rotation, requires less clearance. Static Dissipative  $10^6 - 10^9$  ohms

**Tips**  
Exact fit, precision machined

Use bits directly in handle or with 4" bit extension



**75801 SYS 4 ESD Safe Dissipative Precision Bit Handle 110mm/4.3" OAL**

**Advantages:**

- For working in ESD sensitive applications Surface resistant  $10^6-10^9$  Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits

Item No.	mm	Inch	mm	Inch	lbs.
75801	4.0	.1574	14.0	.55	.06

High alloy CVM steel, hardened, on 4 mm stock



**757 SYSTEM 4 TORX® Micro Bits**

Item No.	Size	mm	Inch	lbs.
75701	T1	28	1.1	.01
75702	T2	28	1.1	.01
75703	T3	28	1.1	.01
75704	T4	28	1.1	.01
75705	T5	28	1.1	.01
75706	T6	28	1.1	.01
75707	T7	28	1.1	.01
75708	T8	28	1.1	.01
75709	T9	28	1.1	.01
75710	T10	28	1.1	.01
75715	T15	28	1.1	.01
75720	T20	28	1.1	.01



**757 SYS 4 Security TORX® Micro Bits**

Item No.	Size	mm	Inch	lbs.
75727	T7s	28	1.1	.01
75735	T10s	28	1.1	.01
75739	T15s	28	1.1	.01
75742	T20s	28	1.1	.01

10 Bit Pack




Item No.	Size	mm	Inch	lbs.
75660	T1	28	1.1	.06
75661	T2	28	1.1	.06
75662	T3	28	1.1	.06
75663	T4	28	1.1	.06
75664	T5	28	1.1	.06
75665	T6	28	1.1	.06
75666	T7	28	1.1	.06
75667	T8	28	1.1	.07
75668	T9	28	1.1	.07
75669	T10	28	1.1	.07
75670	T15	28	1.1	.08
75671	T20	28	1.1	.08

10 Bit Pack




Item No.	Size	mm	Inch	lbs.
75678	T7s	28	1.1	.06
75680	T9s	28	1.1	.06
75681	T10s	28	1.1	.07
75682	T15s	28	1.1	.07
75683	T20s	28	1.1	.08





**75093 SYS 4 Slotted, Phillips, TORX® Compact ESD Precision Interchangeable Bit Set, 16 Pcs.** Wiha precision handle, bit extension & 14 interchangeable bits.

**Item No. Combination Bit Set**

**75093 Set with ESD Safe Precision Handle**

 **Slotted:** 1.5, 2.0, 2.5, 3.0mm

 **Phillips:** 00, 0, 1

**lbs.**  **TORX®:** T6, T7, T8, T9, T10, T15, T20  
.17  **100mm Bit Extension**



**75985 Micro Bit Handle Storage TORX® Bit Set, 7 Pcs.** Wiha precision storage handle & 6 interchangeable bits.

**Item No. Set with Precision Storage Handle**

**75985 TORX®:** T3, T4, T5, T6, T7, T8

 lbs. .12