



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!




## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





## Silicone Tubing for Peristaltic Liquid Pump - 1 Meter

PRODUCT ID: 3659

### Description

Move fluid from here to there with this very nice elastomeric silicone tubing, specifically for our peristaltic pump. It's one meter long and fully silicone with the correct diameter to give great peristaltic performance.

This silicone tubing is not sterile and might get a lil' dirty on its way to you. So, before first use, we recommend it be sterilized by boiling in water, etc! The tubing is neither FDA nor USDA-compliant certified. If you need FDA/USDA-certified tubing for use with your food-hacking project, check out McMaster-Carr. They have many types of silicone tubing available!

Wikipedia has a great article on peristaltic pumps. Please check it out for more details on how these devices work!

# Technical Details

- Tube length: 1 meter
- Tube diameter: 2.5mm (internal diameter) / 4.7mm (external diameter)