# imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



# Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




## H35,0/18



#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com





For conductors from 10.0 to 185.0 mm<sup>2</sup> (AWG 7 - 350 MCM) tin-plated copper dimensional tolerances to DIN 46228 part 1

supplied loose in poly-bag

#### General ordering data

Order No.	<u>0368900000</u>
Туре	H35,0/18
Version	Wire end ferrule, 35 mm <sup>2</sup>
GTIN (EAN)	4008190145675
Qty.	100 pc(s).

### H35,0/18

# **Technical data**



#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Length	18 mm	Net weight	0.92 g
Lengui	TO IIIII	Net weight	0.52 g
Product data			
Conductor cross-section	35 mm²	Wire connection cross section	
Contact surface diameter (D1)	8.3 mm <sup>2</sup>	max. Collar diameter (D2)	AWG 2 11 mm
	0.5 11111		1111111
Classifications			
ETIM 2.0	EC00005	ETIM 3.0	EC00005
UNSPSC	31-16-31-02	eClass 4.1	27-06-07-01
eClass 5.1	27-40-02-01	eClass 6.0	27-40-02-01
eClass 7.0	27-40-02-01		
Product information			
Description of article	Wire end ferrule without plastic collar		
Approvals			
Approvals	6		
		7	
	a. e	7	
		5	
		25	