



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Panel-Mount Banana Jacks 4mm - Pack of 5 Multi-Color

PRODUCT ID: 3691

You've done such a great job making your own electronic control panel that the last thing you need are those wires to get pulled out and frizzy. These fancy Panel-Mount Banana Jacks look good and work well. They will snugly hold onto any 4mm banana plug or cable, and have a colorful ring you can use to help identify and categorize connections.

Each plug has an M8 screw body with a washer+nut combination that can be used to secure it to a panel. The back has a large slug with a hole you can solder to.

Comes as pack of 5, you get one of each lovely color. We also have Solder-free Stackable Banana Plugs that go well with these jacks.

Technical Details

- Body: Nickel-plated brass
- Insulator: PA66 Nylon
- Voltage: up to 30V AC - 60V DC
- Current: up to 15A
- Weight (single jack): 4.2g
- Internal diameter: about 4.8mm
- Length: about 28mm

