



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





DC Gearbox "TT" Motor to LEGO and Compatible Cross Axle

PRODUCT ID: 3810

Who doesn't love LEGO and compatible bricks? Nobody! Except when we accidentally step on them. There are soooo many mechanical things one can make with those ubiquitous bricks, plates, gears, pulleys. Say a 13-meter high LEGO London Tower Bridge...



But what do you do when you want to add LEGO-compatible bricks and parts to your robotics project? This is the axle you need! Just push the axle housing end onto the shaft of your DC Gearbox "TT" motor, and it's ready to adapt to the standard LEGO-compatible cross axle parts, including gears and wheels. So easy, we think this will enable many creative endeavors.

Comes 1 x per order. Does not include the DC Gearbox "TT" Motor (we do sell em in the shop though) or gear – that's just to show you how it works.

TECHNICAL DETAILS

Shaft length: 34mm

Housing height: 8.2mm



<https://www.adafruit.com/product/3810> 6-4-18