



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!




Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





JST PH 2-Pin Cable – Male Header 200mm

PRODUCT ID: 3814

For a really long time we assumed that the JST PH didn't have a free-hanging male header version. But then we found this JST-PH 2-pin Male Cable, and we were like, *this is perfect!* It's not a genuine JST connector, but it's 100% compatible with a nice clicky connection that you can undo without tearing the contacts from the housing.



Plugs in nicely all with our Li-Poly batteries, it even has the right color coding! What more could you want?

We have the plug 'mating' version of this cable over here, as well as an 'extension' cable that has one of each soldered together. If you want a switch in the middle, try this switched extension cable. Finally, for PCB and breadboard use, we have the same connector but on a PCB

For more information about JST PH connectors, visit the JST website

TECHNICAL DETAILS

- Weight: 1.1g
- Length: 20cm / ~7.9"



<https://www.adafruit.com/product/3814> 6-12-18