



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!





## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





- ASSEMBLY MAY BE BROKEN TO THE DESIRED NUMBER OF POSITIONS.
- THE NOTED DIMENSIONS APPLY AT THE INTERSECTION OF THE POST AND HOUSING
- POINT OF MEASUREMENT FOR PLATING THICKNESS
- SINGLE TUBING PACKAGING
- BREAKAWAY NOTCH ANGLE CAN BE ORIENTED TO THE RIGHT (AS SHOWN) OR TO THE LEFT
- FINISH: POSTS- .000015 GOLD ON CONTACT AREA, .000100-.000200 MATTE TIN-LEAD ON SOLDER TAIL, ALL OVER .000050 NICKEL
- FINISH: POSTS- .000015 GOLD ON CONTACT AREA, .000100-.000200 MATTE TIN ON SOLDER TAIL, ALL OVER .000050 NICKEL
- HIGH TEMPERATURE CONFIGURATION
- OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

REMARKS	PLATING	EXCEPT	C	B	A	NO OF POSN	PART NUMBER	PLATING	EXCEPT	C	B	A	NO OF POSN	PART NUMBER	
OBSOLETE	8	7	4	.384	.300	3	4	9-103325-1	6	4	.384	.300	3	4	4-103325-1
OBSOLETE	8	7		3.984	3.900	39	40	9-103325-0	6		3.984	3.900	39	40	4-103325-0
OBSOLETE	8	7		3.884	3.800	38	39	8-103325-9	6		3.884	3.800	38	39	3-103325-9
OBSOLETE	8	7		3.784	3.700	37	38	8-103325-8	6		3.784	3.700	37	38	3-103325-8
OBSOLETE	8	7		3.684	3.600	36	37	8-103325-7	6		3.684	3.600	36	37	3-103325-7
OBSOLETE	8	7		3.584	3.500	35	36	8-103325-6	6		3.584	3.500	35	36	3-103325-6
OBSOLETE	8	7		3.484	3.400	34	35	8-103325-5	6		3.484	3.400	34	35	3-103325-5
OBSOLETE	8	7		3.384	3.300	33	34	8-103325-4	6		3.384	3.300	33	34	3-103325-4
OBSOLETE	8	7		3.284	3.200	32	33	8-103325-3	6		3.284	3.200	32	33	3-103325-3
OBSOLETE	8	7		3.184	3.100	31	32	8-103325-2	6		3.184	3.100	31	32	3-103325-2
OBSOLETE	8	7		3.084	3.000	30	31	8-103325-1	6		3.084	3.000	30	31	3-103325-1
OBSOLETE	8	7		2.984	2.900	29	30	8-103325-0	6		2.984	2.900	29	30	3-103325-0
OBSOLETE	8	7		2.884	2.800	28	29	7-103325-9	6		2.884	2.800	28	29	2-103325-9
OBSOLETE	8	7		2.784	2.700	27	28	7-103325-8	6		2.784	2.700	27	28	2-103325-8
OBSOLETE	8	7		2.684	2.600	26	27	7-103325-7	6		2.684	2.600	26	27	2-103325-7
OBSOLETE	8	7		2.584	2.500	25	26	7-103325-6	6		2.584	2.500	25	26	2-103325-6
OBSOLETE	8	7		2.484	2.400	24	25	7-103325-5	6		2.484	2.400	24	25	2-103325-5
OBSOLETE	8	7		2.384	2.300	23	24	7-103325-4	6		2.384	2.300	23	24	2-103325-4
OBSOLETE	8	7		2.284	2.200	22	23	7-103325-3	6		2.284	2.200	22	23	2-103325-3
OBSOLETE	8	7		2.184	2.100	21	22	7-103325-2	6		2.184	2.100	21	22	2-103325-2
OBSOLETE	8	7		2.084	2.000	20	21	7-103325-1	6		2.084	2.000	20	21	2-103325-1
OBSOLETE	8	7		1.984	1.900	19	20	7-103325-0	6		1.984	1.900	19	20	2-103325-0
OBSOLETE	8	7		1.884	1.800	18	19	6-103325-9	6		1.884	1.800	18	19	1-103325-9
OBSOLETE	8	7		1.784	1.700	17	18	6-103325-8	6		1.784	1.700	17	18	1-103325-8
OBSOLETE	8	7		1.684	1.600	16	17	6-103325-7	6		1.684	1.600	16	17	1-103325-7
OBSOLETE	8	7		1.584	1.500	15	16	6-103325-6	6		1.584	1.500	15	16	1-103325-6
OBSOLETE	8	7		1.484	1.400	14	15	6-103325-5	6		1.484	1.400	14	15	1-103325-5
OBSOLETE	8	7		1.384	1.300	13	14	6-103325-4	6		1.384	1.300	13	14	1-103325-4
OBSOLETE	8	7		1.284	1.200	12	13	6-103325-3	6		1.284	1.200	12	13	1-103325-3
OBSOLETE	8	7		1.184	1.100	11	12	6-103325-2	6		1.184	1.100	11	12	1-103325-2
OBSOLETE	8	7		1.084	1.000	10	11	6-103325-1	6		1.084	1.000	10	11	1-103325-1
OBSOLETE	8	7		.984	.900	9	10	6-103325-0	6		.984	.900	9	10	1-103325-0
OBSOLETE	8	7		.884	.800	8	9	5-103325-9	6		.884	.800	8	9	103325-9
OBSOLETE	8	7		.784	.700	7	8	5-103325-8	6		.784	.700	7	8	103325-8
OBSOLETE	8	7		.684	.600	6	7	5-103325-7	6		.684	.600	6	7	103325-7
OBSOLETE	8	7		.584	.500	5	6	5-103325-6	6		.584	.500	5	6	103325-6
OBSOLETE	8	7		.484	.400	4	5	5-103325-5	6		.484	.400	4	5	103325-5
OBSOLETE	8	7		.384	.300	3	4	5-103325-4	6		.384	.300	3	4	103325-4
OBSOLETE	8	7		.284	.200	2	3	5-103325-3	6		.284	.200	2	3	103325-3
OBSOLETE	8	7		.184	.100	1	2	5-103325-2	6		.184	.100	1	2	103325-2
OBSOLETE	8	7		.084	—	—	1	5-103325-1	6		.084	—	—	1	103325-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIN H MOLL 22OCT87  
 CHK THOMAS C CLARK 23OCT87  
 APVD THOMAS C CLARK 23OCT87  
 NAME

STE TE Connectivity

PRODUCT SPEC  
 APPLICATION SPEC  
 SIZE CAGE CODE DRAWING NO  
 WEIGHT — A1 00779 C=103325  
 CUSTOMER DRAWING SCALE 4:1 SHEET 1 OF 1 REV H2

HEADERS ASSY, MOD II, BREAKAWAY, SINGLE ROW, .100, RIGHT ANGLE, WITH .025 SQ POSTS

RESTRICTED TO