



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
K		REVISED PER ECO-15-011608	04NOV2015	NK	MZ
L		REVISED PER ECO-16-015569	03NOV2016	RS	MZ

- 1 FINISH-SILVER PLATE 5.08um [200u"] THICK MIN.
- 2 FINISH-NICKEL PLATE 1.12um [40u"] THICK MIN.
- 3 FINISH-GOLD PLATE 0.25um [10u"] THICK MIN.
- 4 FINISH-GOLD PLATE 1.02um [40u"] THICK MIN.
- 5 FINISH-GOLD PLATE 1.27um [50u"] THICK MIN.
- 6 FINISH-NICKEL PLATE 2.54um [100u"] THICK MIN.
- 7 FINISH-GOLD PLATE 0.76um [30u"] THICK MIN.
- 8 FINISH-GOLD PLATE 0.51um [20u"] THICK MIN.
- 9 FINISH-NICKEL PLATE 1.27um [50u"] THICK MIN.
- 10 FINISH-TIN PLATE 5.08um [200u"] THICK MIN.
- 11 PLATING NOTES ARE TO BE INTERPRETED AS FOLLOWS, 6-8 AS 6 OVER 8.
- 12 MATERIAL: CDA172, BeCu.
- 13 MATERIAL: STAINLESS STEEL.
- 14 PRODUCT IS SOLD BY THE FOOT.
- △15 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

STYLE	LH	(FREE DIA)	LENGTH	MATING PIN φ REF	PLATING (NOTE)	NUM LOUV	MAT'L (NOTE)	MAT'L THK	REF	PART NO.			
A	[.022]	[.14]	--	2.36[.093]	3-2	11	12	0.12[.005]	04124	5-192041-0			
-	-	-	--	--	--	--	--	--	--	4-192041-9			
A	[.022]	[.14]	--	2.36[.093]	1-2	11	12	0.12[.005]	04164	4-192041-8	OBSOLETE		
A	[.022]	[.14]	--	2.36[.093]	UNPL	11	12	0.12[.005]	04136	4-192041-7	△15		
									04015	4-192041-6			
									04013	4-192041-5			
A	[.030]	[.11]	--	2.03[.080]	3-2	8	12	0.15[.006]	04010	4-192041-4			
A	[.030]	[.11]	--	2.03[.080]	1-2	8	12	0.15[.006]	04200	4-192041-3	OBSOLETE		
A	[.030]	[.11]	--	2.03[.080]	UNPL	8	12	0.15[.006]	04083	4-192041-2			
A	[.022]	[.09]	--	1.57[.062]	3-2	7	12	0.15[.006]	04008	4-192041-1			
A	[.022]	[.09]	--	1.57[.062]	1-2	7	12	0.15[.006]	04137	4-192041-0			
A	[.022]	[.09]	--	1.57[.062]	--	7	12	0.15[.006]	04114	3-192041-9	OBSOLETE △15		
A	[.022]	[.09]	--	1.57[.062]	UNPL	7	12	0.15[.006]	04061	3-192041-8	OBSOLETE		
A	[.016]	[.09]	--	1.57[.062]	UNPL	7	13	0.12[.005]	04009	3-192041-7			
A	[.024]	[.09]	--	1.57[.062]	5-2	7	12	0.12[.005]	04147	3-192041-6	OBSOLETE		
A	[.024]	[.09]	--	1.57[.062]	1-2	7	12	0.12[.005]	04212	3-192041-5	△15		
C	[.024]	[.09]	--	1.57[.062]	UNPL	7	12	0.12[.005]	04081	3-192041-4			
-	[.022]	[.08]	--	1.02[.040]	4-2	5	12	0.12[.005]	04142	3-192041-3	OBSOLETE		
A	[.022]	[.08]	--	1.02[.040]	3-2	5	12	0.12[.005]	04006	3-192041-2			
A	[.022]	[.08]	--	1.02[.040]	1-2	5	12	0.12[.005]	04213	3-192041-1	OBSOLETE		
A	[.022]	[.08]	--	1.02[.040]	UNPL	5	12	0.12[.005]	04005	3-192041-0			
A	[.018]	[.06]	--	0.63[.025]	3-2	4	12	0.12[.005]	04004	2-192041-9	OBSOLETE		
C	[.028]	[.46]	--	--	1-2	15	12	0.20[.008]	04168	2-192041-8			
C	[.028]	[.46]	--	--	UNPL	15	12	0.20[.008]	04166	2-192041-7			
C	[.030]	[.46]	--	--	1-2	15	12	0.15[.006]	04162	2-192041-6			
-	-	-	--	--	--	--	--	--	--	2-192041-5			
C	[.036]	[.37]	--	--	1-2	12	12	0.15[.006]	04218	2-192041-4	OBSOLETE		
SUPERSEDED BY 193815-4											--	2-192041-3	OBSOLETE
SUPERSEDED BY 193815-3											--	2-192041-2	△15
SUPERSEDED BY 193815-2											--	2-192041-1	
SUPERSEDED BY 193815-1											--	2-192041-0	
SUPERSEDED BY 193262-3											--	1-192041-9	
SUPERSEDED BY 193262-2											--	1-192941-8	OBSOLETE
SUPERSEDED BY 193262-4											--	1-192041-7	△15
C	[.028]		NOTE 14	--	3-2	--	12	0.20[.008]	04098	1-192041-6	OBSOLETE		
C	[.028]		NOTE 14	--	1-2	--	12	0.20[.008]	04149	1-192041-5	OBSOLETE		
C	[.028]		NOTE 14	--	UNPL	--	12	0.20[.008]	04099	1-192041-4			
C	[.028]		NOTE 14	--	3-2	--	12	0.15[.006]	04002	1-192041-3	OBSOLETE		
C	[.026]		NOTE 14	--	1-2	--	12	0.15[.006]	04119	1-192041-2			
C	[.028]		NOTE 14	--	1-2	--	12	0.15[.006]	04210	1-192041-1			
C	[.028]		NOTE 14	--	UNPL	--	12	0.15[.006]	04109	1-192041-0			
C	[.016]		NOTE 14	--	1-2	--	13	0.12[.005]	04211	1-192041-9			
C	[.026]		NOTE 14	--	3-2	--	12	0.12[.005]	04148	1-192041-8	△15		
C	[.026]		NOTE 14	--	UNPL	--	12	0.12[.005]	04000	1-192041-7	OBSOLETE		
										1-192041-6			
										1-192041-5			
										1-192041-4			
										1-192041-3			
										1-192041-2			
										1-192041-1			




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN -	TE Connectivity	
DIMENSIONS: mm		CHK J.TURNER 07-21-93		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD -	NAME	
0 PLC ± -		PRODUCT SPEC -	CONTACT BAND, LAIV, FEMALE	
1 PLC ± -		APPLICATION SPEC -	SIZE A2 CAGE CODE 00779 DRAWING NO C=192041 RESTRICTED TO -	
2 PLC ± 0.5 [.02]		WEIGHT	SCALE 1:1 SHEET 1 OF 2 REV L	
3 PLC ± 0.25 [.010]		CUSTOMER DRAWING		
4 PLC ± -				
ANGLES ± -				
FINISH				
MATERIAL SEE TABLE				
SEE TABLE				

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-

STYLE	LH	(FREE DIA)	LENGTH	MATING PIN ϕ REF	PLATING (NOTE)	NUM LOUV	MAT'L (NOTE)	MAT'L THK	REF	PART NO.		
A	[.026]	[.23]	-- 5.00	[.197]	1-2	19	12	0.20	[.008]	04170	9-192041-9	OBSOLETE
A	[.026]	[.23]	-- 5.00	[.197]	UNPL	19	12	0.20	[.008]	04169	9-192041-8	OBSOLETE
A	[.024]	[.23]	-- 5.00	[.197]	3-2	19	12	0.15	[.006]	04037	9-192041-7	OBSOLETE
A	[.024]	[.23]	-- 5.00	[.197]	UNPL	19	12	0.15	[.006]	04038	9-192041-6	OBSOLETE
										04036	9-192041-5	OBSOLETE
A	[.024]	[.21]	-- 4.75	[.187]	3-2	18	12	0.15	[.006]	04035	9-192041-4	
A	[.030]	[.21]	-- 4.39	[.173]	4-2	17	12	0.20	[.008]	04031	9-192041-3	
A	[.030]	[.21]	-- 4.39	[.173]	UNPL	17	12	0.20	[.008]	04080	9-192041-2	OBSOLETE
A	[.034]	[.21]	-- 4.39	[.173]	8-2	17	12	0.15	[.006]	04191	9-192041-1	
A	[.034]	[.21]	-- 4.39	[.173]	UNPL	17	12	0.15	[.006]	04190	9-192041-0	
A	[.026]	[.21]	-- 4.39	[.173]	3-2	17	12	0.15	[.006]	04030	8-192041-9	
A	[.026]	[.21]	-- 4.39	[.173]	1-2	17	12	0.15	[.006]	04157	8-192041-8	
A	[.026]	[.21]	-- 4.39	[.173]	UNPL	17	12	0.15	[.006]	04073	8-192041-7	OBSOLETE
A	[.016]	[.25]	-- 4.39	[.173]	UNPL	17	13	0.12	[.005]	04064	8-192041-6	
A	[.032]	[.20]	-- 4.00	[.157]	5-2	15	12	0.20	[.008]	04126	8-192041-5	
A	[.032]	[.20]	-- 4.00	[.157]	3-2	15	12	0.20	[.008]	04028	8-192041-4	
A	[.032]	[.20]	-- 4.00	[.157]	1-2	15	12	0.20	[.008]	04192	8-192041-3	
A	[.032]	[.20]	-- 4.00	[.157]	UNPL	15	12	0.20	[.008]	04117	8-192041-2	OBSOLETE
A	[.032]	[.19]	-- 4.00	[.157]	6	15	12	0.15	[.006]	04129	8-192041-1	
A	[.032]	[.19]	-- 4.00	[.157]	5-2	15	12	0.15	[.006]	04111	8-192041-0	
SUPERSEDED BY 193807-1												
A	[.032]	[.19]	-- 4.00	[.157]	3-2	15	12	0.15	[.006]	04103	7-192041-9	OBSOLETE
A	[.032]	[.19]	-- 4.00	[.157]	1-2	15	12	0.15	[.006]	04027	7-192041-8	
A	[.032]	[.19]	-- 4.00	[.157]	10	15	12	0.15	[.006]	04140	7-192041-7	
A	[.032]	[.19]	-- 4.00	[.157]	UNPL	15	12	0.15	[.006]	04112	7-192041-6	OBSOLETE
A	[.032]	[.19]	-- 4.00	[.157]	UNPL	15	12	0.15	[.006]	04104	7-192041-5	
A	[.026]	[.21]	-- 4.00	[.157]	7-2	15	12	0.15	[.006]	04104	7-192041-5	OBSOLETE
A	[.026]	[.21]	-- 4.00	[.157]	7-2	15	12	0.15	[.006]	04198	7-192041-4	
SUPERSEDED BY 7-192043-6												
A	[.026]	[.21]	-- 4.00	[.157]	UNPL	15	12	0.15	[.006]	04165	7-192041-3	OBSOLETE
A	[.016]	[.21]	-- 4.00	[.157]	UNPL	15	13	0.12	[.005]	04163	7-192041-2	
A	[.016]	[.21]	-- 4.00	[.157]	UNPL	15	13	0.12	[.005]	04102	7-192041-1	
A	[.028]	[.17]	-- 3.17	[.125]	3-2	13	12	0.15	[.006]	04025	7-192041-0	OBSOLETE
A	[.028]	[.17]	-- 3.17	[.125]	1-2	13	12	0.15	[.006]	04024	6-192041-9	
A	[.028]	[.17]	-- 3.17	[.125]	UNPL	13	12	0.15	[.006]	04118	6-192041-8	OBSOLETE
A	[.028]	[.17]	-- 3.17	[.125]	UNPL	13	12	0.15	[.006]	04078	6-192041-7	OBSOLETE
A	[.028]	[.18]	-- 3.17	[.125]	UNPL	13	13	0.12	[.005]	04123	6-192041-6	OBSOLETE
A	[.022]	[.16]	-- 3.17	[.125]	3-2	13	12	0.12	[.005]	04123	6-192041-6	OBSOLETE
A	[.022]	[.16]	-- 3.17	[.125]	6	13	12	0.12	[.005]	04023	6-192041-5	OBSOLETE
A	[.022]	[.16]	-- 3.17	[.125]	6	13	12	0.12	[.005]	04138	6-192041-4	
A	[.022]	[.16]	-- 3.17	[.125]	10	13	12	0.12	[.005]	04138	6-192041-4	
A	[.022]	[.16]	-- 3.17	[.125]	10	13	12	0.12	[.005]	04139	6-192041-3	
A	[.022]	[.16]	-- 3.17	[.125]	UNPL	13	12	0.12	[.005]	04125	6-192041-2	OBSOLETE
A	[.026]	[.15]	-- 3.00	[.118]	3-2	12	12	0.15	[.006]	04020	6-192041-1	
A	[.026]	[.15]	-- 3.00	[.118]	UNPL	12	12	0.15	[.006]	04019	6-192041-0	OBSOLETE
A	[.026]	[.14]	-- 2.54	[.100]	3-2	11	12	0.15	[.006]	04017	5-192041-9	OBSOLETE
A	[.026]	[.14]	-- 2.54	[.100]	1-2	11	12	0.15	[.006]	04017	5-192041-9	OBSOLETE
A	[.026]	[.14]	-- 2.54	[.100]	1-2	11	12	0.15	[.006]	04110	5-192041-8	OBSOLETE
A	[.026]	[.14]	-- 2.54	[.100]	10	11	12	0.15	[.006]	04113	5-192041-7	OBSOLETE
A	[.026]	[.14]	-- 2.54	[.100]	UNPL	11	12	0.15	[.006]	04060	5-192041-6	OBSOLETE
A	[.016]	[.16]	-- 2.36	[.093]	3-2	11	13	0.12	[.005]	04188	5-192041-5	OBSOLETE
A	[.016]	[.16]	-- 2.36	[.093]	6	11	13	0.12	[.005]	04144	5-192041-4	
A	[.016]	[.16]	-- 2.36	[.093]	UNPL	11	13	0.12	[.005]	04097	5-192041-3	
A	[.022]	[.14]	-- 2.36	[.093]	5-2	11	12	0.12	[.005]	04145	5-192041-2	
A	[.022]	[.14]	-- 2.36	[.093]	4-9	11	12	0.12	[.005]	04180	5-192041-1	



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN -
 CHK J.TURNER 07-21-93
 APVD -

TE TE Connectivity

NAME CONTACT BAND,FEMALE

PRODUCT SPEC -
 APPLICATION SPEC -
 WEIGHT -

SIZE A2 CAGE CODE 00779 DRAWING NO C=192041 RESTRICTED TO -

MATERIAL SEE TABLE FINISH SEE TABLE

CUSTOMER DRAWING SCALE 1:1 SHEET 2 OF 2 REV L