



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!





Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





TERMINAL NO.	WIRE SIZE	CUSTOMER GAGE NO.	IS NO.	APPLICATION SPEC.NO.	WEIGHT	OLD CUSTOMER GAGE NO
通用端子	通用電線 AWG (mm ²)	検査用ゲージ NO.	取扱説明書番号	取付適用規格	重量 g	検査用ゲージ NO (旧型番)
PG 及び PIDG 黄コード 端子 (AMP PG and PIDG Terminals(YELLOW))	#16-#14HD (1.0~2.6)	937056-1(WIRE)	411-5800 (ハンドツール用)	//	920	289903-002(WIRE)
	#12-#10 (2.7~6.6)	937057-1(INS)				408-7424 (ゲージ用)

PRINT DIST 単位: 概 DIMENSIONS IN MM.DO NOT SCALE PRINT

ORIGINAL NO.59239-J

LTR	変更 (REVISION RECORD)	DR.	CHK.	DATE
0	RELEASED E100-0198-97	M.E	M.T	2/19/97

PG.PIDG TERMINAL		AMP 日本アイ・ピー・エル株式会社 TOKYO.JAPAN	
適合電線断面積 (WIRE RANGE) mm ² (AWG)	被覆外径 (INSULATION DIA.)	名称 (NAME) HEAVY HEAD HAND TOOL ASS'Y	
材料 (MATERIAL)	仕上 (FINISH)	股数	SIZE LOC 番号 (NO.) B J 409780-1
DR. (M.ENDOH) 11DEC96	DE. 19FEB97	10mmF ±0.2 30mmF ±0.25 100mmF ±0.3	尺度 (SCALE) REV. 0 SHEET 1 OF 1
CHK. H.TANAKA	APP. 19FEB97	度 ±0°	