



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## Breadboard Adapter for Analog Discovery

SKU:  
410-361



### Product Description

The Breadboard Adapter is intended to be used with the Analog Discovery tool to provide a prototyping surface with a secure connection. It provides a female header to pass through all connections from the Analog Discovery 2 as well as a prototyping surface. The PCB provides two power rails directly routed from the V+ and V- pins on the Analog Discovery. Components and wires can be soldered to the prototyping surface and power rails. Alternatively, the half-sized breadboard can be affixed (permanently) to the adapter to provide connections.



Note: The Breadboard Adapter for Analog Discovery shares the same connector as the OpenScope MZ, but the pin mapping is not the same. Make sure to check the pin diagram of the OpenScope MZ before using the Breadboard Adapter other devices.

## Features

- Protoboard area consists of twenty-six rows of 10 plated through-holes
- Two 26 hole V+, V-, and GND rails routed from the 30-pin connector
- 30-pin female headers pass through all signals from the Analog Discovery
- One half-sized solderless breadboard is included
- Provides an alternative to the flywires for Analog Discovery

## What's Included:

One Breadboard Adapter for the Analog Discovery

One half-size solderless breadboard (not attached)