



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



2018



Professional Tech Tools



Complete Tech Tools Program



Wiha Precision Screwdrivers

Description	Page
Precision Slotted Drivers	4
Precision Phillips Drivers	4
Precision Pozidriv® Drivers	5
Precision Hex Drivers	5
Precision Ball End Drivers	6
Precision Nut Drivers	7
Precision Torx® Drivers	6
Precision Pentalobe Drivers	7
Precision Chip Lifters	4

Wiha Magnetizer/Demagnetizer

Description	Page
Magnetizer/Demagnetizer	11

Wiha Precision Protturn Drivers

Description	Page
Protturn Drivers & Blade Sets	12
Slotted, Phillips, Torx, Chip Lifter	

Wiha TorqueControl Tools

Description	Page
Torque Cable Keys	8
TorqueControl Handle	8

Wiha ESD Safe Precision Handles/Blades

Description	Page
SYSTEM 4 Handles/Blades	13-14
SYSTEM 4 Sets	15-17

Wiha Precision Screwdriver Accessories

Description	Page
Precision Master Tech Sets	8
Precision Pocket Clip	4
Precision Stand	4
Precision Pouch	11

Wiha ESD Safe Precision Handle & Blades

Description	Page
SYSTEM 4 Drive-Loc Handle & Blades	17
SYSTEM 4 Drive-Loc Set	17









Wiha Precision PicoFinish Drivers

Description	Page
PicoFinish Screwdrivers	9-11
Slotted, Phillips, Torx, TorxPlus, Hex, MagicSpring, Ball End Hex, Chip Lifter & Nut Drivers	
Tri-Wing Drivers	
Insulated PicoFinish Drivers	12






ESD Safe Micro Bit Handles, Bits & Sets

Description	Page
Micro Bit Handles/Bits/Sets	18-23
Micro Bit Storage Handle Sets	23
ESD Safe Micro Bit Sets	20-23



Precision Electronic Pliers/Cutters

	Description	Page
	Electronic Diagonal Cutters Wide Pointed Head	24
	Electronic Diagonal Cutters Wide Shape w/Wire Holding Spring	24
	Electronic Diagonal Cutters Narrow Shap	24
	Electronic Diagonal Cutters Full Flush Cutters w/Wire Trapping Spring	24
	Electronic Diagonal Cutters 48° Front Cutter/Long Nose Pliers	24
	Electronic Diagonal Cutters Oblique 30° Cutting Nippers	24
	Electronic Diagonal Cutters Short Nose Precision Pliers	24
	Electronic Stripping Pliers	24

Wiha Stripping Tools

	Description	Page
	Adjustable Cable Stripper	31
	Adjustable Stripping Tool	31
	CATV/Satellite Stripper	31
	2 Step Stripping Tools	32
	3 Step Stripping Tools	33

Wiha Professional Tweezers

	Description	Page
	ESD Safe Tweezers	25-27
	Inspection Mirrors	27


Wiha ESD Safe Tech Tools

- ESD Safe Precision Drivers
Slotted/Phillips/Torx®/
TorxPlus®/Hex/Nut Drivers/
Chip Lifter
- ESD Safe Ceramic Drivers
- ESD Safe SYSTEM 4
Handles/Blades/Sets
- ESD Safe Drive-Loc
Handles/Blades/Sets
- ESD Safe Pliers & Cutters



Catalog 99945.wo

Stripping & Crimping Tools

	Description	Page
	PortaCrimp Dies	28-29

Rotating cap
for precise turning and control with fingertip

Precision handle
high quality plastic, cadmium free

Molded on tapered handle
allows rapid rotation

High performance blades
CVM steel, Hard chrome finished

Tip
precision ground for exact fit, hard chromed non-slip surface

Wiha Precision Chip Lifter & Accessories



26810 Precision Chip Lifter
Blade CVM steel, hardened, chrome-plated. Precision handle high quality plastic, impact resistant. Standard handle

Item							
No.	mm	mm	mm	mm	Inch	lbs.	Pkg.
26810	1	3.5	50	145	5.7	.07	1

*Metric dimensions actual - Inch dimensions approximate



26001 Pocket Clip for Precision Screwdrivers Tool clips turn Precision Screwdrivers into Pocket Screwdrivers.

Item No.	Fits all		lbs.		pkg.
26001	Precision handles	.01			1



26000 Plastic Precision Tool Rack
Rack holds 6 precision screwdrivers, can be set on workbench. Also has holes for hanging. Made from high quality plastic.

Item No.	Rack for 6		lbs.		Pkg.
26000	Precision screwdrivers	.08			1

Wiha Precision Slotted/Phillips Drivers



260 Slotted Screwdriver, With Precision Handle Blade high alloy chrome-vanadium-molybdenum steel. Pkg. 10

Item									
No.	mm	Inch	mm	Inch	mm	mm	Inch	lbs.	
26008	.80	1/32	40	1.6	0.16	120	4.7	.02	
26010	1.0	.039	40	1.6	0.18	120	4.7	.02	
26012	1.2	3/64	40	1.6	0.20	120	4.7	.02	
26015	1.5	1/16	40	1.6	0.25	120	4.7	.02	
26018	1.8	.070	40	1.6	0.30	120	4.7	.02	
26020	2.0	5/64	40	1.6	0.40	120	4.7	.02	
26022	2.0	5/64	50	2.0	0.40	145	5.7	.02	
26023	2.0	5/64	100	3.9	0.40	180	7.1	.03	
26025	2.5	3/32	50	2.0	0.40	145	5.7	.03	
26027	2.5	3/32	100	3.9	0.40	195	7.7	.03	
26028	2.5	3/32	150	6.0	0.40	245	9.6	.04	
26030	3.0	1/8	50	2.0	0.50	145	5.7	.03	
26032	3.0	1/8	60	2.4	0.50	170	6.7	.04	
26033	3.0	1/8	100	3.9	0.50	210	8.3	.04	
26034	3.0	1/8	150	5.9	0.50	260	10.2	.05	
26035	3.5	9/64	60	2.4	0.60	170	6.7	.05	
26040	4.0	5/32	60	2.4	0.80	170	6.7	.05	
26041	4.0	5/32	100	3.9	0.80	210	8.3	.06	
26042	4.0	5/32	150	5.9	0.80	260	10.2	.07	

*Metric dimensions actual - Inch dimensions approximate



26090 6 Piece Precision Slotted Set

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.		lbs.
26090	Slotted:	
	1.5, 2.0 x 40mm	.27
	2.5, 3.0 x 50mm	
	3.5, 4.0 x 60mm	



26099 8 Piece Precision Slotted Set

Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch.

Item	Slotted:	
No.		lbs.
26099	1.0, 1.2, 1.5, 2.0 x 40mm	
	2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	.54



261 Phillips Screwdriver, With Precision Handle Blade high alloy chrome-vanadium-molybdenum steel. Pkg. 10

Item							
No.	Size	mm	Inch	mm	Inch	mm	Inch lbs.
26102	000	40	1.6	2.0	.08	120	4.7 .02
26100	00	40	1.6	2.0	.08	120	4.7 .02
26101	00	75	3.0	2.0	.08	155	6.1 .02
26105	0	50	2.0	3.0	.12	145	5.7 .02
26108	0	75	3.0	3.0	.12	170	6.7 .03
26107	0	100	3.9	3.0	.12	195	7.6 .05
26109	0	150	5.9	3.0	.12	245	9.6 .06
26110	1	60	2.4	4.0	.16	170	6.7 .05
26113	1	80	3.1	4.0	.16	190	7.5 .05
26114	1	100	3.9	4.0	.16	210	8.2 .06
26115	1	150	5.9	4.0	.16	260	10.2 .07

*Metric dimensions actual - Inch dimensions approximate



26190 8 Piece Precision Slotted & Phillips Screwdrivers & Industrial Long Nose Pliers Set

Item No.	Slotted:	1.5 x 40mm
26190	2.0, 2.5 x 50mm, 3.0 x 60mm	
	Phillips:	00 x 40mm
lbs. .72	0 x 50mm, 1 x 60mm	
	Industrial Long Nose Pliers	
	6.3"/160mm OAL	



26197 7 Pc. Precision Slotted & Phillips Set Blade high alloy CVM steel.


Item No.	Slotted:	1.5 x 40mm
26197	2.0, 2.5 x 50mm, 3.0 x 60mm	
	Phillips:	00 x 40mm
lbs. .31	0 x 50mm, 1 x 60mm	



26199 8 Pc. Precision Slotted/Phillips Set

Item No.	Slotted:	1.0, 2.0 x 40mm, 3.0 x 50mm, 4.0 x 60mm	
26199	Phillips:	000, 00 x 40mm, 0 x 50mm, 1 x 60mm	.55

Wiha Precision Slotted/Phillips Drivers



26092 7 Piece Precision Slotted & Phillips Set Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		lbs.
26092	Slotted:	
	2.5 x 50mm,	.30
	2.5, 3.0, 4.0 x 100mm	
	3.0, 4.0 x 150mm	
	Phillips:	
	0 x 75mm	



26194 4 Piece Precision Phillips Set Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.	Phillips:	lbs.
No.	000, 00 x 40mm	
26194	0 x 50mm, 1 x 60mm	.18



26192 5 Piece Precision Slotted & Phillips Set Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Slotted:	lbs.
No.	2.5, 3.0, 4.0 x 150mm	.44
26192	Phillips:	
	0, 1 x 150mm	

Wiha Pozidriv® Precision Series



262 Pozidriv® Screwdriver, With Precision Handle Blade high alloy chrome-vanadium-molybdenum steel. Pkg. 10

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.
26205	0	50	2.0	3.0	.12	145	5.7	.03
26210	1	60	2.4	4.0	.16	170	6.7	.05

*Metric dimensions actual - Inch dimensions approximate

Wiha Hex Inch & Metric Precision Series



263 Inch Inch Hex Driver, With Precision Handle Inch sizes. Blade high alloy chrome-vanadium-molybdenum steel. Pkg. 10

Item No.	Inch	mm	mm	Inch	mm	Inch	lbs.
26307	0.028	0.7	40	1.6	120	4.7	.02
26309	0.035	0.9	40	1.6	120	4.7	.02
26313	0.05	1.3	40	1.6	120	4.7	.02
26316	1/16	-	50	2.0	145	5.7	.03
26320	5/64	2.0	50	2.0	145	5.7	.03
26323	3/32	-	60	2.4	170	6.7	.04
26327	7/64	-	60	2.4	170	6.7	.04
26331	1/8	-	60	2.4	170	6.7	.04
26333	9/64	60	2.4	170	6.7	6.7	.05
26336	5/32	60	2.4	170	6.7	6.7	.05

*Metric dimensions actual - Inch dimensions approximate



263 Metric Metric Hex Driver, With Precision Handle Metric sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26307	.7	.028	40	1.6	120	4.7	.02	10
26309	.9	.035	40	1.6	120	4.7	.02	10
26313	1.3	.050	40	1.6	120	4.7	.02	10
26315	1.5	-	50	2.0	145	5.7	.03	10
26320	2.0	5/64	50	2.0	145	5.7	.03	10
26325	2.5	-	60	2.4	170	6.7	.04	10
26330	3.0	-	60	2.4	170	6.7	.04	10
26340	4.0	-	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



26391 8 Pc. Precision Hex Driver Set - Inch Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Hex Inch:	lbs.
26391	.028, .035, .050 x 1.6"	.32
	1/16, 5/64 x 2.0"	
	3/32, 7/64, 1/8 x 2.4"	



26390 7 Pc. Precision Hex Driver Set - Metric Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Hex Metric:	lbs.
26390	.7, .9, 1.3 x 40mm	.28
	1.5, 2.0 x 50mm	
	2.5, 3.0 x 60mm	




26399 8 Pc. Precision Hex Driver Set - Inch Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch

Item No.	Hex Inch:	lbs.
26399	.028, .035, .050 x 1.6"	.55
	1/16, 5/64 x 2.0", 3/32, 7/64, 1/8 x 2.4"	




Wiha Ball End Precision Series



264 Inch Ball End Hex Inch Screwdriver
With Precision Handle Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finish.

Item	No.	Inch	mm	Inch	mm	Inch	lbs.	Pkg.
	26413	.050	40	1.6	120	4.7	.02	10
	26416	1/16	50	2.0	145	5.7	.03	10
	26419	5/64	50	2.0	145	5.7	.03	10
	26423	3/32	50	2.0	145	5.7	.03	10
	26427	7/64	60	2.4	170	6.7	.03	10
	26431	1/8	60	2.4	170	6.7	.05	10
	26436	9/64	60	2.4	170	6.7	.05	10
	26439	5/32	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



264 Metric Ball End Hex Metric Screwdriver
With Precision Handle Angle entry up to 30°. Blade high alloy CVM steel.

Item	No.	mm	Inch	mm	Inch	mm	Inch	lbs.	Pkg.
	26413	1.3	.050	40	1.6	120	4.7	.02	10
	26415	1.5	-	50	2.0	145	5.7	.03	10
	26420	2.0	-	50	2.0	145	5.7	.03	10
	26425	2.5	-	60	2.4	170	6.7	.04	10
	26430	3.0	-	60	2.4	170	6.7	.05	10
	26440	4.0	-	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



26491 5 Piece Ball End Hex Driver Set - Metric Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum-steel.

Item	No.	Ball End Hex Metric:	lbs.
	26491	1.3 x 40mm 1.5, 2.0 x 50mm 2.5, 3.0 x 60mm	.25



26490 8 Piece Ball End Hex Driver Set - Inch Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel.

Item	No.	Hex Inch:	lbs.
	26490	.050 x 1.6, 1/16, 5/64, 3/32 x 2.0, 7/64, 1/8, 9/64, 5/32 x 2.4"	.28



26499 8 Pc. Ball End Hex Driver Set - Inch Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item	Ball End Hex Inch:	lbs.	
	26499	.050 x 1.6" 1/16, 5/64, 3/32 x 2.0" 7/64, 1/8, 9/64, 5/32 x 2.4"	.62

Wiha TORX® Precision Series



26792 7 Pc. TORX® Screwdriver Set Blade high alloy chrome-vanadium-molybdenum steel.

Item	No.	TORX®:	lbs.
	26792	T5, T6, T7, T8 x 40mm T9, T10 x 50mm T15 x 60mm	.33

Wiha TORX® Precision Series



267 TORX® Screwdriver, With Precision Handle Blade high alloy chrome-vanadium-molybdenum steel.

Item	No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
	26701	T1	40	1.6	120	4.7	.01	10
	26702	T2	40	1.6	120	4.7	.02	10
	26703	T3	40	1.6	120	4.7	.02	10
	26704	T4	40	1.6	120	4.7	.02	10
	26705	T5	40	1.6	120	4.7	.02	10
	26706	T6	40	1.6	120	4.7	.02	10
	26707	T7	40	1.6	120	4.7	.02	10
	26708	T8	40	1.6	120	4.7	.03	10
	26709	T9	50	2.0	145	5.7	.03	10
	26710	T10	50	2.0	145	5.7	.03	10
	26715	T15	60	2.4	170	6.7	.05	10
	26720	T20	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



26790 6 Pc. TORX® Screwdriver Set Blade high alloy chrome-vanadium-molybdenum steel.

Item	No.	TORX®:	lbs.
	26790	T6, T7, T8 x 40mm T9, T10 x 50mm T15 x 60mm	.30

26791 Set 8 Pcs. TORX® Screwdriver Set

Item No.	T1, T2, T3, T4,
26791	T5, T6, T7, T8



26799 8 Pc. TORX® Screwdriver Set Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item	No.	TORX®:	lbs.
	26799	T3, T4, T5, T6, T7, T8 x 40mm T9 x T10 x 50mm	.50

Wiha Pentalobe Precision Series

Wiha Pentalobe drivers will fit fasteners used in "Apple" brand products including iPhone, Mac Book & Mac Air

- Exact fit precision machined tips
- High performance CRM72 tool steel
- Hard chromed finish blades & tips
- Tapered ergonomic handle
- Easy spin finger tip control cap



267 Pentalobe Screwdrivers, With

Precision Handle Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26761	PL1	40	1.6	120	4.7	.01	1
26762	PL2	40	1.6	120	4.7	.02	1
26763	PL3	40	1.6	120	4.7	.02	1
26764	PL4	40	1.6	120	4.7	.02	1
26765	PL5	40	1.6	120	4.7	.02	1
26766	PL6	40	1.6	120	4.7	.02	1

*Metric dimensions actual - Inch dimensions approximate



26794 6 Pc. Precision Pentalobe

Screwdriver Set Blade high alloy CVM steel. Hard chrome finished. Super hardened best wear resistance long life.

Item No.	Pentalobe Drivers:	lbs.
26794	PL1, PL2, PL3, PL4, PL5, PL6	.35

Wiha Nut Driver Precision Series



265 Metric Metric Nut Driver With Precision

Handle Metric sizes. Blade CVM steel. Hard chrome finished.

Item No.	mm	mm	Inch	mm	Inch	mm	mm	lbs.	Pkg.
26510	1.5	60	2.4	140	5.5	2.5	3.0	.03	10
26515	1.8	60	2.4	140	5.5	2.9	3.5	.03	10
26520	2.0	60	2.4	140	5.5	3.2	4.0	.04	10
26525	2.5	60	2.4	155	6.1	4.0	4.0	.04	10
26530	3.0	60	2.4	155	6.1	5.0	5.0	.05	10
26532	3.2	60	2.4	155	6.1	5.0	5.0	.05	10
26535	3.5	60	2.4	155	6.1	5.3	6.0	.05	10
26540	4.0	60	2.4	155	6.1	5.5	6.0	.05	10
26545	4.5	60	2.4	155	6.1	6.2	7.0	.05	10
26550	5.0	60	2.4	155	6.1	6.8	7.0	.05	10
26555	5.5	60	2.4	170	6.7	7.6	8.0	.06	10
26560	6.0	60	2.4	170	6.7	8.2	9.0	.06	10
26570	7.0	60	2.4	170	6.7	9.6	10.0	.06	10

*Metric dimensions actual - Inch dimensions approximate



26590 8 Pc. Precision Nut Driver Set - Metric

Blade CVM steel.

Item No.	Metric Nut Drivers:	lbs.
26590	2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0 x 60mm	.48

26592 Set 7 Pcs. Nut Driver Metric

Item No.	Metric Nut Drivers:	lbs.
26592	1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm	



26598 8 Pc. Precision Nut Driver Set - Metric

Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch

Item No.	Metric Nut Drivers:	lbs.
26598	2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0 x 60mm	.70



265 Inch Inch Nut Driver With Precision

Handle Inch sizes. Blade CVM steel. Hard chrome finished.

Item No.	Inch	mm	Inch	mm	Inch	mm	mm	lbs.	Pkg.
26523	3/32	60	2.4	155	6.1	.16	.16	.04	10
26527	7/64	60	2.4	155	6.1	.20	.20	.05	10
26531	1/8	60	2.4	155	6.1	.20	.20	.05	10
26536	9/64	60	2.4	155	6.1	.21	.24	.05	10
26539	5/32	60	2.4	155	6.1	.22	.24	.05	10
26547	3/16	60	2.4	155	6.1	.25	.28	.05	10
26556	7/32	60	2.4	170	6.7	.30	.32	.06	10
26563	1/4	60	2.4	170	6.7	.34	.36	.06	10

*Metric dimensions actual - Inch dimensions approximate



26591 8 Pc. Precision Nut Driver Set - Inch

Blade CVM steel.

Item No.	Inch Nut Drivers:	lbs.
26591	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	.47




26599 8 Pc. Precision Nut Driver Set - Inch

Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch

Item No.	Inch Nut Drivers:	lbs.
26599	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	.72

Wiha Precision Screwdriver Set



92189 Master Technicians Bench Top Set
Metal frame. Equipped with 50 precision drivers.

Item No.	Slotted: 1.5, 2.0, 2.5, 3.0, 3.5, 4.0
92189	Phillips: #000, #00, #0, #1
	Pentalobe: PL1, PL2, PL3, PL4
lbs.	TORX®: T1, T2, T3, T4, T5, T6,
3.67	T7, T8, T9, T10
	Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0
	Inch Hex: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Metric Nut Drivers: 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5
	26810 Chip Lifter



92191 51 Pc. Precision Tool Tray Set
Tool box tray. Equipped with 51 precision drivers.

Item No.	Slotted: .8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0
92191	Phillips: #000, #00, #0, #1
	Torx®: T1, T2, T3, T4, T5, T6,
lbs.	T7, T8, T9, T10
3.14	Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0, 4.0
	Inch Hex: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Metric Nut Drivers: 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5
	26810 Chip Lifter



92190 Master Technicians Bench Top Set
Metal frame. Equipped with 50 precision drivers.

Item No.	Slotted: .8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0
92190	Phillips: #000, #00, #0, #1
	TORX®: T1, T2, T3, T4, T5, T6,
lbs.	T7, T8, T9, T10
3.67	Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0
	Inch Hex: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Metric Nut Drivers: 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5
	26810 Chip Lifter

Wiha Torque Cable Keys



286 Torque Cable Key For Threaded Hex Connectors For torque controlled fastening of cable plug connectors with Hex heads. Used with Wiha-TorqueControl Screwdrivers.

Item No.	Size	mm	mm	mm	Max Nm	lbs.	Pkg.
28620	8mm	4.0	78	218	1.0	.06	1
28622	9mm	4.0	78	218	1.0	.06	1
28624	11mm	4.0	78	218	1.5	.06	1
28626	12mm	4.0	78	218	1.5	.06	1
28627	13mm	4.0	78	218	1.5	.06	1
28629	14mm	4.0	78	218	1.5	.06	1
28632	17mm	4.0	78	218	1.5	.06	1
28633	18mm	4.0	78	218	1.5	.06	1
28637	22mm	4.0	90	233	2.0	.10	1
28638	24mm	4.0	90	233	2.0	.10	1

28644 Torque Cable Key For Threaded Hex Connectors - Inch

Item No.	Size	mm	mm	mm	Max Nm	lbs.	Pkg.
28644	1/2"	4.0	78	218	1.5	.06	1



+/-6% accuracy tolerance
Certificate of calibration

28552 Adjustable TorqueVario-S Handle - In Newton Meter Scale EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle.

Item No.	Newton Meter Scale	Increments	mm	lbs.	Pkg.
28552	0.8 - 2.0Nm	.10 Nm	126 - 131	.45	1

Wiha Soft Grip PicoFinish Precision Screwdrivers

The Comfortable Precision Screwdriver



CVM tool steel blade, hardened, hard chrome finish

Soft Grip Handle

Color coded symbols on rotating cap gives easy recognition of individual styles & sizes



Ergonomic multi-component handle with rotating cap for maximum user comfort and precise control



260 Slotted Precision Screwdriver, With PicoFinish Handle Blade CVM steel, hardened, hard chromed.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	Pkg.
26050	0.8	.03	40	1.6	134	5.3	10	
26051	1.0	.04	40	1.6	134	5.3	10	
26052	1.2	.05	40	1.6	134	5.3	10	
26053	1.5	.06	40	1.6	134	5.3	10	
26054	1.5	.06	60	2.4	154	6.1	10	
26055	1.8	.07	40	1.6	134	5.3	10	
26056	1.8	.07	60	2.4	154	6.1	10	
26060	2.0	.08	40	1.6	140	5.5	10	
26061	2.0	.08	60	2.4	160	6.3	10	
26063	2.0	.08	100	3.9	200	7.9	10	
26065	2.5	.09	50	2.0	150	5.9	10	
26066	2.5	.09	75	3.0	175	6.9	10	
26068	2.5	.09	100	3.9	200	7.9	10	
26070	3.0	.13	50	2.0	150	5.9	10	
26072	3.0	.13	100	3.9	200	7.9	10	
26073	3.0	.13	150	5.9	250	9.8	10	
26074	3.5	.14	60	2.4	160	6.3	10	
26076	4.0	.16	60	2.4	160	6.3	10	
26079	4.0	.16	100	3.9	200	7.9	10	
26080	4.0	.16	150	5.9	250	9.8	10	

*Metric dimensions actual - Inch dimensions approximate



26093 8 Pc. Slotted Precision Screwdriver Set, With Soft PicoFinish Handle In storage pouch

Item No.	Slotted:	lbs.
26093	.8, 1.2, 1.5, 2.0 x 40mm 2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	.54



261 Phillips Precision Screwdriver, With Soft PicoFinish Precision Handle Blade high alloy CVM steel. Hard chrome finished.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	Pkg.
26130	000	40	1.6	2.0	.08	134	5.3	10
26132	00	40	1.6	2.0	.08	134	5.3	10
26133	00	60	2.4	2.0	.08	154	6.1	10
26135	0	50	2.0	3.0	.12	150	5.9	10
26136	0	75	3.0	3.0	.12	175	6.9	10
26140	1	60	2.4	4.0	.16	160	6.3	10
26142	1	80	3.1	4.0	.16	180	7.1	10
26145	1	150	5.9	4.0	.16	250	9.8	10

*Metric dimensions actual - Inch dimensions approximate



26193 8 Pc. Slotted & Phillips Precision Driver Set, With Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.	Slotted:	lbs.
26193	1.0, 1.5, 2.0 x 40mm 2.5 x 50mm, 3.5 x 60mm Phillips: 00 x 40mm 0 x 50mm, 1 x 60mm	.55



267 MagicSpring Screw Holding TORX® Screwdriver, With Wiha-Precision Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips.

Item No.	Size	mm	Inch	mm	Inch	lbs.	Pkg.
26721	T6	40	1.6	140	5.5	.03	10
26723	T7	40	1.6	140	5.5	.03	10
26725	T8	40	1.6	140	5.5	.03	10
26727	T9	50	2.0	150	5.9	.04	10
26729	T10	50	2.0	150	5.9	.04	10
26731	T15	60	2.4	160	6.3	.04	10

*Metric dimensions actual - Inch dimensions approximate



26798 6 Pc. MagicSpring Screw Holding TORX® Screwdriver Set, With Wiha-Precision Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips. In storage pouch

Item No.	MagicSpring TORX®:	lbs.
26798	T6, T7, T8 x 40mm T9, T10, T15 x 50mm	.45

Wiha Pico Soft Grip TORX®



267 TORX® Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	Size	mm	Inch	mm	Inch	Pkg.
26732	T1	40	1.6	134	5.3	10
26733	T2	40	1.6	134	5.3	10
26735	T3	40	1.6	134	5.3	10
26736	T4	40	1.6	134	5.3	10
26737	T5	40	1.6	134	5.3	10
26739	T6	40	1.6	140	5.5	10
26741	T7	40	1.6	140	5.5	10
26743	T8	40	1.6	140	5.5	10
26745	T9	50	2.0	150	5.9	10
26747	T10	50	2.0	150	5.9	10
26749	T15	60	2.4	160	6.3	10
26751	T20	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate

In storage pouch



26793 8 Pc. TORX® Precision Driver Set, With Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit.

Item	TORX®:	
No.	T1, T2, T3, T4,	lbs.
26793	T5, T6, T7, T8	.50

In storage pouch



26796 8 Pc. TORX® Precision Driver Set, Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit.

Item	TORX®:	
No.	T5, T6, T7, T8 x 40mm	lbs. .57
26796	T9, T10 x 50mm, T15, T20 x 60mm	

Pico Soft Grip Hex Inch & Metric



263 Hex Inch Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	Inch	mm	Inch	mm	Inch	Pkg.
26341	0.028(0.7)	40	1.6	134	5.3	10
26343	0.035(0.9)	40	1.6	134	5.3	10
26345	0.05(1.3)	40	1.6	134	5.3	10
26349	5/64(2.0)	50	2.0	150	5.9	10
26363	1/16	50	2.0	144	5.7	10
26367	3/32	60	2.4	160	6.3	10
26369	7/64	60	2.4	160	6.3	10
26371	1/8	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

26392 8 Piece Hex Inch Precision Driver Set, Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed.

Item	Hex Inch:	
No.	.028, .035, .050 x 1.6"	.24
26392	5/64, 1/16 x 2.0", 3/32, 7/64, 1/8 x 2.4"	



263 Hex Metric Driver, With Precision Soft PicoFinish Handle

Item						
No.	mm	mm	Inch	mm	Inch	Pkg.
26341	.7(.028)	40	1.6	134	5.3	10
26343	.9(.035)	40	1.6	134	5.3	10
26345	1.3(.050)	40	1.6	134	5.3	10
26347	1.5	50	2.0	144	5.7	10
26349	2.0(5/64)	50	2.0	150	5.9	10
26351	2.5	60	2.4	160	6.3	10
26353	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

26393 7 Piece Hex Metric Precision Driver Set, Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed.

Item No.	Hex Metric:	
26393	.7, .9, 1.3 x 40mm	.22
	1.5, 2.0 x 50mm, 2.5, 3.0 x 60mm	

Pico Soft Grip Ball End Inch & Metric



264 Ball End Hex Inch Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	Inch	Inch	mm	Inch	mm	pkg.
26455	1/16	2.0	50	5.9	150	10
26457	5/64	2.0	50	5.9	150	10
26459	3/32	2.0	50	5.9	150	10
26461	7/64	2.4	60	6.3	160	10
26463	1/8	2.4	60	6.3	160	10
26465	9/64	2.4	60	6.3	160	10
26467	5/32	2.4	60	6.3	160	10

*Metric dimensions actual - Inch dimensions approximate



26493 7 Pc. Inch Ball End Hex Precision Driver Set, With Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item	
No.	Ball End Hex Inch: .27
26493	1/16, 5/64, 3/32 x 2.0"
	7/64, 1/8, 9/64, 5/32 x 2.4"



264 Ball End Hex Metric Screwdriver, With Precision Soft PicoFinish Handle. Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	mm	mm	Inch	mm	Inch	pkg.
26441	1.3	40	1.6	134	5.3	10
26443	1.5	50	2.0	150	5.9	10
26445	2.0	50	2.0	150	5.9	10
26447	2.5	60	2.4	160	6.3	10
26449	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate

Pico Soft Grip Nut Drivers Inch & Metric



265 Inch Nut Drivers, With Precision Soft PicoFinish Handle Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item						
No.	Inch	Inch	mm	Inch	mm	pkg.
26571	3/32	2.4	60	6.3	160	10
26572	7/64	2.4	60	6.3	160	10
26573	1/8	2.4	60	6.3	160	10
26574	9/64	2.4	60	6.3	160	10
26575	5/32	2.4	60	6.3	160	10
26576	3/16	2.4	60	6.3	160	10
26577	7/32	2.4	60	6.3	160	10
26578	1/4	2.4	60	6.3	160	10

*Metric dimensions actual - Inch dimensions approximate



265 Metric Nut Drivers, With Precision PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	mm	mm	Inch	mm	Inch	pkg.
26579	1.5	60	2.4	160	6.3	10
26581	2.0	60	2.4	160	6.3	10
26582	2.5	60	2.4	160	6.3	10
26583	3.0	60	2.4	160	6.3	10
26584	3.5	60	2.4	160	6.3	10
26585	4.0	60	2.4	160	6.3	10
26586	4.5	60	2.4	160	6.3	10
26587	5.0	60	2.4	160	6.3	10
26588	5.5	60	2.4	160	6.3	10
26589	6.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



26593 8 Piece Inch Nut Driver Set, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish. Chrom-Top finish on tip for a perfect fit. In storage pouch

Item	Inch Nut Drivers:		lbs.	.72
No.	3/32, 7/64, 1/8, 9/64,			
26593	5/32, 3/16, 7/32, 1/4" x 2.4"			



26596 8 Piece Metric Nut Driver Set, With Precision Soft PicoFinish Handle

Item	Metric Nut Drivers:	
No.	2.0, 2.5, 3.0, 3.5, 4.0,	lbs.
26596	4.5, 5.0, 5.5 x 60mm	.66

Pico Soft Grip Tri-Wing Precision Driver

Tri-Wing
(Used in iPhone 7 or higher series)



266 Tri-Wing Precision Screwdriver, With Soft PicoFinish Precision Handle Blade high alloy CVM steel. Hard chrome finished.

Item						
No.	Size	mm	Inch	mm	Inch	mm
26631	000	40	1.6	2.0	.08	140

Pico Soft Grip Precision Chip Lifter



26815 Soft PicoFinish Precision Chip Lifter Blade CVM steel, hardened, hard chromed.

Item	mm	mm	mm	mm	Inch	lbs.	pkg.
No.	1	3.5	50	150	5.9	.03	1
26815	Standard Soft PicoFinish handle						



91118 Rugged Polyester Canvas Storage Pouch Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

Item	Size	lbs.	pkg.
No.	14 1/2" W x 7 3/4" L	.13	1
91118			

Wiha Magnetizer/Demagnetizer

Magnetize or Demagnetize tools and small parts instantly

Shatterproof Box is made from high quality plastic

Uses 2 C8 industrial permanent magnets

(+) to Magnetize
(-) to Demagnetize

40010 Magnetizer and Demagnetizer

To magnetize and demagnetize steel screwdriver blades, tweezers and similar tools. Box high quality plastic, shock-resistant, green, cadmium free.

Application:
To magnetize, lead tool slowly through the (+) opening, to demagnetize guide tool slowly through the (-) opening.

Item	Dimensions	lbs.
No.	2.1" x 2.0" x 1.1"	.30
40010		

(Parts under 1" Length or 1/8" Diameter may not demagnetize)

Insulated PicoFinish Precision Screwdrivers

1000Volt



320 Insulated Slotted PicoFinish Screwdrivers. Individually Tested Protective Insulation 1000Volt AC, VDE & GS Tested.

High quality CV steel, through hardened, black finish. Rotating cap for precise turning and control with fingertip.

Item	Slotted	Phillips	Hex	Hex Torx	Hex Torx	Hex Torx
No.	mm	Inch	mm	mm	lbs.	Pkg.
32000	1.5	.06	40	154	.05	1
32001	2.0	.08	40	154	.07	1
32002	2.5	.10	60	160	.07	1
32003	3.0	.12	60	160	.08	1
32004	3.5	.14	60	160	.08	1

1000Volt



321 Insulated Phillips PicoFinish Screwdrivers. Individually Tested Protective Insulation 1000Volt AC, VDE & GS Tested.

Item	Slotted	Phillips	Hex	Hex Torx	Hex Torx	Hex Torx
No.	Size	mm	mm	lbs.	Pkg.	
32106	00	40	154	.05	1	
32107	0	60	160	.07	1	
32108	1	60	160	.08	1	


1000Volt



Individually Tested Protective Insulation 1000Volt AC, VDE and GS Tested


Item	Slotted: 1.5, 2.0, 2.5, 3.0, 3.5mm	Phillips: #00, #0, #1	lbs.
32088			.35

1000Volt



Item	Slotted: 1.5, 2.5, 3.5mm	Phillips: #0, #1	lbs.
32085			.26

Wiha Protturn Precision Screwdrivers



95190 6 Pc. Slotted/Phillips Protturn Precision Screwdriver Set Molded on precision handle. Blade high alloy CVM tool steel, black finish.

Item	Slotted: 1.5x40mm	Phillips: 00x40mm, 0x50mm, 1x60mm	lbs.
No.	2.5x50mm, 3.5x60mm		.27



65090 9 Pc. Slotted/Phillips Protturn Precision Screwdriver Set Molded on precision handle. CVM tool steel, black finish blades.

Item	Slotted: 1.5x40mm, 2.0x5.0mm, 2.5, 3.0, 3.5, 4.0x60mm	Phillips: 00x40mm, 0x50mm, 1x60mm
No.		



96800 Protturn Precision Chip Lifter Molded on precision handle. Blade CVM tool steel, hardened, black finish.

Item	Slotted: 1.0	Size	mm	mm	Inch	lbs.	pkg.
No.							
96800		1.0	50	145	5.7	.07	1



62990 5 Piece Slotted & Phillips Pocket Pack Set Wiha Protturn precision ball retainer handle & 4 Wiha interchangeable blades.

62990 Set includes the following blades:
↓ Slotted: 1.5, 2.0, 3.0, 4.0mm
⊕ Phillips: #000, #00, #0, #1
↺ lbs. .15



62993 9 Pc. Slotted/Phillips/TORX Work Station Set Wiha Protturn precision ball retainer handle & 8 Wiha interchangeable blades.

62993 Set includes the following blades:
↓ Slotted: 1.5, 2.0, 3.0, 4.0mm
⊕ Phillips: #000, #00, #0, #1
⊗ TORX: T6, T7, T8, T9, T10, T15, T20
↺ lbs. .64



62995 22 Pc. Slotted/Phillips/TORX Ball End Hex Inch & Metric Tech Pack Wiha Protturn precision ball retainer handle & 21 interchangeable blades. In canvas storage pouch

62995 Set includes the following blades:
↓ Slotted: 1.5, 2.0, 3.0, 4.0mm
⊕ Phillips: #000, #00, #0, #1
⊗ TORX: T6, T7, T8, T9, T10, T15, T20
⬠ Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
⬠ Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm
↺ lbs. .87

62994 14 Pc. Inch/Metric Ball End Hex Work Tech Pack Protturn precision ball retainer handle & 13 Wiha interchangeable blades.

62994 Set includes the following blades:
⬠ Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
⬠ Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm
↺ lbs. .66
Set in canvas storage pouch

Wiha SYSTEM 4 Precision Handles and Blades



Rotating Cap
for precise turning & control

Tapered Handle
allows rapid rotation, requires less clearance

Blades
chrome-vanadium-molybdenum steel, hardened, hard chromed. On 4mm Hex shafts

Tips
Exact fit, precision machined

Precision Handle
high quality plastic, cadmium free. ESD Safe or Standard styles

15mm
Collet Lock Handle adjustable blade length from 15 to 95mm/.6" to 3.75"
95mm



28000 ESD Safe Dissipative Precision Handle with rotating control cap. Surface resistant 10⁶-10⁹ Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
28000	4.0	.1574	14.0	.55	.04



28001 ESD Safe Dissipative Precision Adjustable Handle with rotating control cap.

Advantages:

- Use in ESD sensitive applications. Surface resistant 10⁶-10⁹ Ohms.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
28001	4.0	.1574	14.0	.55	.04



269 SYSTEM 4 Combined Slotted/Phillips Reversible Blade High alloy CVM steel, hardened, hard chromed.

Item						
No.	mm	Size	mm	Inch	lbs.	
26971	1.5 + 000		120	4.7	.05	
26972	2.0 + 00		120	4.7	.05	
26973	3.0 + 0		120	4.7	.05	
26974	4.0 + 1		120	4.7	.06	



269 SYSTEM 4 Pozidriv® Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	Size	Size	mm	Inch	lbs.
26922	0 + 1		120	4.7	.03



26900 SYS 4 Standard Precision Handle, with rotating control cap. Accepts all SYSTEM 4 interchangeable blades. Wiha Precision handle, tapered, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26900	4.0	.1574	14.0	.55	.04



269 SYSTEM 4 Slotted Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	mm	mm	mm	Inch	lbs.
26903	1.5 + 3.0		120	4.7	.05
26904	2.0 + 3.5		120	4.7	.05
26905	2.5 + 4.0		120	4.7	.06



269 SYS 4 TORX® Reversible Blade High alloy CVM steel, hardened, vapor chrome protected, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL.

Item				
No.	Size	Size	lbs.	
26951	T6 + T8		.03	
26952	T7 + T9		.03	
26953	T10 + T15		.03	
26954	T15 + T20		.03	



26901 SYSTEM 4 Standard Precision Adjustable handle with rotating control cap.

Advantages:

- Allows adjustable blade from 15 to 95mm.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26901	4.0	.1574	14.0	.55	.06



269 SYSTEM 4 Phillips Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	Size	Size	mm	Inch	lbs.
26911	000 + 00		120	4.7	.03
26912	0 + 1		120	4.7	.03



269 SYSTEM 4 TORX® Interchangeable Blade High alloy CVM steel, hardened, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL





Item		
No.	Size	lbs.
26955	T3	.03
26956	T4	.03
26957	T5	.03


Wiha SYSTEM 4 Precision Blades



269 SYSTEM 4 Inch Hex Sizes,





Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

Item				
No.	Inch	mm	Inch	lbs.
26921	.050	120	4.7	.06
26923	1/16	120	4.7	.06
26924	5/64	120	4.7	.06
26925	3/32	120	4.7	.06
26926	7/64	120	4.7	.06
26927	1/8	120	4.7	.06
26928	9/64	120	4.7	.06
26929	5/32	120	4.7	.06



280 SYSTEM 4 Inch Ball End Hex





Interchangeable Blade High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item				
No.	Inch	mm	Inch	lbs.
28021	.050	120	4.7	.06
28023	1/16	120	4.7	.06
28024	5/64	120	4.7	.06
28025	3/32	120	4.7	.06
28026	7/64	120	4.7	.06
28027	1/8	120	4.7	.06
28028	9/64	120	4.7	.06
28029	5/32	120	4.7	.06



269 SYSTEM 4 Nut Driver Inch,





Interchangeable Blade High alloy chrome-vanadium-molybdenum steel, hardened, corrosion protected. 120mm/4.7" OAL


Item				
No.	Inch	Inch	Inch	lbs.
26962	3/32	.16	.16	.04
26963	7/64	.20	.20	.04
26964	1/8	.20	.20	.04
26965	9/64	.21	.24	.04
26966	5/32	.22	.24	.04
26967	3/16	.26	.28	.04
26968	7/32	.30	.32	.04
26969	1/4	1.34	.36	.04



269 SYSTEM 4 Metric Hex Sizes,






Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

Item				
No.	mm	mm	Inch	lbs.
26913	0.7	120	4.7	.06
26914	0.9	120	4.7	.06
26916	1.5	120	4.7	.06
26917	2.0	120	4.7	.06
26918	2.5	120	4.7	.06
26919	3.0	120	4.7	.06
26920	4.0	120	4.7	.06



280 SYSTEM 4 Metric Ball End Hex





Interchangeable Blade High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item					
No.	mm	mm	Inch	lbs.	pkg.
28033	1.5	120	4.7	.06	1
28034	2.0	120	4.7	.06	1
28035	2.5	120	4.7	.06	1
28036	3.0	120	4.7	.06	1
28037	4.0	120	4.7	.06	1



269 SYSTEM 4 Nut Driver Metric,






Interchangeable Blade High alloy chrome-vanadium-molybdenum steel, hardened, corrosion protected. 120mm/4.7" OAL

Item				
No.	mm	mm	Inch	lbs.
26940	1.5 + 1.8	.12	.12	.03
26941	2.0 + 2.5	.16	.16	.03
26938	1.5 -	.11	.11	.04
26939	1.8 -	.12	.12	.04
26949	2.0 -	.13	.13	.06
26950	2.5 -	.16	.16	.06
26942	3.0 -	.20	.20	.06
26943	3.2 -	.20	.20	.06
26944	3.5 -	.22	.24	.06
26945	4.0 -	.22	.24	.06
26946	4.5 -	.25	.28	.06
26947	5.0 -	.27	.28	.06
26948	5.5 -	.30	.32	.06





269 SYS 4 Metric Ball End & Standard




Hex, Reversible Blade CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips. One side hex, other side ballpoint hex.

Item					
No.	mm	mm	mm	Inch	lbs.
26932	1.3 + 1.3	120	4.7	.05	
26934	2.0 + 2.0	120	4.7	.06	
26935	2.5 + 2.5	120	4.7	.06	
26936	3.0 + 3.0	120	4.7	.06	
26937	4.0 + 4.0	120	4.7	.06	

Slotted, Phillips, TORX® Set In Steel Box






28094 11 Pc. Slotted, Phillips & TORX® Precision Interchangeable Blade Set Wiha ESD Safe  precision collet lock handle and 10 Wiha interchangeable blades.

- 28094 Set includes the following blades:**
-  **Slotted:** 1.5, 2.0, 3.0, 4.0mm
 -  **Phillips:** 000, 00, 0, 1
 -  **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15





26996 5 Pc. Slotted & Phillips Precision Interchangeable Blade Set Wiha ESD Safe  precision collet lock handle and 4 Wiha interchangeable blades.

- 26996**  **Phillips:** 000, 00, 0, 1
-  **Slotted:** 1.5, 2.0, 3.0, 3.5mm
-  **lbs.** .54






26995 5 Pc. TORX® Precision Blade Set Wiha ESD Safe  precision collet lock handle and 4 interchangeable blades.


- 26995**  **TORX®:** T6, T7, T8, T9, T10, T15, T20
-  **lbs.** .52

Slotted & Phillips Set In Steel Box







26993 6 Pc. Slotted & Phillips Precision Interchangeable Blade Set Wiha ESD Safe  precision collet lock handle and 5 Wiha interchangeable blades.

- 26993 Set includes the following blades:**
-  **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm
 -  **Phillips:** 000, 00, 0, 1






26997 9 Pc. Slotted, Phillips and TORX® Precision Interchangeable Blade Set Wiha ESD Safe  precision collet lock handle and 8 Wiha Interchangeable blades.


- 26997**  **Phillips:** 000, 00, 0, 1
-  **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm
-  **TORX®:** T6, T7, T8, T9, T10, T15
-  **lbs.** .64





26987 8 Pc. TORX® Precision Blade Set Wiha ESD Safe  precision collet lock handle and 7 interchangeable blades.

- 26987 Set includes the following blades:**
-  **TORX® standard blades:** T3, T4, T5
 -  **TORX® reversible blades:** T6, T7, T8, T9, T10, T15, T20
-  **lbs.** .62




26989 9 Pc. Hex Inch Precision Blade Set Wiha ESD Safe  precision collet lock handle and 8 Wiha interchangeable blades.

- 26989**  **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
-  **lbs.** .64

Wiha Canvas Pouch Sets

Canvas Pouch



26990 4 Pc. Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 3 Wiha interchangeable blades.


26990 Set includes the following blades:

Slotted: 2.0, 3.0, 4.0mm

Phillips: 00, 0, 1

lbs. .17

Canvas Pouch



26991 6 Pc. Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle & 5 Wiha interchangeable blades. In canvas pouch.


26991 Set includes the following blades:

Slotted: 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm

Phillips: 000, 00, 0, 1

lbs. .29

Canvas Pouch



26992 17 Pc. Slotted, Phillips & Ball End Hex Metric/Inch Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle & 15 Wiha interchangeable blades.

26992 Set include the following blades:

Slotted: 1.5, 2.0, 3.0, 4.0mm

Phillips: 000, 00, 0, 1


Ball End Hex Inch: .050, 1/16, 5/64, 7/64, 3/32, 1/8"

Ball End Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm

ESD Safe Precision Chip Lifter

lbs. .63

Canvas Pouch



28080 22 Pc. Slotted, Phillips, TORX® & Hex Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 20 Wiha interchangeable blades.

28080 Set includes the following blades:

Slotted: 1.5, 2.0, 3.0, 4.0mm

Phillips: 000, 00, 0, 1

TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15

Hex: .028, .035

Ball Hex: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

ESD Safe Precision Chip Lifter

lbs. .33

ESD Anti-Static Vinyl Pouch Set

ESD Safe



28097 9 Pc. Slotted, Phillips & TORX® Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 8 Wiha Interchangeable blades.

28097 Set includes the following blades:



Slotted: 1.5, 2.0, 3.0, 4.0mm

Phillips: 000, 00, 0, 1

TORX®: T5, T6, T7, T8, T9, T10, T15

lbs. .33

ESD Safe



28084 13 Pc. Slotted, Phillips & Ball End Hex Inch Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 12 Wiha interchangeable blades.

28084 Set includes the following blades:

Slotted: 1.5, 2.0, 3.0, 4.0mm



Phillips: 000, 00, 0, 1

Ball End Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

lbs. .44

ESD Anti-Static Vinyl Pouch Set

ESD Safe



28091 6 Pc. Slotted & Phillips Precision Interchangeable Blade Set

Wiha-ESD Safe precision collet lock handle and 5 Wiha interchangeable blades.

28091 Set includes the following blades:

Slotted: 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm

Phillips: 000, 00, 0, 1

lbs. .25

ESD Safe



28087 8 Pc. TORX® Precision Interchangeable Blade Set

Wiha-ESD Safe precision collet lock handle and 7 Wiha interchangeable blades.

28087 Includes the following blades:

TORX® Standard blades: T3, T4, T5

TORX® Reversible blades:


T6, T7, T8, T9, T10, T15, T20

lbs. .29

ESD Technicians Kit


Precision Screwdrivers & Tweezers

Canvas Pouch




44590 12 Pc. Slotted, Phillips & TORX®

Precision Interchangeable Blade Set ESD

Safe  precision collet lock handle, 7 Wiha interchangeable blades & 4 ESD Safe Tweezers.

44590 Set includes the following blades:

 **Slotted:** 2.0, 3.0, 4.0mm

 **Phillips:** 00, 0, 1

 **TORX®:** T6, T7, T8, T9, T10, T15

ESD Safe Precision Tweezers:

Fine Point - AA SA

Extra Fine Point - 5 SA

Flat and Blunt - 2a SA

Curved Fine Point - 7a SA






 lbs. .60

Wiha SYSTEM 4 Drive-Loc Precision Locking Tools



26961 ESD Safe Dissipative Precision Drive-Loc Handle




Surface resistant 10^6-10^9 Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26961	4.0	.1574	23	.91	.08



269 SYSTEM 4 Slotted Drive-Loc Reversible Locking Blades




On 4mm Hex blades

Item				
No.	mm	mm	lbs.	
26958	1.5	+	3.0	.02
26959	2.0	+	3.5	.02
26960	2.5	+	4.0	.02



269 SYSTEM 4 Phillips Drive-Loc Reversible Locking Blades




On 4mm Hex blades

Item				
No.	Size	Size	lbs.	
26975	000	+	00	.02
26976	0	+	1	.02



269 SYSTEM 4 TORX® Drive-Loc Reversible Locking Blades


On 4mm Hex blades

Item				
No.	Size	Size	lbs.	
26977	T1	+	T2	.02
26978	T3	+	T4	.02
26979	T5	+	T6	.02
26980	T6	+	T8	.02
26981	T7	+	T9	.02
26982	T10	+	T15	.02



280 SYSTEM 4 Pozidriv® Drive-Loc Reversible Locking Blades




On 4mm Hex blades

Item				
No.	Size	Size	lbs.	
28002	0	+	1	.02



280 SYSTEM 4 Metric Hex Drive-Loc Reversible Locking Blades




On 4mm Hex blades

Item				
No.	mm	mm	lbs.	
28003	1.3	+	1.3	.02
28004	1.5	+	1.5	.02
28005	2.0	+	2.0	.02
28006	2.5	+	2.5	.02
28007	3.0	+	3.0	.02
28008	4.0	+	4.0	.02




280 SYSTEM 4 Metric Nut Drivers Drive-Loc Reversible Locking Blades

On 4mm Hex blades

Item				
No.	mm	mm	lbs.	
28009	1.5	+	1.8	.02 Reversible
28010	2.0	+	2.5	.02 Reversible
28011	3.0	-		.02
28012	3.2	-		.02
28013	3.5	-		.02
28014	4.0	-		.02
28015	4.5	-		.02
28016	5.0	-		.02
28017	5.5	-		.02




26985 12 Pc. SYSTEM 4 Precision ESD Drive-Loc Set In storage pouch

Item No.	ESD Safe Drive-Loc Handle
	Slotted: 1.5x3.0, 2.0x3.5, 2.5x4.0 lbs. .44
	Phillips: 000x00, 0x1
	TORX®: T1xT2, T3xT4, T5xT6, T6xT8, T7xT9, T10xT15

Micro Bits Made in Germany

Wiha SYSTEM 4 Micro Bits - 10 Bit Packs

CVM steel, hardened, on 4 mm hex stock.



Bits High alloy CVM steel, hardened

Tips Exact fit, precision machined

Use bits directly in handle or with 4" bit extension



756 SYSTEM 4 Hex Metric Micro Bits

Item	Hex	mm	Inch	lbs.
No.	mm	mm	Inch	lbs.
75616	.7	28	1.1	.06
75617	.9	28	1.1	.06
75618	1.3	28	1.1	.06
75619	1.5	28	1.1	.07
75620	2.0	28	1.1	.07
75621	2.5	28	1.1	.07
75622	3.0	28	1.1	.08
75623	4.0	28	1.1	.08



756 SYSTEM 4 TORX® Micro Bits

Item	TORX	mm	Inch	lbs.
No.	Size	mm	Inch	lbs.
75660	T1	28	1.1	.06
75661	T2	28	1.1	.06
75662	T3	28	1.1	.06
75663	T4	28	1.1	.06
75664	T5	28	1.1	.06
75665	T6	28	1.1	.06
75666	T7	28	1.1	.06
75667	T8	28	1.1	.07
75668	T9	28	1.1	.07
75669	T10	28	1.1	.07
75670	T15	28	1.1	.08
75671	T20	28	1.1	.08



756 SYSTEM 4 Slotted Micro Bits

Item	Slotted	mm	Inch	lbs.
No.	mm	mm	Inch	lbs.
75602	0.8	28	1.1	.06
75603	1.2	28	1.1	.06
75604	1.5	28	1.1	.06
75605	1.8	28	1.1	.06
75606	2.0	28	1.1	.07
75607	2.5	28	1.1	.07
75608	3.0	28	1.1	.07
75609	3.5	28	1.1	.07
75610	4.0	28	1.1	.08




756 SYSTEM 4 Hex Inch Micro Bits

Item	Hex	Inch	mm	Inch	lbs.
No.	Inch	mm	Inch	lbs.	
75628	.028	28	1.1	.06	
75629	.035	28	1.1	.06	
75630	.050	28	1.1	.06	
75631	1/16	28	1.1	.06	
75632	5/64	28	1.1	.06	
75633	3/32	28	1.1	.07	
75634	7/64	28	1.1	.07	
75635	1/8	28	1.1	.07	
75636	9/64	28	1.1	.08	
75637	5/32	28	1.1	.08	



756 SYSTEM 4 Security TORX® Micro Bits

Item	Security TORX	mm	Inch	lbs.
No.	Size	mm	Inch	lbs.
75678	T7s	28	1.1	.06
75680	T9s	28	1.1	.06
75681	T10s	28	1.1	.07
75682	T15s	28	1.1	.07
75683	T20s	28	1.1	.08



756 SYSTEM 4 Phillips Micro Bits

Item	Phillips	mm	Inch	lbs.
No.	Size	mm	Inch	lbs.
75611	000	28	1.1	.06
75612	00	28	1.1	.06
75613	0	28	1.1	.06
75614	1	28	1.1	.07
75615	2	28	1.1	.07



756 SYS 4 Metric Security Hex Micro Bits

Item	Hex	mm	Inch	lbs.
No.	mm	mm	Inch	lbs.
75624	2.0	28	1.1	.06
75625	2.5	28	1.1	.07
75626	3.0	28	1.1	.07
75627	4.0	28	1.1	.08



756 SYSTEM 4 Inch Nut Setters

Item No.	Inch	mm	Inch	lbs.
75644	5/64	30	1.2	.07
75645	3/32	30	1.2	.07
75646	7/64	30	1.2	.07
75647	1/8	30	1.2	.07
75648	9/64	30	1.2	.08
75649	5/32	30	1.2	.08
75650	3/16	30	1.2	.08
75651	7/32	30	1.2	.09



756 SYSTEM 4 Pentalobe Micro Bits

Item	Pentalobe	mm	Inch	lbs.
No.	Size	mm	Inch	lbs.
75672	PL1	28	1.1	.06
75673	PL2	28	1.1	.06
75674	PL3	28	1.1	.07
75675	PL4	28	1.1	.07
75676	PL5	28	1.1	.07
75677	PL6	28	1.1	.08



756 SYS 4 Security Hex Inch Micro Bits

Item	Hex	Inch	mm	Inch	lbs.
No.	Inch	mm	Inch	lbs.	
75638	5/64	28	1.1	.06	
75639	3/32	28	1.1	.06	
75640	7/64	28	1.1	.07	
75641	1/8	28	1.1	.07	
75642	9/64	28	1.1	.08	
75643	5/32	28	1.1	.08	



756 SYSTEM 4 Metric Nut Setters

Item No.	Metric	mm	Inch	lbs.
75652	2.0	30	1.2	.07
75653	2.5	30	1.2	.07
75654	3.0	30	1.2	.07
75655	3.5	30	1.2	.07
75656	4.0	30	1.2	.08
75657	4.5	30	1.2	.08
75658	5.0	30	1.2	.08
75659	5.5	30	1.2	.09

Wiha SYSTEM 4 Micro Bits

SYSTEM 4 Handles & Micro Bits



Rotating Cap for precise turning and control






Tips
Exact fit, precision machined


Tapered Handle allows rapid rotation, requires less clearance

Bits High alloy CVM steel, hardened

Use bits directly in handle or with 4" bit extension






75800 SYSTEM 4 Standard Precision Bit Handle Accepts all SYSTEM 4 Series bits. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
75800	4.0	.1574	14.0	.55	.06

75801 SYSTEM 4 ESD Safe  Dissipative Precision Bit Handle 110mm/4.3" OAL





Advantages:

- For working in ESD sensitive applications Surface resistant 10⁶-10⁹ Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits





Item					
No.	mm	Inch	mm	Inch	lbs.
75801	4.0	.1574	14.0	.55	.06

SYSTEM 4 Micro Bit Extension Blades





75900 Extension Blade For SYS 4 Micro Bits Shaft CVM steel, hardened, corrosion protected. Ball retainer bit extension for 4mm bits.

Item				
No.	Size	mm	mm	lbs.
75900	4.0	100	4.0	.07





75901 Magnetic Bit Extension Blade For SYS 4 Micro Bits Shaft CVM steel, hardened, corrosion protected. Magnetic bit holder.

Item				
No.	Size	mm	mm	lbs.
75901	4.0	100	4.0	.04





750 SYSTEM 4 Slotted Micro Bits CVM steel, hardened, on 4 mm hex stock.

Item				
No.	mm	mm	Inch	lbs.
75008	0.8	28	1.1	.01
75012	1.2	28	1.1	.01
75015	1.5	28	1.1	.01
75018	1.8	28	1.1	.01
75020	2.0	28	1.1	.01
75025	2.5	28	1.1	.01
75030	3.0	28	1.1	.01
75035	3.5	28	1.1	.01
75040	4.0	28	1.1	.01





751 SYSTEM 4 Phillips Micro Bits CVM steel, hardened, on 4 mm hex stock.

Item				
No.	Size	mm	Inch	lbs.
75105	000	28	1.1	.01
75110	00	28	1.1	.01
75115	0	28	1.1	.01
75120	1	28	1.1	.01
75125	2	28	1.1	.02





753 SYSTEM 4 Hex Metric Micro Bits CVM steel, hardened, on 4 mm hex stock.

Item				
No.	mm	mm	Inch	lbs.
75307	.7	28	1.1	.01
75309	.9	28	1.1	.01
75313	1.3	28	1.1	.01
75315	1.5	28	1.1	.01
75320	2.0	28	1.1	.01
75325	2.5	28	1.1	.01
75330	3.0	28	1.1	.01
75340	4.0	28	1.1	.01





753 SYSTEM 4 Hex Inch Micro Bits CVM steel, hardened, on 4 mm hex stock.

Item				
No.	Inch	mm	Inch	lbs.
75307	.028	28	1.1	.01
75309	.035	28	1.1	.01
75313	.050	28	1.1	.01
75350	1/16	28	1.1	.01
75352	5/64	28	1.1	.01
75354	3/32	28	1.1	.01
75356	7/64	28	1.1	.01
75358	1/8	28	1.1	.01
75360	9/64	28	1.1	.01
75340	5/32	28	1.1	.01





757 SYSTEM 4 TORX® Micro Bits CVM steel, hardened, on 4 mm stock.

Item				
No.	Size	mm	Inch	lbs.
75701	T1	28	1.1	.01
75702	T2	28	1.1	.01
75703	T3	28	1.1	.01
75704	T4	28	1.1	.01
75705	T5	28	1.1	.01
75706	T6	28	1.1	.01
75707	T7	28	1.1	.01
75708	T8	28	1.1	.01
75709	T9	28	1.1	.01
75710	T10	28	1.1	.01
75715	T15	28	1.1	.01
75720	T20	28	1.1	.01





757 SYSTEM 4 Security TORX® Micro Bits

Item				
No.	Size	mm	Inch	lbs.
75727	T7s	28	1.1	.01
75735	T10s	28	1.1	.01
75739	T15s	28	1.1	.01
75742	T20s	28	1.1	.01

753 SYS 4 Metric Security Hex Micro Bits CVM steel, hardened, on 4 mm hex stock.




Item				
No.	mm	mm	Inch	lbs.
75322	2.0	28	1.1	.01
75327	2.5	28	1.1	.01
75332	3.0	28	1.1	.01
75342	4.0	28	1.1	.01

753 SYS 4 Security Hex Inch Micro Bits

Item				
No.	Inch	mm	Inch	lbs.
75362	5/64	28	1.1	.01
75364	3/32	28	1.1	.01
75366	7/64	28	1.1	.01
75368	1/8	28	1.1	.01
75370	9/64	28	1.1	.01
75372	5/32	28	1.1	.01

Micro Bit 1/4" Drive Power Tool Adapter For 4mm Bits

75902 Micro Bit 1/4" Drive Power Tool Adapter CVM steel, hardened, corrosion protected.

Item				
No.	Size	mm	mm	lbs.
75902	4.0	60	4.0	.07



Wiha SYSTEM 4 Micro Bits



757 SYSTEM 4 Pentalobe Micro Bits CVM steel, hardened, on 4 mm hex stock.


Item No.	Size	mm	Inch	lbs.
75743	PL1	28	1.1	.01
75744	PL2	28	1.1	.01
75745	PL3	28	1.1	.01
75746	PL4	28	1.1	.01
75747	PL5	28	1.1	.01
75748	PL6	28	1.1	.01



758 SYSTEM 4 Metric & Inch Nut Setters CVM steel, hardened, on 4 mm hex stock.

Item No.	Metric	mm	mm	Inch	lbs.
75820	2.0	30	1.2	.01	
75821	2.5	30	1.2	.01	
75822	3.0	30	1.2	.01	
75823	3.5	30	1.2	.01	
75824	4.0	30	1.2	.01	
75825	4.5	30	1.2	.01	
75826	5.0	30	1.2	.01	
75827	5.5	30	1.2	.01	
Inch	Inch	mm	Inch	lbs.	
75810	5/64	30	1.2	.01	
75811	3/32	30	1.2	.01	
75812	7/64	30	1.2	.01	
75813	1/8	30	1.2	.01	
75814	9/64	30	1.2	.01	
75815	5/32	30	1.2	.01	
75816	3/16	30	1.2	.01	
75817	7/32	30	1.2	.01	

Micro Bit Replacement Packs On 4mm Hex Stock




75982 SYSTEM 4 Hex Inch Micro Bit Replacement Pack, 10 Pcs. CVM steel, hardened, on 4 mm hex stock.

Item No. 75982 SYSTEM 4 Micro Bit Set

Hex Inch: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

lbs. .06



75987 SYSTEM 4 Slotted & Phillips Micro Bit Replacement Pack, 10 Pcs. CVM steel, hardened, on 4 mm hex stock.

Item No. 75987 SYSTEM 4 Micro Bit Set

Slotted: 1.5, 2.0, 2.5, 3.0, 3.5mm

Phillips: #000, 00, 0, 1

lbs. .06




75984 SYSTEM 4 Slotted Micro Bit Replacement Pack, 10 Pcs. CVM steel, hardened, on 4 mm hex stock.

Item No. 75984 SYSTEM 4 Micro Bit Set

Slotted: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm

lbs. .06



75988 SYSTEM 4 TORX Micro Bit Replacement Pack, 10 Pcs. CVM steel, hardened, on 4 mm hex stock.

Item No. 75988 SYSTEM 4 Micro Bit Set

TORX: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10

lbs. .06



75986 SYSTEM 4 Phillips & Pentalobe Micro Bit Replacement Pack, 10 Pcs. CVM steel, hardened, on 4 mm hex stock.

Item No. 75986 SYSTEM 4 Micro Bit Set

Phillips: #000, 00, 0, 1

Pentalobe: PL1, PL2, PL3, PL4, PL5, PL6

lbs. .06

1/4" Drive Micro Bit Tool Adapters



75802 Micro Bit To 1/4" Drive Insert Bit Adapter magnets to hold 4mm Micro Bits

Item No.	Size	mm	mm	lbs.
75802	4.0	25	4.0	.01



75803 Long Micro Bit To 1/4" Drive Insert Bit Adapter Uses spring clip non-magnetic to hold 4mm Micro Bits

Item No.	Size	mm	mm	lbs.
75803	4.0	38	4.0	.02

Micro Bit 4mm To 1/4" Socket Adapter




75806 Micro Bit 4mm to 1/4" Socket Adapter CVM steel, hardened.

Item No.	mm	Inch	lbs.
75806	28	1.125	.02

Wiha SYS 4 Micro Bits & Compact Bit Sets




26 Pc. Set



26 Pc. Set



27 Pc. Set









75999 SYS 4 Slotted, Phillips, Hex Inch & Metric Precision Interchangeable Bit Set, 26 Pcs. In Compact Fold Out Box. Precision handle, bit extension & 24 interchangeable bits.

Item No. Combination Bit Set

75999 Set with Standard Precision Handle

Set includes the following bits:







- ↓  **Slotted:** 1.5, 2.0, 3.0, 4.0mm
-  **Phillips:** 000, 00, 0, 1
-  **Hex Metric:** .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
-  **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
-  **100mm Bit Extension**
-  lbs. .64

75995 SYSTEM 4 Precision Interchangeable Bit Set, 26 Pcs. In Compact Fold Out Box

Sets includes Wiha precision handle, bit extension & 24 Wiha interchangeable bits.

Item SYSTEM 4 Micro Bit Set

No. Set with ESD Safe Precision Handle

- 75995** and the following bits:
-  **TORX®:** T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
 -  **Pentalobe:** PL1, PL2, PL3, PL4, PL5, PL6
 - ↓  **Slotted:** 1.5, 2.0, 2.5, 3.0mm
 -  **Phillips:** #000, 00, 0, 1
 -  **100mm Bit Extension**
 -  lbs. .54







75994 SYSTEM 4 Slotted/Phillips/Hex Metric/TORX® Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box.

Set includes Wiha precision handle, bit extension and 25 Wiha interchangeable bits.

Item SYSTEM 4

No. Combination Bit Set

75994 Set with ESD Safe Precision Handle


- Set includes the following bits:**
- ↓  **Slotted:** 1.5, 2.0, 3.0, 4.0mm
 -  **Phillips:** 000, 00, 0, 1
 -  **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
 -  **Hex Metric:** .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
 -  **100mm Bit Extension**
 -  lbs. .64




18 Pc. Set



27 Pc. Set



40 Pc. Set







75395 SYS 4 Hex Inch & Metric Precision Interchangeable Bit Set, 18 Pcs. In Compact Fold Out Box. Wiha precision handle, bit extension and 16 Wiha interchangeable bits.

Item No. Combination Bit Set

75395 Set with Standard Precision Handle

Includes the following bits:

-  **Hex Metric:** .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
-  **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
-  **100mm Bit Extension**
-  lbs. .58

75995 sets SYSTEM 4 Slotted/Phillips/Hex Inch/TORX® Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box. Sets include your choice of Wiha precision handle, bit extension & 25 Wiha interchangeable bits.







Item Handle Options for SYSTEM 4

No. Combination Bit Sets

75991 Set with Standard Precision Handle

75992 Set with ESD Safe Precision Handle

Sets include the following bits:

- ↓  **Slotted:** 1.5, 2.0, 3.0, 4.0mm
-  **Phillips:** 000, 00, 0, 1
-  **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
-  **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
-  **100mm Bit Extension**
-  lbs. .64








75996 SYSTEM 4 Interchangeable Bit Set, 40 Pcs. Includes Wiha precision handle, bit extension & 38 interchangeable bits.

Item SYSTEM 4

No. Combination Bit Set

75996 Set with ESD Safe Precision Handle

Set includes the following bits:

- ↓  **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
-  **Phillips:** 000, 00, 0, 1
-  **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
-  **Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
-  **Hex Inch:** .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
-  **100mm Bit Extension**
-  lbs. 1.04

Technicians MicroBit Sets

- Micro Precision Bits on 4mm Hex Drive
- Bits of Exclusive CRM-72 Tool Steel
- Handle uses non-magnetic ball retainer
- Use bits in extension only
- Standard extension adds 4" to length
- Non-magnetic bit extension



Surface resistance of handles is 10⁹ - 10¹⁰ Ohms

Rotation cap

Light weight & compact

Handle tapered for precise control

Bits hardened for extreme durability



75093 SYSTEM 4 Slotted, Phillips, TORX® Compact ESD Precision Interchangeable Bit Set, 16 Pcs.

Item No. Combination Bit Set

75093 Set with ESD Safe Precision Handle

↓ ● Slotted: 1.5, 2.0, 2.5, 3.0mm

↶ ● Phillips: 00, 0, 1

lbs. ● TORX®: T6, T7, T8, T9, T10, T15, T20

.17 ○ 100mm Bit Extension



75094 SYSTEM 4 Slotted, Phillips, Hex Inch Compact ESD Precision Interchangeable Bit Set, 16 Pcs.

Item No. Combination Bit Set

75094 Set with ESD Safe Precision Handle


↓ ● Slotted: 1.5, 2.0, 2.5, 3.0mm

↶ ● Phillips: 00, 0, 1

↶ ● Hex Inch: .035, .050, 1/16, 5/64,

lbs. 3/32, 7/64, 1/8"

.17 ○ 100mm Bit Extension



75095 SYS 4 Slotted, Phillips, Hex Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs.

Item No. Combination Bit Set

75095 Set with ESD Safe Precision Handle

↓ ● Slotted: 1.5, 2.0, 2.5, 3.0mm

↶ ● Phillips: 00, 0, 1

↶ ● Hex Metric: .9, 1.3, 1.5, 2.0, 2.5,

lbs. 3.0, 4.0mm

.17 ○ 100mm Bit Extension



75096 SYSTEM 4 Hex Inch & Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs.

Item No. Combination Bit Set

75096 Set with ESD Safe Precision Handle

● Hex Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

↶ ● Hex Metric: .9, 1.3, 1.5, 2.0, 2.5, lbs. 3.0, 4.0mm

.17 ○ 100mm Bit Extension



75097 SYS 4 Slotted, Phillips, Pentalobe Compact ESD Precision Interchangeable Bit Set, 16 Pcs.

Item No. Combination Bit Set

75097 Set with ESD Safe Precision Handle

↓ ● Slotted: 1.2, 1.5, 2.0, 2.5, 3.0mm

↶ ● Phillips: 000, 00, 0, 1, 2

lbs. ● Pentalobe: PL1, PL2, PL3, PL4


.17 ○ 100mm Bit Extension



91109 Black Cartridge Holder

Holds 14 Micro bits 4mm. 1" OAL

Item No.	mm	mm	lbs.
91109	4.0	25.4	.01



75965 SYSTEM 4 Master Tech ESD & Ratchet With Micro Bits, 65 Pc. In Storage Box. Includes Wiha precision ESD Safe handle, micro bit extension, 72 tooth ratchet & 62 interchangeable micro bits.

Item No. ↶ lbs. 1.16

75965 Includes the following micro bits:

Slotted: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm

Phillips: 000, 00, 0, 1

TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15, T20

Hex Metric: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm

Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

Nut Drivers Metric: 2.0 - 5.5mm

Nut Drivers Inch: 5/64 - 7/32"


Pentalobe: PL1, PL2, PL3, PL4, PL5, PL6

Magnetic 1/4" to 4mm Adapter

SYSTEM 4 Interchangeable Bit Sets



Includes Dust Cover



75968 SYSTEM 4 Micro Bit Set, 68 Pieces Includes ESD handle, Micro bit storage handle, micro bit extension & 65 micro bits.

Item No.

75968 Includes the following micro bits:

↶ ● Slotted: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, lbs. 3.0, 3.5, 4.0mm

.70 ● Phillips: 000, 00, 0, 1, 2

● TORX®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10, T15, T20

● Hex Metric: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm

● Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

○ Nut Drivers Metric: 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm

○ Nut Drivers Inch: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32"

● Pentalobe: PL1, PL2, PL3, PL4, PL5, PL6 Magnetic 1/4" to 4mm Adapter

* Does not include storage box



75971 SYSTEM 4 Micro Bit Set, 68 Pieces Includes ESD handle, Micro bit storage handle, micro bit extension & 65 micro bits.

Item No. Set In Zipper Case

75971 Includes the following micro bits:

↶ ● Slotted: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, lbs. 3.0, 3.5, 4.0mm

.96 ● Phillips: 000, 00, 0, 1, 2

● TORX®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10, T15, T20

● Hex Metric: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm

● Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

○ Nut Drivers Metric: 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm







○ Nut Drivers Inch: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32"

● Pentalobe: PL1, PL2, PL3, PL4, PL5, PL6 Magnetic 1/4" to 4mm Adapter

**SYSTEM 4
Interchangeable Bit Sets**







75980 SYSTEM 4 Master Tech Micro Bit Set, 68 Pcs. Includes Wiha ESD Safe Precision Handle, 1/4" to 4mm Adapter, 100mm Bit Extension & 36 Micro Bits.

- Item No. SYSTEM 4 Micro Bit Set**
75980 Includes The Following Bits:
- ↓  **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
 -  **Phillips:** 000, 00, 0, 1, 2
 -  **TORX®:** T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
 -  **Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
 -  **Pentalobe:** PL1, PL2, PL3, PL4, PL5, PL6
-  **lbs. .38**



75993 SYSTEM 4 Premium ESD Safe Micro Bit Set, 28 Pcs. Includes Wiha ESD Safe Precision Handle, 1/4" to 4mm Adapter, 100mm Bit Extension, ESD Safe Tweezers & 21 Micro Bits.

- Item No. SYSTEM 4 Micro Bit Set**
75993 Micro Bits:
- ↓  **Slotted:** 0.8, 1.5, 2.0, 2.5, 3.0, 3.5mm
 -  **Phillips:** 000, 00, 0, 1, 2
 -  **TORX®:** T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
- ESD Safe Tweezers:**
5SA ESD, 7aSA ESD, 2ASA ESD, AASA ESD, OOSA ESD
-  **lbs. .95**

Micro Bit Handle Storage Sets




Micro precision bits on 4mm hex drive

Storage handle

Bits hardened for extreme durability

Bits of exclusive CRM-72 tool steel





75981 Micro Bit Handle Storage Slotted & Phillips Bit Set, 7 Pcs.


Wiha precision storage handle & 6 Micro Bit interchangeable 4mm bits.

Item Set with Micro Bit Precision Storage Handle

No. 75981

↓  **Slotted:** 1.2, 1.5, 2.0mm

 **Phillips:** 000, 00, 0

 **lbs. .08**





75985 Micro Bit Handle Storage TORX® Bit Set, 7 Pcs.

Wiha precision storage handle & 6 Micro Bit interchangeable 4mm bits.

Item Set with Micro Bit Precision Storage Handle

No. 75985

 **TORX®** T3, T4, T5, T6, T7, T8

 **lbs. .08**





75983 Micro Bit Handle Storage Hex Inch Bit Set, 7 Pcs.

Wiha precision storage handle & 6 Micro Bit interchangeable 4mm bits.

Item Set with Micro Bit Precision Storage Handle

No. 75983

 **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8"

 **lbs. .08**



75805 SYSTEM 4 Micro Bit Storage Handle

Accepts all SYSTEM 4 Series bits.

108mm / 4.25" OAL

Item No.	mm	Inch	lbs.
75805	4.0	.1574	.05

The Comfortable Precision Pliers & Cutters

Electronics pliers with cutting edges are designed especially for cutting soft to medium hard wires.

Precision ground cutting edges for smooth cuts

Glare free black finish



Lay-on, riveted precision joint

Light weight design for maximum user comfort in production work

C70 tool steel HR60 hardness

Electronic Diagonal Cutters



56812 Precision Electronic Diagonal Cutters, Narrow Shape Extra narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. With return spring. For absolutely flush cutting of copper wires in difficult to access locations. \approx lbs. .19

Item No.	mm	Inch	Cut Capacity	Pkg.
56812	118	4.5	0.8mm/16AWG	1

Electronic Oblique 48° Cutter



56833 Electronic Oblique 48° Cutter Wide pointed head. Cutting edge - full flush. With cutting edge at 48° for cutting obliquely from above or from the side. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

Item No.	mm	Inch	Cut Capacity	lbs.	Pkg.
56833	138	5.5	1.3mm/16AWG	.22	1

Electronic Diagonal Cutters



56818 Precision Electronic Diagonal Cutters, Wide Pointed Head Cutting edge - full flush. With return spring. C70 special tool steel. For an absolutely flush cut of copper wire.

Item No.	mm	Inch	Cut Capacity	lbs.	Pkg.
56818	138	5.5	1.3mm/16AWG	.22	1

Electronic Diagonal Cutters



56813 Precision Electronic Diagonal Full Flush Cutters With Wire Trapping Spring Extra narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. With return spring. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

Item No.	mm	Inch	Cut Capacity	lbs.	Pkg.
56813	128	5.0	1.0mm/16AWG	.19	1

Narrow Front Cutter/Long Nose Pliers



56830 Electronic Narrow 30° Front Cutter / Long Nose Pliers Extremely narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. Edge at 30° to face end of pliers for cutting obliquely from above or from the side. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

Item No.	mm	Inch	Cut Capacity	lbs.	Pkg.
56830	118	4.5	0.6mm/16AWG	.19	1

Electronic Diagonal Cutters



56815 Precision Electronic Diagonal Cutters, Wide Pointed Head Cutting edge - semi flush. With return spring. C70 special tool steel. Universal small diagonal cutter for cutting copper wires. \approx lbs. .23

Item No.	mm	Inch	Cut Capacity	Hard Wire	Pkg.
56815	138	5.5	2.0mm/16AWG	0.8	1

Electronic Diagonal Cutters



56825 Precision Electronic Diagonal Cutters, Wide Shape With Wire Holding Spring Wide, Pointed head. Cutting edge - full flush. With return spring & fixture for holding ends of wires that have been cut off. For an absolutely flush cut of copper wire.

Item No.	mm	Inch	Cut Capacity	lbs.	Pkg.
56825	138	5.5	1.3mm/16AWG	.23	1

Electronic Stripping Pliers



56871 Electronic Stripping Pliers Wide long head with ridged gripping surface, shears blade and firm wire stripping stations. With opening spring and locking mechanism. Wire stripping stations 0.81 / 1.0 / 1.3 / 1.6 / 2.0 / 2.59mm, AWG 20 / 18 / 16 / 14 / 12 / 10.

#56871	mm	Inch	Ø	AWG	lbs.	Pkg.
	180	7.0	0.81-2.59	20-10	.15	1

Electronic Pointed Pliers



56801 Electronic Short Nose Precision Pliers Narrow, short head. Smooth jaws. Width at tip is only 1.2mm. C70 special tool steel. For holding small components as well as for holding and angling wires.

Item No.	mm	Inch	Pkg.	lbs.
56801	138	5.5	1	.23



Professional Quality ESD Tweezers

ESD SAFE • STATIC DISSIPATIVE • HYPO ALLERGENIC COATED • TEXTURED GRIPPING SURFACE



Universal Fine Point Tweezers

Item No.	Description	↕↔ wt.
44501	AA SA ESD-130mm	.09

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Fine Round Points Shorter

Item No.	Description	↕↔ wt.
44507	3c SA ESD - 110mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Holds 3.5 to 7mm Diameter

Item No.	Description	↕↔ wt.
44513	52 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Sturdy Long, Fine Round Points

Item No.	Description	↕↔ wt.
44502	GG SA ESD - 130mm	.09

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Very Fine Points/Tapered To Tip

Item No.	Description	↕↔ wt.
44508	4 SA ESD - 110mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Holds 6.5 to 10mm Diameter

Item No.	Description	↕↔ wt.
44514	53 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Long Narrow Body Low Force

Item No.	Description	↕↔ wt.
44503	SS SA ESD - 135mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Extra Fine Points/Tapered To Tip

Item No.	Description	↕↔ wt.
44509	5 SA ESD - 110mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Angled 3.5 to 7mm Diameter

Item No.	Description	↕↔ wt.
44515	54 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Reduced Body To Medium Point

Item No.	Description	↕↔ wt.
44504	2 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Curved Extra Fine Rounded Tips

Item No.	Description	↕↔ wt.
44510	7a SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Narrow Rounded Tip Serrated, Guide Pin

Item No.	Description	↕↔ wt.
44518	22 SA ESD - 150mm	.10

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Flat Round Tip Smooth Sides

Item No.	Description	↕↔ wt.
44505	2a SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Holds 0.8 to 2mm Diameter

Item No.	Description	↕↔ wt.
44511	50 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Universal Blunt Tip Serrated

Item No.	Description	↕↔ wt.
44520	40 SA ESD - 145mm	.11

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Fine Round Points For Assembly

Item No.	Description	↕↔ wt.
44506	3 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Holds 1.5 to 3mm Diameter

Item No.	Description	↕↔ wt.
44512	51 SA ESD - 130mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



MicroTip 45° Hook 1x1x2mm

Item No.	Description	↕↔ wt.
44521	12 SA-SMD ESD-120mm	.09

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.