

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









Sterling-LWB™

2.4 GHz Wi-Fi® and Bluetooth® Smart Ready Multi-Standard Module

FEATURES AND BENEFITS

- Delivers IEEE 802.11 b/g/n, BT 2.1+EDR, and BLE 4.1 wireless connectivity
- Based on next-generation silicon from Cypress (CYW4343W)
- Three versions of the module available: SiP without antenna (10 mm x 10 mm x 1.2 mm) With chip antenna (15.5 mm x 21 mm x 2 mm) With external U.FL antenna port (15.5 mm x 21 mm x 2 mm)
- Enhanced collaborative co-existence algorithms
- Nearly 60% lower Active Rx Power Consumption (vs TiWi-BLE)



Actual Size (15.5mm x 21mm)

- Latest Linux and Android drivers supported directly by LSR
- NEW: Sterling-LWB for WICED™ reference platform available for embedded MCU applications
- SIG certified Bluetooth driver (QDID: 64781)
- Multiple certified 2.4 GHz antenna options
 Chip, Dipole, FlexPIFA™ & FlexNotch™
 LSR offers in-house certification of additional antennas at little to no cost

Practical Applications:

Security & Building Automation, Internet of Things / M2M Connectivity, Smart Gateways




STERLING-LWB MODULE PERFORMANCE

SPECIFICATION	VALUE
Operating Temp	-40 to +85° C
Operating Voltage	3.0 V to 3.6 V
WLAN Transmit Power	802.11b, 11 Mbps CCK: 17.5 dBm 802.11g, 54 Mbps rate: 14.0 dBm 802.11n, 65 Mbps MCS7: 12.5 dBm
WLAN Rx Sensitivity	802.11b, 11 Mbps CCK: -88 dBm 802.11g, 54 Mbps rate: -75 dBm 802.11n, 65 Mbps MCS7: -72 dBm
Bluetooth Transmit Power	8.5 dBm (GFSK)
Bluetooth Rx Sensitivity	-90 dBm (GFSK)

All specifications are preliminary and subject to change.

ORDER INFORMATION

PART NUMBER	DESCRIPTION
450-0152	Sterling-LWB Chip Antenna Module
450-0148	Sterling-LWB U.FL Module
450-0159	Sterling-LWB Base Module (SiP)
450-0155	Sterling-LWB Development Board w/ U.FL
450-0156	Sterling-LWB Development Board w/ Chip Antenna
450-0173	Sterling-LWB for WICED™ Carrier Board





Dev Board with SD card form factor (Part # 450-0155 & 450-0156) for simple connectivity w/ NXP i.MX 6 and other platforms

LSR is the leader in Wireless Product Development, offering true end-to-end solutions through its array of services and technical expertise.



Design Services

LSR delivers complete system solutions from concept to manufacturing. We are your wireless M2M solutions partner, providing complete turnkey services and solutions.

- RF Design/Engineering
- Software/Firmware Design
- Antenna Design
- Industrial Design
- Mechanical Engineering



EMC Testing & Certification

At LSR, we understand it is critical for your company to have a compliant product supported by the appropriate documentation, ready for deployment into the market. LSR provides the experience and knowledge to provide quality test services that meet your timeline and budget.

- On-Site FCC / IC /CE EMC Certification
- Wireless & Antenna Testing
- EMC Testing
- International Testing Services



Wireless Products

LSR offers the fastest, lowest cost way to add wireless capabilities to your product concept. LSR's fully-certified modules and antennas accelerate your time-to-market and support the full breadth of communication technologies, including:

- Wi-Fi®
- Bluetooth®
- Bluetooth® Smart
- ZigBee[®]
- 802.15.4 & proprietary protocols

HARNESS THE STERLING-LWB™ FOR EMBEDDED WI-FI® AND BLUETOOTH® LOW ENERGY APPLICATIONS

Introducing the **STERLING-LWB for WICED™**Reference Platform

You can now leverage the high-performance Sterling-LWB™ module for embedded MCU applications as well! The Sterling-LWB for WICED™ reference platform provides a very simple and fast way to add both Wi-Fi and BLE v4.1 connectivity to your microcontroller-based design utilizing the power of Cypress' robust WICED™ software development kit. The low cost, pre-certified Sterling-LWB is now validated with the STM32F411 MCU and can be migrated to other popular MCU's, giving you unmatched speed in adding Wi-Fi and BLE to your application. This comprehensive reference platform features a carrier board for easy connectivity with the STM32F411 Discovery Kit, extensive documentation and software examples, TiWiConnect™ cloud connectivity and ModuleLink™ mobile app for easy development and integration.



Sterling-LWB for WICED™ Carrier Board (450-0173)



Utilize the Popular WICED™ SDK by Cypress

Accelerate your WICED™ application development with extensive software examples and source code, including BLE profiles, BLE for Wi-Fi commissioning, Power Management, and more.



ModuleLink™ Mobile App for Easy Evaluation

The ModuleLink™ Mobile App for Android lets you connect immediately to the Sterling-LWB from your mobile for easy evaluation and testing.




Cloud-Ready with LSR's TiWiConnect™

With a free TiWiConnect™ developer account and web portal, you can quickly demonstrate full Wi-Fi-to-Cloud functionality.

Take advantage of the platform's many Wi-Fi-to-Cloud sample applications, including:







Sterling-LWB for WICED™ Carrier Board Block Diagram