



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



PROFESSIONAL COAX CABLE TOOL KIT

46602 AND 46603

46602 – Short style RG59/6 “F” Connectors

46603 – Long style RG59/6 “F” Connectors



46602

Two kits for reproducing the exact same high quality connection every time

Each of these two kits have been designed to cut, strip, terminate and tighten coax connectors based on highly engineered specifications. Each kit contains:

- **0251-08D** 8" diagonal cutting pliers
- **45592** stripping tool with depth stop, allowing you to easily replicate exact cutbacks and a Velcro pad to pull back insulators without risk of injury
- **0153-42C** 6-in-1 multi tool
- **FL2AAAP** LED pen light
- **0354-1430T** 7/16" torque wrench engineered to tighten connectors up to 30 in-lb
- **PA5001** Grip pack with quick release belt clip
- Kits are available for shorter (PA7602) or longer (PA7603) style “F” connectors

KIT INCLUDES:

CAT NO.	DESCRIPTION	QTY.
0251-08D 	8" Diagonal Cutting Pliers <ul style="list-style-type: none"> Cuts most hardened wire, ACSR, bolts, screws, and nails Laser-hardened edges and chrome-vanadium steel construction for strength and durability Exceeds ASME/ANSI specifications Limited lifetime warranty 	1
45592 	RG 59/6/6Q – 7/11 Coaxial Cable Stripper <ul style="list-style-type: none"> Works with a variety of coaxial cables (RG59/6/6Q/7/11) Depth stop to repeat exact strip every time Velcro pad to pull back insulating strands and save your fingers Lightweight, single-handed operation with spring loaded handles 	1
PA7602 	Fixed compression tool (short) PA7602 is designed for use on the shorter style F connectors (Such as PPC® Aquatight Connector EX or shorter connectors and other similar length connectors)	1
PA7603 	Fixed Compression tool (long) PA7603 is designed for use on the longer style F connectors (such as PPC © EXXLWS Aquatight connector EX-XL and other similar length connectors)	1
0153-42C 	6-in-1 Multi-Tool <ul style="list-style-type: none"> Quickly and easily drives nuts and screws Sizes: <ul style="list-style-type: none"> Hex Nut: 1/4" and 5/16" Phillips Screw: #1 and #2 Flat Screw: 3/16" and 1/4" Limited lifetime warranty 	1
FL2AAAP 	LED Penlight <ul style="list-style-type: none"> Sealed against water and dust 50,000 Hours, 7 Lumen 14-15 hours battery life, AAA batteries 	1
0354-1430T 	7/16" Torque wrench designed to tighten coax "F" Connectors to 30 in-lb. <ul style="list-style-type: none"> 7/16" Hex head torque wrench Creates an audible click when 30 in-lb torque is reached TPR Handle provides a tacky grip and comfortable use 	1
PA5001 	Custom Grip Pack Pouch with Quick Release Belt Clip <ul style="list-style-type: none"> Custom-molded PVC pouch securely holds tools Quick-release belt clip for fast operation Swivel allows pouch to move for added comfort 	1

ORDERING INFORMATION

CAT NO.	UPC NO.	DESCRIPTION	QTY.
46602	03620	PROFESSIONAL COAX TOOL KIT (SHORT)	1
46603	03619	PROFESSIONAL COAX TOOL KIT (LONG)	1

