

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









Knowledge. Solutions. Success.

PRODUCT DESCRIPTION:

Most voice and data network problems are wire related. Open or shorted pairs and general mis-wires are quickly diagnosed with the 468 Modular Cable Tester. Tester features a built-in tone generator; connect any 8-position modular plug to the appropriate jack on the transmitter, and a sweeping-tone signal is applied to all pairs. At the far end of the cable, use any 200-Series Inductive Amplifier to locate the corresponding plug or jack. Connecting the receiver unit automatically activates the test process. Sequencing red and green LEDs provide fast, accurate and easy to understand results. The Model 468 Tester identifies open and short circuits, reversed and transposed pairs and alerts if connected to an active circuit, without harming the unit.



FEATURES:

- Test 258, T568A, T568B, 10Base-T, USOC standards
- Identify open, short, reversed and transposed pairs
- · Send tone to identify cable at remote

KEY Specifications:

Power: One 9V battery,

nominal life 2000 hrs

(no load)

Tone frequency: 850 and 950 Hz

alternating nominal

Tone output: 9V p-p open circuit Voltage protection: Transmitter, 52 VDC

Transmitter, 52 VDC 90V p-p (up to 10 minutes); receiver, 52

VDC momentary

High-impact ABS cases 7.5 oz (complete kit)

ORDERING INFORMATION

Part No. Description
468 Wiremap Tester

468C Carrying Case for the Wiremap

Tester



Knowledge. Solutions. Success.