

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







4803, Socket, solder terminal, screened, 6.3 mm, 3-pole, straight, UK-Connector







Description

- Solder terminal : Screw-on mounting, from rear-side
- Data and Signal transfer
- Data and Signal Connectors 3-pole , shielded , straight
- Reinforced gold plating for increased insertions

References


Alternative: Housing insulated 4803.2310 Last order date: 30.06.2016


Technical Data

| Diameter | 6.3 mm | |
|-----------------------|----------------------|--|
| Number of Poles | 3-pole | |
| Ratings DC | 2A / 12VDC | |
| Ratings AC | 2A / 12 VAC | |
| Dielectric Strength | 1000 VDC | |
| Insulation Resistance | > 10000 MΩ @ 500 VDC | |
| | | |


| Allowable Operation Temp. | -20 °C to 70 °C |
|---------------------------|----------------------------|
| Terminal | solder terminal |
| Mounting | Screw-on mounting |
| | wall thickness max. 5.0 mm |
| Housings | screened |
| Style | straight |
| Lifetime | 10000 Insertions |

Dimensions





Diagrams



All Variants

| Product group | Diameter [mm] | Number of Poles | Terminal | Order Number | |
|----------------------------------|---------------|-----------------|-----------------|--------------|--|
| Data and Signal Plug/ Sockets | 6.3 | 3-pole | solder terminal | 4803.2300 | |

Most Popular.

Availability for all products can be searched real-time:http://www.schurter.com/Stock-Check/Stock-Check-SCHURTER

Packaging unit

100 Pcs

