

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







4840, Cable, Plug, 5.5 mm, 2-pole, DC Plug/Socket



Approvals and Compliances

Description

- pre-assembled cable
- Low Voltage DC Plug and Socket
- DC Plug: 2-pole , straight

| _ | | | |
|-----|------|--------|-----|
| T | hnic | ᆔ | ~+~ |
| 160 | | 21 I J | ж |

| Diameter | 5.5 mm / 2.5 mm |
|-----------------------|--------------------|
| Number of Poles | 2-pole |
| Ratings DC | 1.0A / 12VDC |
| Dielectric Strength | 500 VDC |
| Insulation Resistance | > 100 MΩ @ 500 VDC |
| · | |

| Allowable Operation Temperature | -20°C to 70°C |
|---------------------------------|-------------------------|
| Terminal | Cable |
| Cord Lenght | 1.8 m |
| Cable Cross Section | 2 x 0.3 mm ² |
| Style | straight |
| Lifetime | 5000 Insertions |

Approvals and Compliances


Detailed information on product approvals, code requirements, usage instructions and detailed test conditions can be looked up in Details about Approvals

Compliances

The product complies with following Guide Lines

| Identification | Details | Initiator | Description |
|----------------|------------|-------------|---|
| RoHS | RoHS | SCHURTER AG | EU Directive RoHS 2011/65/EU |
| 5 0 | China RoHS | SCHURTER AG | The law SJ / T 11363-2006 (China RoHS) has been in force since 1 March 2007. It is similar to the EU directive RoHS. |
| REACH | REACH | SCHURTER AG | On 1 June 2007, Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorization and Restriction of Chemicals 1 (abbreviated as "REACH") entered into force. |

Dimensions [mm]





All Variants

| Product group | Diameter [mm] | Number of Poles | Terminal | Order Number |
|----------------|---------------|-----------------|----------|--------------|
| DC Plug/Socket | 5.5 | 2-pole | Cable | 4840.5212 |

Availability for all products can be searched real-time:https://www.schurter.com/en/Stock-Check/Stock-Check-SCHURTER

Packaging unit

200 Pcs

Mating Inlets/Plugs

Category / Description



DC Plug/Socket Overview complete

 4840, solder terminal, Plug, 5.5 mm, 2-pole, DC Plug/Socket
 4840.1210

 4840, Cable, Plug, 5.5 mm, 2-pole, DC Plug/Socket
 4840.5210

DC Plug/Socket further types to 4840.5212

Mating Outlets/Connectors



DC Plug/Socket Overview complete

4840, Cable, Plug, 5.5 mm, 2-pole, DC Plug/Socket 4840.5211

DC Plug/Socket further types to 4840.5212