# imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



### Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





### *Now offering 30u" Gold Plating Options and Right Angle Plugs*

### DESCRIPTION

The popular .8mm FH connector system is now available with 30u" Gold Plating. In addition, a right angle plug in 60 and 80 positions is also available. The right angle plug product is a thru-hole, while the balance of the product line remains surface mount.

### **APPLICATION**

The 30u" Gold product is intended for stacking applications in high end Computer, Telecommunications, Industrial, and Mil/Aero applications. The right angle plug is ideal for test cards and card extenders, and mates to standard vertical receptacles.



### **KEY FEATURES**

- Available Position Sizes: 40 thru 200
  positions in increments of 20 positions
- Stack Height Options: 5mm thru 16mm in increments of 1mm
- Tube, Tube with Pickup Cap, and Tape and Reel Packaging Options
- Polarized locating posts
- 8u" Gold, and 30u" Gold plating options
- RoHS Compliant numbers available now
- Optional Solder Peg (holddown)
- Right Angle Plugs in 60 and 80 positions

Page 2

#### **RECEPTACLE PART NUMBERS**


Height	Plating Au Thickness	Package Type	Pickup Cap	40pos	60pos	80pos	100pos	120pos	140pos	160pos	180pos	200pos
5H	8u"	Tube	no	177983-1	177983-2	177983-3	177983-4	177983-5	177983-6	177983-8	177983-9	1-177983-0
		Tube	yes	179229-1	179229-2	179229-3	179229-4	179229-5	179229-6	179229-8	179229-9	1-179229-0
		Tape and Reel	yes	177985-1	177985-2	177985-3	177985-4	177985-5	177985-6	177985-8		
	30u"	Tube	no	1123000-1	1123000-2	1123000-3	1123000-4	1123000-5	1123000-6	1123000-8	1123000-9	1-1123000-0
		Tube	yes									
		Tape and Reel	yes	353999-1	353999-2	353999-3	353999-4	353999-5	353999-6	353999-8		
9H	8u"	Tube	no	5-179009-1	5-179009-2	5-179009-3	5-179009-4	5-179009-5	5-179009-6	5-179009-8	5-179009-9	6-179009-0
		Tube	yes		5-179232-2	5-179232-3	5-179232-4	5-179232-5	5-179232-6	5-179232-8	5-179232-9	6-179232-0
		Tape and Reel	yes	5-179180-1	5-179180-2	5-179180-3	5-179180-4	5-179180-5	5-179180-6			
	30u"	Tube	no	84613-1	84613-2	84613-3	84613-4	84613-5	84613-6	84613-8	84613-9	1-84613-0
		Tube	yes									
		Tape and Reel	yes	7-179180-1	7-179180-2	7-179180-3	7-179180-4	7-179180-5	7-179180-6			
13H	8u"	Tube	no	5-179010-1	5-179010-2	5-179010-3	5-179010-4	5-179010-5	5-179010-6	5-179010-8	5-179010-9	6-179010-0
		Tube	yes	5-179233-1	5-179233-2	5-179233-3	5-179233-4	5-179233-5	5-179233-6	5-179233-8	5-179233-9	6-179233-0
		Tape and Reel	yes	84616-1	84616-2	84616-3	84616-4	84616-5	84616-6	84616-8	84616-9	
	30u"	Tube	no	5-1123212-1	5-1123212-2	5-1123212-3	5-1123212-4	5-1123212-5	5-1123212-6	5-1123212-8	5-1123212-9	6-1123212-0
		Tube	yes									7-1123212-0
		Tape and Reel	yes	84618-1	84618-2	84618-3	84618-4	84618-5	84618-6	84618-8	84618-9	

3.18 [.150]

Е

Stack Height = ((Rcpt Height + Plug Height) - 5)

example: ((13H Rcpt + 6H Plug) - 5) = ((13 + 6) - 5) = 14 mm stack height



	No. of	Dimensions						
	Positions	Α	B	С				
	40	15.20	21.80	20.20				
	40	.598	.858	.795				
	60	23.20	29.80	28.20				
	00	.913	1.173	1.110				
	80	31.20	37.80	36.20				
	00	1.228	1.488	1.425				
	100	39.20	45.80	44.20				
	100	1.543	1.803	1.740				
	120	47.20	53.80	52.20				
	120	1.858	2.118	2.055				
_	140	55.20	61.80	60.20				
	140	2.173	2.433	2.370				
	160	63.20	69.80	68.20				
1	100	2.488	2.748	2.685				
	180	71.20	77.80	76.20				
	100	2.803	3.063	3.000				
	200	79.20	85.80	84.20				
	200	3.118	3.378	3.315				
1								

Height	5H	9H	13H		
Dim D	3.75	7.75	11.75		
DIIII D	.148	.305	.483		
Dim E	6.00	6.80	6.80		
DITLE	.236	.268	.268		

Page 3

#### PLUG PART NUMBERS Plating Au Package Pickup Height Thickness Type Cap 40pos 60pos 80pos 100pos 177984-1 177984-2 177984-3 177984-4 5H 8u" Tube no 179230-1 179230-4 Tube 179230-2 179230-3 yes ape and Reel 177986-1 177986-2 177986-3 177986-4 yes 30u" 84614-1 84614-2 84614-3 84614-4 Tube no


120pos 140pos 160pos 180pos 200pos 177984-5 177984-6 177984-8 1-177984-0 177984-9 179230-5 179230-6 179230-9 1-179230-0 179230-8 177986-5 177986-6 177986-8 84614-5 84614-6 84614-8 84614-9 1-84614-0 Tube yes Tape and Reel 5-177986-1 5-177986-2 5-177986-3 5-177986-4 5-177986-5 5-177986-6 5-177986-8 yes 6H 8u" 179029-1 179029-2 179029-3 179029-4 179029-5 179029-6 179029-8 179029-9 1-179029-0 Tube no Tube 2-179230-1 2-179230-2 2-179230-3 2-179230-4 2-179230-5 2-179230-6 2-179230-8 2-179230-9 3-179230-0 yes ape and Reel yes 1-177986-1 1-177986-2 1-177986-3 1-177986-4 1-177986-5 1-177986-6 1-84615-0 30u" Tube no 84615-1 84615-2 84615-3 84615-4 84615-5 84615-6 84615-8 84615-9 Tube 1-84615-8 1-84615-9 2-84615-0 yes 6-177986-3 6-177986-4 Tape and Reel 6-177986-1 6-177986-2 6-177986-5 6-177986-6 yes 179030-1 179030-2 179030-3 179030-5 7H 8u" Tube 179030-4 179030-6 179030-8 179030-9 1-179030-0 no 4-179230-1 4-179230-3 4-179230-4 4-179230-5 4-179230-6 Tube 4-179230-2 4-179230-8 4-179230-9 5-179230-0 yes ape and Reel 2-177986-1 2-177986-2 2-177986-3 2-177986-4 2-177986-5 2-177986-6 yes 30u" 1-179030-1 1-179030-2 1-179030-3 1-179030-4 1-179030-5 1-179030-6 1-179030-8 1-179030-9 2-179030-0 Tube no 2-179030-1 2-179030-2 2-179030-3 2-179030-4 2-179030-5 2-179030-6 2-179030-8 2-179030-9 3-179030-0 Tube yes Tape and Reel yes 179031-2 8H 8u" 179031-4 179031-6 179031-9 1-179031-0 Tube no 179031-1 179031-3 179031-5 179031-8 6-179230-6 6-179230-1 6-179230-2 6-179230-3 6-179230-4 7-179230-0 Tube 6-179230-5 6-179230-8 6-179230-9 yes Fape and Reel 3-177986-1 3-177986-2 3-177986-3 3-177986-4 3-177986-5 3-177986-6 3-177986-8 3-177986-9 yes 30u" Tube 1123002-1 1123002-2 1123002-3 1123002-4 1123002-5 1123002-6 1123002-8 1123002-9 1-1123002-0 no Tube γes 1123001-4 1123001-5 1123001-6 1123001-8 1123001-9 Tape and Reel γes 1123001-1 1123001-2 1123001-3 R/A 8u" Tube no 316229-3 316229-2

D

6.0 [.236]

Stack Height = ((Rcpt Height + Plug Height) - 5)


example: ((13H Rcpt + 6H Plug) - 5) = ((13 + 6) - 5) = 14 mm stack height



N	D:			Halaht	611	сц	711	оц
No. of	Dimensions			Height		6H	7H	8H
Positions	A	В	C	Dim D	4.60	5.60	6.60	7.6
40	15.20	21.80	20.20		.181	.220	.260	.30
	.598	.858	.795					
60	23.20	29.80	28.20					
00	.913	1.173	1.110					
80	31.20	37.80	36.20					
00	1.228	1.488	1.425					
100	39.20	45.80	44.20					
100	1.543	1.803	1.740					
120	47.20	53.80	52.20					
120	1.858	2.118	2.055					
440	55.20	61.80	60.20					
140	2.173	2.433	2.370					
160	63.20	69.80	68.20					
160	2.488	2.748	2.685					
400	71.20	77.80	76.20					
180	2.803	3.063	3.000					
200	79.20	85.80	84.20					
200	3.118	3.378	3.315					

Page 4

#### **BOARD-TO-BOARD STACKING HEIGHTS (By Plug/Receptacle Combinations)**



#### FOR MORE INFORMATION

#### Product Specification: 108-5390

Technical Support Internet: http://www.tycoelectronics.com USA: 1-800-522-6752

John Larkin, Product Manager Phone: 1-717-592-2074 E-mail: jtlarkin@tycoelectronics.com

#### Disclaimer

White Tyco Electronics Corporation and its affiliates referenced herein ("Tyco Electronics") have made every reasonable effort to ensure the accuracy of the information in this catalog, Tyco Electronics does not guarantee that it is error free, nor does Tyco Electronics make any other representation, warranty or guarantee that the information is accurate, correct reliable or current.

Tyco Electronics reserves the right to make any adjustments to the information contained herein at any time without notice. Tyco Electronics expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. Tyco Electronics' only obligations are those in the Tyco Electronics Standard Terms and Conditions of Sale, and in no case will Tyco Electronics be responsible for any incidental, indirect, or consequential damages arising from the sale, resale, or misuse of its products. Users should independently evaluate the suitability of, and test each product for, their application.