



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION NOV ,2006.

© COPYRIGHT 2006 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
E	B	P	LTR	DESCRIPTION	DATE	DWN	APVD
		C		REVISED PER ECO-09-003420	19FEB09	ANS	BOB

NOTES

- 1 SINGLE PACK IN ACCORDANCE WITH AMP SPEC 107-3275
- 2 100 PER BOX ACCORDANCE WITH AMP SPEC 107-3275
- 3 NICKEL PLATING
- 4 GOLD PLATING
- 5. FOR TECHNICAL DATA REFER TO YOUR LOCAL TYCO ELECTRONICS SALES OFFICE
- 6. ALL DIMENSIONS ARE NOMINAL FOR REFERENCE ONLY UNLESS OTHERWISE STATED



					1	1	POM	INSULATOR	4	
					1	1	BRASS	CONTACT	3	
					1	1	ZINC ALLOY	FERRULE	2	
					1	1	BRASS	BODY	1	
					5	15	MATERIAL	DESCRIPTION	ITEM	
					△	△				
					QUANTITY PER ASSY			PARTS LIST		


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	ANSON MA	14FEB09	Tyco Electronics Corporation Kunshan, Jiangsu, PRC 215312						
DIMENSIONS: mm		CHK	RITA ZUO	14FEB09							
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	BOB ZHAO	14FEB09	NAME						
0 PLC ± - 1 PLC ± 0.3 2 PLC ± 0.2 3 PLC ± - 4 PLC ± - ANGLES ± -		PRODUCT SPEC			M-UHF STR JK HEX						
MATERIAL SEE TABLE		FINISH SEE TABLE			APPLICATION SPEC			RG58C/U, 141A/U, URM43, 76, KX15			
		WEIGHT -			SEE SHEET 2			SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
		CUSTOMER DRAWING			A3 00779			G-1814819			-
		SCALE NTS			SHEET 1 OF 2			REV C			

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION NOV. 2004.
 © COPYRIGHT 2006 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.


LOC	DIST	REVISIONS					
E	B	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-

ASSEMBLY INSTRUCTION
 RG58C/U, 141A/U, URM43, 76, KX15



STEP 1
 1. SLIDE METAL CRIMP FERRULE OVER CABLE




STEP 2
 1. STRIP CABLE TO DIMENSIONS AS SHOWN





STEP 3
 1. FIT CONTACT OVER CENTRE CONDUCTOR TO BUTT AGAINST DIELECTRIC.
 2. CRIMP USING TOOL AS NOTES ON PAGE 1.



STEP 4
 1. PRESS SUB-ASSEMBLY INTO BODY, UNTIL CONTACT IS FULLY LOCATED BY AN AUDIBLE CLICK.
 2. ENSURE THAT KNURLED HOUSING INSERTS BETWEEN THE DIELECTRIC AND CABLE BRAID.



STEP 5
 1. SLIDE CRIMP FERRULE ALONG THE CABLE UNTIL IT BUTTS AGAINST THE HOUSING BODY.
 2. CRIMP USING TOOL AS NOTED ON PAGE 1.
 3. CRIMP DIMENSION AS SHOWN.



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN ANSON 14FEB09	Tyco Electronics Tyco Electronics Corporation Kunshan, Jiangsu, PRC 215312		
DIMENSIONS: mm		CHK RITA ZUO 14FEB09	NAME		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD BOB ZHAO 14FEB09	M-UHF STR JK HEX RG58C/U, 141A/U, URM43, 76, KX15		
0 PLC ± -		PRODUCT SPEC	-		
1 PLC ± -		108-112000	-		
2 PLC ± -		APPLICATION SPEC	-		
3 PLC ± -		SHEET 2	SIZE	CAGE CODE	DRAWING NO
4 PLC ± -		WEIGHT -	A3	00779	C-1814819
ANGLES ± -		CUSTOMER DRAWING	RESTRICTED TO	-	
FINISH SEE TABLE		SCALE NTS	SHEET 2 OF 2	REV C	