



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION, 19 .  
 © COPYRIGHT 19 BY AMP INCORPORATED. ALL RIGHTS RESERVED.

| LOC | DIST | REVISIONS              |         |     |      |
|-----|------|------------------------|---------|-----|------|
| P   | LTR  | DESCRIPTION            | DATE    | DWN | APVD |
| CE  | 16   |                        |         |     |      |
|     | D    | REV PER EC A40-0163-02 | 26APR02 | ADB | SM   |

1. DIMENSIONS IN [ ] ARE IN INCHES.

2. MAXIMUM INSERTION LOSS IS 0.5dB PLUS CABLE ATTENUATION OF 1.5dB/km AT 1300nm.



| MAX IL (dB) | L                   | PART NUMBER |
|-------------|---------------------|-------------|
| 3.50        | 2000±20 [78740±787] | 9-504970-9  |
| 1.33        | 550±5 [21653±197]   | 9-504970-8  |
| 0.52        | 13.72±0.15 [540±6]  | 1-504970-1  |
| 0.52        | 12.19±0.15 [480±6]  | 1-504970-0  |
| 0.52        | 10.67±0.15 [420±6]  | 504970-9    |
| 0.51        | 6.1±0.08 [240±3]    | 504970-8    |
| 0.53        | 20±0.3 [787±12]     | 504970-7    |
| 0.52        | 15±0.15 [591±6]     | 504970-6    |
| 0.52        | 10±0.15 [394±6]     | 504970-5    |
| 0.51        | 5±0.08 [197±3]      | 504970-4    |
| 0.50        | 3±0.05 [118±2]      | 504970-3    |
| 0.50        | 2±0.05 [79±2]       | 504970-2    |
| 0.50        | 1±0.05 [39±2]       | 504970-1    |

|  |  |                       |  |                     |
|--|--|-----------------------|--|---------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. |  | DWN S.URICH 20APR99   | <b>AMP</b> AMP Incorporated<br>Harrisburg, PA 17105-3608                           |                     |
| DIMENSIONS: METERS [INCHES]            |  | CHK R.PAUL 23APR96    |  |                     |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: |  | APVD N.MILLER 24APR96 | NAME CABLE ASSY, FIBER OPTIC, 62.5/125µm LDS, AMP SC (NG) TO AMP SC (NG), OPTIMATE |                     |
| 0 PLC ± -                              |  | PRODUCT SPEC -        | SIZE A3  |                     |
| 1 PLC ± -                              |  | APPLICATION SPEC -    | CAGE CODE 00779  | DRAWING NO C-504970 |
| 2 PLC ± -                              |  | WEIGHT -              | RESTRICTED TO -  |                     |
| 3 PLC ± -                              |  | CUSTOMER DRAWING      |  |                     |
| 4 PLC ± -                              |  | SCALE NTS             |  |                     |
| ANGLES ± -                             |  | SHEET 1 OF 1          |  |                     |
| FINISH -                               |  | REV D                 |  |                     |