

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China










- 1. SUGGESTED MOUNTING HOLE Ø.147 [Ø3.73]
- 2. HARDWARE IS INCLUDED
- 3. MAXIMUM MOUNTING TORQUE: 3 IN-LBS
- 4. THIS IS A LEAD FREE PRODUCT
- 5. MAXIMUM REFLOW IS 245°C FOR 5 SECONDS



BUSHING FINISH	SILVER									
LEAD FINISH	SILVER									
CAPACITANCE	22 nF GMV									
TEMP. RANGE	-55°C TO +125°C									
CURRENT	10 AMPS MAX.									
WORKING VOLTAGE	125°C, 100 VDC MAX.									
DC RESISTANCE	.01 OHMS MAX.									
I.L. PER MIL-STD-220 @ 25°C (NO LOAD)										
<u>'</u>										

I.L. PER MIL-STD-22	20 @ 25°C (NO LOAD)
FREQ. MHz	I.L. (dB)
1 MHz	7
10 MHz	27
30 MHz	34
100 MHz	43
300 MHZ	50
1 GHz	60

**SCHEMATIC** 



MARKING: PART: S726F002

BAG: 51F-726-002 DATE CODE QTY. / PACK (50 / BAG MAX.)



_																											
																						00	REV. NO.	UNLESS OTHERWISE SPECIFIED	TOLERANCES UNLESS OTHERWISE SPECIFIED		FAIRVIEW
																						CPD	TICE		Decx ± Decxx ±	SPECTRUM CONTROL INC	
																							S	[ MILLIMETERS ]	Decxxx ±.010 [.25]	Dwn. Hassett	Description FEED THRU
																						25673-	NGE	DO NOT SCALE	Angles ± 0° 30"	Date 2-16-06	RESIN SEAL FILTER
																						CN 2	CHAN	⊕   THIRD ANGLE PROJECTION	CODE IDENT. NO. 0LSP2	Engr. Struchen Sheet 1 of 1	51F-726-002
	Qı	ıa	lit	У	P	rc	od	uc	:t	s	F	ro	m	_	Th	е	S	p€	eC	ial	is	_	In	Electro-Mc	agnetic Co		lity

