



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China






Tous droits strictement réservés. Reproduction ou communication a des tiers int sous quelque forme que ce soit sans autorisation écrite du propriétaire.
 Property of BERG ELECTRONICS. Copyright BERG ELECTRONICS BV



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
 Property of BERG ELECTRONICS. Copyright BERG ELECTRONICS BV

PRODUCT NO.
52366-100DAS/100DASLF

SEE NOTE 8.1 SEE NOTE 8.1



VIEW X
(SEE NOTE 8.2)

NOTES:

- 8.0mm MIN CARD EJECT.
- EJECT TRAVEL: 9.50mm
- MATERIAL:
 EJECT HEADER ASS'Y
 PLASTIC HOUSING: HIGH TEMPERATURE THERMOPLASTIC UL94V-0 BLACK
 PIN: COPPER ALLOY
 PCB: FR4
 PLASTIC GUIDE: HIGH TEMPERATURE THERMOPLASTIC UL94V-0 BLACK
 PLATE: STAINLESS
 EMI CONTACT: PHOSPHOR BRONZE
- FINISH
 PIN:
 UNDER PLATING: 0.5um MIN. Ni
 CONTACT AREA: 0.076 μm MIN. GOLD

 SOLDER TAIL(TIN LEAD OPTION): 2.5um MIN. Sn-Pb
 SOLDER TAIL(LEAD FREE OPTION): 2.5um MIN. PURE TIN
 GROUND SHIELD :
 UNDER PLATING: 0.75um MIN. Ni
 CONTACT SURFACE: 0.2 um GOLD.
- PUSH ROD LOCATION AND P.C.B. ARE AS APPEARS INSTALLED
- DIM "X"

	4.25±0.1	3.5±0.1	5.0±0.1
OTHERS	36,67	1,17,34,35,51,68	
- DO NOT TOUCH AND KEEP CLEAN THE SURFACES OF PCB OF HEADER ASS'Y.
- SPECIAL FEATURES:
 8.1 NO CHAMFER OF VTB
 8.2 NO "S"-SLOT
- IF LEAD FREE P.N.THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.00MM MINIMUM THICK CIRCUIT BOARD.
- IF LEAD FREE P/N.THE PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DISCRIBLED IN GS-22-008
- LEAD FREE P/N PACKAGING MEETS GS-14-920 SPECIFICATION
- PRODUCT SPEC:110-263

ORDERING INFORMATION

NAME	PART NO.	Q'TY
(A) EJECT HEADER ASS'Y	52366-100DAS/100DASLF	1
(B) MATING RECEPTACLE	73277-101002/101002LF	1






mat'l code				tolerance unless otherwise specified		CUSTOMER COPY	FCJ www.fcjconnect.com	
rev.	ecn no.	dr	date	linear	± 0.30	projection	title CARDBUS EJECT HEADER	
A	T90248	WL	07/06/99				FORCE-SAVING, TYPE 1/2/3	
B	T90287	WL	08/03/99				product family : PCMCIA	
C	T90359	WL	10/14/99	angles	± 2°	unit	size	code
D	T00105	WL	04/11/00	dr	WENDY CHEN	06/25/99	mm/inch	TWN
E	T10151	WL	05/28/01	enr	STELAR CHU	06/25/99	scale	sheet
F	N05-0037	WB	02/16/05	chr	JOSEPH HSIAO	06/25/99	1.5:1	1 OF 3
G	ELX-N-011388	ZK	04/02/12	appd	JENN TSAO	06/25/99	A3	52366
sheet	revision	G	G	G				
index	sheet	1	2	3				

Tous droits strictement réservés. Reproduction ou communication a des tiers int sous quelque forme que ce soit sans autorisation écrite du propriétaire.
Property of FCJ BERG ELECTRONICS. Copyright BERG ELECTRONICS BV



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
Property of FCJ BERG ELECTRONICS. Copyright BERG ELECTRONICS BV

PRODUCT NO.
52366-300DAS/300DASLF



NOTES:

- 8.0mm MIN CARD EJECT.
- EJECT TRAVEL: 9.50mm
- MATERIAL:
EJECT HEADER ASS'Y
PLASTIC HOUSING: HIGH TEMPERATURE THERMOPLASTIC UL94V-0 BLACK
PIN: COPPER ALLOY
PCB: FR4
PLASTIC GUIDE: HIGH TEMPERATURE THERMOPLASTIC UL94V-0 BLACK
PLATE: STAINLESS
EMI CONTACT: PHOSPHOR BRONZE
- FINISH
PIN :
UNDER PLATING: 0.5um MIN. Ni
CONTACT AREA: 0.076 µm MIN. GOLD
SOLDER TAIL(TIN LEAD OPTION): 2.5um MIN. Sn-Pb
SOLDER TAIL(LEAD FREE OPTION): 2.5um MIN. PURE TIN
GROUND SHIELD :
UNDER PLATING: 0.75um MIN. Ni
CONTACT SURFACE: 0.2 um GOLD.
- PUSH ROD LOCATION AND P.C.B. ARE AS APPEARS INSTALLED
- DIM "X"

4.25±0.1	3.5±0.1	5.0±0.1
OTHERS	36,67	1,17,34,35,51,68
- DO NOT TOUCH AND KEEP CLEAN THE SURFACES OF PCB OF HEADER ASS'Y.
- SPECIAL FEATURES:
8.1 NO CHAMFER OF VTB
8.2 NO "S"-SLOT
- IF LEAD FREE P.N.THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.00MM MINIMUM THICK CIRCUIT BOARD.
- IF LEAD FREE P/N.THE PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DISCRIBLED IN GS-22-008
- LEAD FREE P/N PACKAGING MEETS GS-14-920 SPECIFICATION
- PRODUCT SPEC:110-263



ORDERING INFORMATION

NAME	PART NO.	Q'TY
(A) EJECT HEADER ASS'Y	52366-300DAS/300DASLF	1
(B) MATING RECEPTACLE	73277-101002/101002LF	1

mat'l code		tolerance unless otherwise specified		CUSTOMER COPY		FCJ www.fcjconnect.com	
rev.	ecn no.	dr	date	linear	± 0.30	projection	title
G				angles	± 2°		CARDBUS EJECT HEADER FORCE-SAVING, TYPE 1/2/3
				dr	WENDY CHEN 06/25/99	unit	product family : PCMCIA
				engr	STELAR CHU 06/25/99	mm/inch	code
				chr	JOSEPH HSIAO 06/25/99	scale	TWN
				appd	JENN TSAO 06/25/99	1.5:1	sheet
sheet	revision						52366
index	sheet						2 of



Tous droits strictement réservés. Reproduction ou communication à des tiers sans autorisation écrite du propriétaire.
 Property of BERG ELECTRONICS. Droits de reproduction BERG ELECTRONICS sv
 All rights strictly reserved. Reproduction or issue to third parties in any form without written authority from the proprietor.
 Property of BERG ELECTRONICS. Copyright BERG ELECTRONICS sv

PRODUCT NO.
52366-100DAS/100DASLF
52366-300DAS/300DASLF



DETAIL A

4 CARD INSERTION DIRECTION

mat'l code		tolerance unless otherwise specified		CUSTOMER COPY		 www.fciconnect.com			
rev.	ecn no.	dr	date	linear	± 0.10	projection		title	
G								CARDBUS EJECT HEADER	
				angles	± 2°	unit	mm/inch	product family : PCMCIA	
								code	
				dr	WENDY CHEN	06/25/99	scale	size	dwg no.
				enrg	STELAR CHU	06/25/99	2:1	A3	52366
				chr	JOSEPH HSIA	06/25/99			sheet
				appd	JENN TSAO	06/25/99			3 OF
sheet	revision								
index	sheet								