



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



RFID Development Kit

Sku: 53318-510



Development Kit Options

Tools Included	w/Compiler	Just H/W	Only PCB
Compiler Software	●		
Programmer	●	●	
Prototyping board	●	●	●
Power supply & cables	●	●	
Exercise book	●	●	
Price			
Buy Now ➔	Add	Add	Add

The CCS RFID Development Kit includes a simple read-only and read/write transponder to demonstrate multiple RFID communication possibilities. The development kit includes the powerful PCW Integrated Development Environment with compiler support for Microchip's PIC[®] PIC10, PIC12 and PIC16 families and an ICD-U64 in-circuit programmer/debugger that supports C-aware real time debugging. A manual with source code examples explains how to use the drivers, enabling you to quickly develop your own RFID applications.

The RFID Prototype Board has a short range RFID antenna connected to an external RFID transceiver IC. (Note: The short range antenna is a PCB trace, it is not an externally connected antenna) The 3.625" x 2" prototype board connects to external components using a four-wire RS485 bus.

RFID Prototyping Board includes:

- Three LEDs
- One Dual-color LED
- Short range RFID Antenna
- RS-485 and RS-232 connections

The RS485 connection on the RFID Prototype board is to accommodate a multi-drop/multi-node network of RFID units and other RFID related components.

RFID or Radio Frequency Identification is a generic term for technologies that use radio waves to automatically identify people or objects. Although RFID technology is a few decades old, it has become more widely used in recent years due to diminishing cost restraints. Up until recently, it has been too expensive and too limited to be practical for many commercial applications. Today, RFID technology is used in applications such as access control, tagging inventory for security to prevent counterfeiting, access credit and bank accounts



via embedded chips, and human resource tracking. The basic RFID systems is composed of three parts: transponders, antennas, and controllers.

RFID Development Kit includes:

- RFID Prototyping Board
- In-Circuit Debugger/Programmer
- Two Read-Only RFID Transponders [[1](#), [2](#)]
- One Read/Write RFID Transponder [[3](#)]
 - Password Protection
 - Can be made Read-Only or Write-Only
- Exercise Tutorial
- 9V AC Adapters and Cables



Additional Information: If you do not own a recent version of the CCS C Compiler please note that the RFID Development Kit does not include the header files needed to make it run properly. You can e-mail support@ccsinfo.com to request the specific files you are interested in.