



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



# BlueMod+S42

**Bluetooth Low Energy** Single Mode Module



## Product description

The BlueMod+S42 is a next generation Bluetooth single mode module based on the nRF52 Nordic chipset. It is designed for smartphone connectivity and cable replacement applications with low energy consumption.

The BlueMod+S42 supports the Terminal I/O profile as well as most GATT based profiles.

## Profiles

Terminal I/O works similar to SPP and offers a simple point-to-point connection, including flow control over-the-air, for use cases that require low data rate and transparent data exchange. It is controlled by an AT command interface. The module also comes with a generic GATT interface. This interface allows the use of most Bluetooth Low Energy standard profile as well as customer specific proprietary profiles. The module will allow for concurrent central and peripheral operations.

## Key Benefits

- Bluetooth v4.2 qualified module
- CE, FCC, IC certified
- Generic GATT Client and Server
- Terminal I/O for Easy Transparent Data Transfer
- Sample Code for iOS and Android
- Important supported Bluetooth 4.2 features:
  - LE Secure Connections
  - L2CAP Connection oriented channels
  - Long MTU size
  - Data packet length extension

## NFC Handover

BlueMod+S42 supports the NFC functionality of the Nordic nRF52382 chip. NFC handover simplifies device pairing and connection setup.

The BlueMod+S42 emulates an NFC Forum compliant Tag Type 2 and provides a standardized Bluetooth handover record to the reader, thus allowing for automatic pairing without manual interaction.

Telit provides a dedicated NFC utility app for Android devices for evaluating the handover feature.

## Family Concept

The BlueMod+S and BlueMod+SR as well as the BlueMod+S42 modules are mechanically and electrically compatible. The modules also have compatible software interfaces, and can easily be replaced by each other without additional changes to the hardware or software.



Combine your BLE module with

Cellular modules



GNSS modules



[www.telit.com](http://www.telit.com)

Complete, Ready to Use Access to the Internet of Things



## BlueMod+S42

### Profiles

- Generic GATT Client and Server
- Terminal I/O for Easy Transparent Data Transfer

### Environmental

- LGA pads
- Integrated ceramic Antenna: +1.8 dBi
- Length x Width x Height:  
17x10x2.6 mm
- Temperature range: -40°C to +85°C

### Interfaces

- UART: 9600 bps – 921600 bps (asynchronous)
- Other interfaces: I<sup>2</sup>C, SPI, PWM, ADC
- GPIOs: Up to 21

### Approvals

- Bluetooth Qualification 4.2
- CE, FCC, IC, KCC

### Electrical & Sensitivity

- Power supply: 1.8V to 3.6V
- Transmit Power: -20 to +4 dBm
- Receiver Sensitivity: -96 dBm
- Max power consumption transmission: 7.5 mA
- Power consumption standby: 1.4µA
- Power consumption sleep: 400 nA

### Tools

- BlueEva+S42: evaluation kit
- BlueDev+S42: development kit



### Join the Telit Technical Forum

For a quicker and more rewarding integration experience join the Telit Technical Forum. There you can browse the first open forum covering all IoT topics, get direct support by region (EMEA, North America, Latin America, APAC), take part in this quickly growing IoT community and exchange experiences.