

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







| | CURRENT (AMPS) | WORKING VOLTAGE | | | | MAXIMUM | MAXIMUM | | CAPACITANCE | MIN. INS | MIN. INSERTION LOSS PER MIL-STD- | | |
|---------------------------------------|--------------------------|-----------------|-------|---------------------------------------|-------|-----------------|------------------------|--|---|---|---|--|--|
| CASE | | -55°C TO +85°C | | -55°C TO +125°C | | DC RESISTANCE | VOLTAGE DROP | | GMI +80%-20% | FULL LOAD | | | |
| FINISH | | AC | DC | AC | DC | (OHMS) | DC | AC | | 14 30 50 75 1 KHz KHz KHz K | 00 150 300 50 Hz KHz KHz KH | 0 1 10 100 1 10 z MHz MHz MHz GHz GH | |
| SOLDER | 15 | | 100 | | 50 | 0.005 | | | 1.4 | 20 - | 28 33 | - 44 55 70 | |
| PART MA SCI 54-367- DATE COI | RKING: 008 DE MARKING: | | .050) | X.070 Slot (2 X1.77] .345 M | X) 1/ | /4-28UNF-2A THD | | .375 [9.5: DIA | 5 2 1─ ► | ø.40 | 7/.397 — 33/10.08] .302 '7.67] | .027/.023 | |
| MARKING NOTES: N/A | | SCHEMATIC T | | | | | | | [5.65] | MTG. HARDWARE NOTES: 1) MOUNTING TORQUE NOT TO EXCEED 7in-lbs. | | | |
| | | | | | | | CN 186811 CN 183720 | CHANGE NDTICE NOTICE NO | SS OTHERWISE SPECIFIED ENSIONS ARE N INCHES. MILLIMETERS] NOT SCALE. | Fractions± Decxx± Decxxx± .010 Angles ±0° 30′ CODE IDENT. NO. OLSP2 | Ckd. 3/30/98 Sheet <u>1 of 1</u> | ERIE, FAIRVIEW PENNSYLVANIA Description Low Pass EMI Filter 54-367-008 | |
| Q | uality | Produc | ts Fr | om Th | e Spe | ecialists In | Ele | ctro-I | Magnetic | Compatik | | | |