

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







RoHS COMPLIANT

NO.

PART NAME

Item			Specification				
Awg			16#				
No. of conductor		p,c	2C				
	Material		Stranded Bare Copper				
Conductor	Filler						
	Construction	No./mm	65/0.16BS				
	Stranded diameter	mm	1.29				
	Material		CL2 PVC				
Insulation	Nom. Thickness	mm	0.51(Ref.)				
	Diameter	mm	2.3 ± 0.1				
	Color		red ,black				
Filler	Material		420D NYLON				
	Material		CL2 PVC				
	Min. Thickness	mm	0.8mm				
Jacket	Nom. Thickness	mm	0.8(Ref.)				
	O.D	mm	6.2 ± 0.2				
	Color						
Montring	E326425 (UL) CL2 AUDIO CABLE 16AWG*2 STRANDED						
Marking							
Configuratio	on:						
			Jacket				
Insulation							
Conductor							
NYLON 420D (white)							
TYTEON 120D (WIII CC)							

SPECIFICATION DESCRIPTION

	REVISION INFORMATION					
Rev.	Rev. Date	Modified By	Brief Description			

CnC Tech, LLC

		GENERAL TOLERANCE		APPROVED BY & DATE:	DESCRIPTION:						
		0-6	±0.05		2-core in-wall 16AWG						
					CHECKED BY & DATE:						
			6-18	±0.07							
			0-10	10.07		ITEM NO.:					
			40.50	. 0. 40							
			18-50	±0.10	DESIGNED BY & DATE:						
						DATE:	REV:	UNIT:	SHEET:	SCALE:	
	QT'Y	UNIT	50-120	±0.15		2017/01/10	A01	MM	1 OF 2	1:1	