## mail

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## **HellermannTyton**

## **Specification Sheet**

Part Number: 556-00238



TT230 Series Carry Case, 25.52" x 19.5" x 13.08", Die Cut Interior, 8" Deep Cavities, Black, 1/pkg

Article Number	556-00238
Туре	CASE LG TT230SM
Color	Black (BK)
Features & Benefits	<ul> <li>OEM products ensure 100 percent compatibility and the longest service life.</li> <li>Hard-shell case protects printer from debris and impact during transport.</li> </ul>
Quantity Per	EA
Product Description	OEM accessories are specifically designed for use with TT230 Series thermal transfer printers. The large carrying case offers plenty of room for both printer and labels.
Short Description	TT230 Series Carry Case, 25.52" x 19.5" x 13.08", Die Cut Interior, 8" Deep Cavities, Black, 1/pkg

Technical Description	Carrying Case, 25.52" X 19.5" X13.080, Die Cut Interior, All cavities 8" deep. Black
Length L (Imperial)	19.5
Length L (Metric)	495.3
Width W (Imperial)	25.52
Width W (Metric)	495.3
Height H (Imperial)	19.5
Height H (Metric)	495.3
Depth D (metric)	648.2

Material	Plastic (PL)
Material Shortcut	PL
Operating Temperature (Metric)	+40°F to +104°F (+4°C to +40°C)
Reach Complaint(Article 33)	Yes
ROHS Complaint	Yes

Package Quantity(Imperial)	1
Package Quantity (Metric)	1
Customs Number	9612101000
Weight (Metric)	4.52
Weight (Imperial)	10

© 2018 HellermannTyton. All rights reserved.

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions