



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Specification Sheet

Part Number: 556-00252



TT130SMC Printer Replacement Power Supply, Black, 1/pkg

Article Number

556-00252

Type

TT130PWRSLY

Color

Black (BK)

Features & Benefits

- OEM products ensure 100 percent compatibility and the longest service life.

Quantity Per

EA

Product Description

Replacement power supply for use with the TT130SMC thermal transfer printer. For guaranteed performance and warranty protection, use only the HellermannTyton parts and accessories designed for your specific printer model.

Short Description

TT130SMC Printer Replacement Power Supply, Black, 1/pkg

Global Part Name

TT130PWRSLY-PL-BK

Technical Description

Replacement Power Supply, TT130SMC Printer, Black

Length L (Imperial)

4.5

Length L (Metric)

114.3

Width W (Imperial)

2.25

Width W (Metric)

57.15

Height H (Imperial)

1.5

Height H (Metric)

38.1

Material

Plastic (PL)

Material Shortcut

PL

Operating Temperature (Metric)

+40°F to +104°F (+4°C to +40°C)

Reach Complaint(Article 33)

Yes

ROHS Complaint

Yes

UL Listed (US and Canada)

Yes

Package Quantity(Imperial)

1

Package Quantity (Metric) 1

Customs Number 8443913000

Weight (Metric) 2.0