Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!

Contact us

HellermannTyton

Specification Sheet

Part Number: 556-00432

WLAN Card for TTM430 printer, Metal/Plastic, Silver, 1pkg

Article Number	556-00432
Type	430WLAN
Color	Black (BK)
Features & Benefits	• WLAN wireless card for wireless communication to the TTM430/TTM460 thermal transfer printer.
Quantity Per	EA
Product Description	HellermannTyton's TTM430 thermal transfer printer is designed for medium to high volume users of thermal transfer labels and ShrinkTrak. Its user-friendly design features a streamlined menu for simple navigation, while its built in caddy allows even the largest label rolls to fit inside the printer. The optional cutter can cut through the thickest material. The 300 dpi print head provides the highest quality printing. The TTM430 is designed to handle all sizes of HellermannTyton's ShrinkTrak markers, and the TTM430 can print on even the smallest labels.

Short Description	WLAN Card for TTM430 printer, Metal/Plastic, Silver, 1pkg
Global Part Name	430WLAN-PL-BK
Technical Description	WLAN Card for TTM430 printer, Metal/Plastic, Silver
Width W (Imperial)	2.2
Width W (Metric)	55.88
Height H (Imperial)	4.5
Height H (Metric)	114.3
Depth D (imperial)	0.25
Depth D (metric)	6.35
Material	Plastic (PL)
Material Shortcut	PL
Operating Temperature (Metric)	+40°F to +104°F (+4°C to +40°C)
ROHS Complaint	Yes
UL Listed (US and Canada)	Yes

Package Quantity(Imperial)	1
Package Quantity (Metric)	1
Customs Number	9612101000

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions