



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Specification Sheet

Part Number: 558-00312



Adhesive Labels, Solid Color Continuous Roll, 2.0" x 250', VL, Red, 250 ft/roll

Article Number	558-00312
Type	HT2RD250
Color	Red (RD)
Features & Benefits	<ul style="list-style-type: none">• Continuous Vinyl Labels are made with UV-stable materials for long outdoor life.• Labels are extruded in the actual color and not colored using surface inks for long-term fade resistance.• Continuous Vinyl is provided in continuous rolls so that the markers can be printed and cut to any length using HellermannTyton thermal transfer printing systems.
Quantity Per	roll

Product Description

Continuous Vinyl Labels are made with UV-stable materials for long outdoor life. The labels are extruded in the actual color and not colored using surface inks for long-term fade resistance. Vinyl labels are provided in continuous rolls so that the markers can be printed and cut to any length using HellermannTyton thermal transfer printing systems. Good for all surface types except powder coat painted or low surface energy substrates such as polypropylene. Test on these surfaces before approving.

Short Description

Adhesive Labels, Solid Color Continuous Roll, 2.0" x 250', VL, Red, 250 ft/roll

Global Part Name

HT2RD250-V-RD

Technical Description

Solid Colored Continuous Roll, 2.0" X 250', Red

Length L (Imperial)

250.0

Length L (Metric)

76.20

Variant

3.2mil, 50lb bleached kraft paper

Width W (Imperial)

2.0

Width W (Metric)

50.8

Thickness T (Metric)

64.0

Width of Liner (Metric)

50.8

Width of Liner (imperial)

2.0

Material

Vinyl

Material Shortcut V

Adhesive Acrylic

Halogen free No

UV Resistant (Yes/No) Yes

Adhesive Operating Temperature -40°F to +180°F (-40°C to +82°C)

Operating Temperature (Metric) -40°F to +180°F (-40°C to +82°C)

Reach Complaint(Article 33) Yes

ROHS Complaint Yes

Certification/Specification WEB UL 969

UL Recognized (US) Yes

Package Quantity(Imperial) 250

Package Quantity (Metric) 76.20

Customs Number 3919102055

Labels per Column 1

Labels per Row 1

Weight (Metric) 0.68

Weight (Imperial) 1.48

© 2018 HellermannTyton. All rights reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)