



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




## VLC-DES-USB

Order No.: 5605646



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=5605646>

Flow chart programming with Steeplechase VLC, Designer Package:  
VLC control development environment with runtime and hardware key  
for USB

Commercial data	
GTIN (EAN)	 4 046356 100748
Note	Made-to-order
sales group	K113
Pack	1 pcs.
Customs tariff	85234045
Catalog page information	Page 65 (AX-2009)

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data	
<b>Functions</b>	
Basic functions	Programming with flowchart and RLL editors

	Relay Ladder Logic Programming, IEC-61131-3-based, flow chart enhanced
	Boolean and bit operations
	Mathematical functions
	String functions
	Berkeley sockets via TCP/IP in realtime.
	Integrated motion
	Communication via OPC server, DDE server and Ethernet peer-to-peer
	Broad I/O driver support
	HMI features and options

**Hardware requirements**

Interfaces	Parallel interface or USB port for license key
Monitor resolution	800 x 600 (1024 x 768 empfohlen)
Operating equipment	Keyboard, mouse
CPU	Min. Pentium 4 / Celeron 1 GHz
Optical drive	CD-ROM

**Operating systems**

Operating systems	Windows 2000 Pro
	Windows XP Pro
Operating equipment	Keyboard, mouse

**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact  
Technical modifications reserved;