



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




# TAIYO-100VOLT CAP-V1

## Taiyo Yuden 100 Volt Multilayer Ceramic Capacitor Kit

Case Size	PartNo.	Capacitance	Temperature Characteristic	Operating Temperature Range	Sample Qty.
0603	HMK107BJ102KA-T	0.001 $\mu$ F +/-10%	X7R	-55 ~ 125°C	10
0603	HMK107BJ222KA-T	0.0022 $\mu$ F +/-10%	X7R	-55 ~ 125°C	10
0603	HMK107BJ472KA-T	0.0047 $\mu$ F +/-10%	X7R	-55 ~ 125°C	10
0603	HMK107BJ103KA-T	0.01 $\mu$ F +/-10%	X7R	-55 ~ 125°C	10
0603	HMK107BJ223KA-T	0.022 $\mu$ F +/-10%	X7R	-55 ~ 125°C	10
0805	HMK212BJ103KG-T	0.01 $\mu$ F +/-10%	X7R	-55 ~ 125°C	10
0805	HMK212BJ223KG-T	0.022 $\mu$ F +/-10%	X7R	-55 ~ 125°C	10
0805	HMK212BJ473KG-T	0.047 $\mu$ F +/-10%	X7R	-55 ~ 125°C	10
0805	HMK212BJ104KG-T	0.1 $\mu$ F +/-10%	X7R	-55 ~ 125°C	10
1206	HMK316BJ473KL-T	0.047 $\mu$ F +/-10%	X7R	-55 ~ 125°C	10
1206	HMK316BJ104KL-T	0.1 $\mu$ F +/-10%	X7R	-55 ~ 125°C	10
1206	HMK316BJ224KL-T	0.22 $\mu$ F +/-10%	X7R	-55 ~ 125°C	10
1206	HMK316BJ474KL-T	0.47 $\mu$ F +/-10%	X7R	-55 ~ 125°C	10
1206	HMK316BJ105KL-T	1.0 $\mu$ F +/-10%	X7R	-55 ~ 125°C	10
1210	HMK325BJ104KF-T	0.1 $\mu$ F +/-10%	X7R	-55 ~ 125°C	5
1210	HMK325BJ224KN-T	0.22 $\mu$ F +/-10%	X7R	-55 ~ 125°C	5
1210	HMK325BJ474KN-T	0.47 $\mu$ F +/-10%	X7R	-55 ~ 125°C	5
1210	HMK325BJ105KN-T	1.0 $\mu$ F +/-10%	X7R	-55 ~ 125°C	5
1210	HMK325BJ225KN-T	2.2 $\mu$ F +/-10%	X7R	-55 ~ 125°C	5
1812	HMK432BJ474KM-T	0.47 $\mu$ F +/-10%	X7R	-55 ~ 125°C	5
1812	HMK432BJ105KM-T	1.0 $\mu$ F +/-10%	X7R	-55 ~ 125°C	5
1812	HMK432BJ225KM-T	2.2 $\mu$ F +/-10%	X5R	-55 ~ 85°C	5

\* All components in this kit are RoHS compliant. Specifications subject to change without notice. Components in this kit are for design trial and testing performance and are not intended for use in mass production.

Physical Dimensions											
		0603		0805		1206		1210		1812	
L		1.6 ± 0.10 (0.063 ± 0.004)		2.0 ± 0.10 (0.079 ± 0.004)		3.2 ± 0.15 (0.126 ± 0.006)		3.2 ± 0.30 (0.126 ± 0.012)		4.5 ± 0.4 (0.177 ± 0.016)	
	W	0.8 ± 0.10 (0.031 ± 0.004)		1.25 ± 0.10 (0.049 ± 0.004)		1.6 ± 0.15 (0.063 ± 0.006)		2.5 ± 0.20 (0.098 ± 0.008)		3.2 ± 0.30 (0.126 ± 0.012)	
T	A	0.8 ± 0.10 (0.031 ± 0.004)		1.25 ± 0.10 (0.049 ± 0.004)		1.6 ± 0.20 (0.063 ± 0.008)		F 1.15 ± 0.10 (0.045 ± 0.004)		M 2.5 ± 0.2 (0.098 ± 0.008)	
	G							N 1.9 ± 0.20 (0.075 ± 0.008)			
e		0.35 ± 0.25 (0.014 ± 0.010)		0.3 min. (0.012 min.)		0.3 min. (0.012 min.)		0.3 min. (0.012 min.)		0.3 min. (0.012 min.)	



# TAIYO YUDEN

Taiyo Yuden (USA), Inc.  
www.t-yuden.com